



QUALITY POLICY MANUAL



TABLE OF CONTENTS

Mission Statement

Quality Policy Statement

Approvals

1.0 Scope

2.0 Permissible Exclusions

3.0 Terms and Definitions

4.0 Quality Management System

4.1 General Requirements

4.1.1 *General Requirements-Supplemental*

4.2 Documentation Requirements

4.2.1 General

4.2.2 Quality Manual

4.2.3 Control of Documents

4.2.3.1 *Engineering Specification*

4.2.4 Control of Records

4.2.4.1 *Records Retention*

5.0 Management Responsibility

5.1 Management Commitment

5.1.1 *Process Efficiency*

5.2 Customer Focus

5.3 Quality Policy

5.3.1 Environmental Policy

5.4 Planning

5.4.1 Quality Objectives

5.4.1.1 *Quality Objectives-Supplemental*

5.4.2 Quality Management System Planning

5.5 Responsibility, Authority and Communication

5.5.1 Responsibility and Authority

5.5.1.1 *Responsibility for Quality*

5.5.2 Management Representative

5.5.2.1 *Customer Representative*

5.5.3 Internal Communication

5.6 Management Review

5.6.1 General

5.6.1.1 *Quality Management Systems Performance*

5.6.2 Review Input

5.6.2.1 *Review Input-Supplemental*

5.6.3 Review Output

THIS INFORMATION IS THE PROPERTY OF TRIMARK CORPORATION AND THEREFORE IS TO BE TREATED AS CONFIDENTIAL. For documents printed from the master copy, which are held in TriMark's Information Systems, TriMark makes no warranty or representation that the material contained herein is the latest/current revision of the information.

EFFECTIVE	DOC CONT INIT	DESCRIPTION	PAGE	REV
11-18-14	JJE	TRIMARK QUALITY POLICY MANUAL	2 of 40	23.0

6.0 Resource Management

- 6.1 Provision of Resources
- 6.2 Human Resources
 - 6.2.1 General
 - 6.2.2 Competence, Awareness, and Training
 - 6.2.2.1 *Product Design Skills*
 - 6.2.2.2 *Training*
 - 6.2.2.3 *Training on the Job*
 - 6.2.2.4 *Employee Motivation and Empowerment*
- 6.3 Infrastructure
 - 6.3.1 *Plant, Facility and Equipment Planning*
 - 6.3.2 *Contingency Plans*
- 6.4 Work Environment
 - 6.4.1 *Personnel Safety to Achieve Product Quality*
 - 6.4.2 *Cleanliness of Premises*

7.0 Product Realization

- 7.1 Planning of Product Realization
 - 7.1.1 *Planning of Product Realization-Supplemental*
 - 7.1.2 *Acceptance Criteria*
 - 7.1.3 *Confidentiality*
 - 7.1.4 *Change Control*
- 7.2 Customer-Related Processes
 - 7.2.1 Determination of Requirements Related to the Product
 - 7.2.1.1 *Customer-Designated Special Characteristics*
 - 7.2.2 Review of Requirements Related to the Product
 - 7.2.2.1 *Review of Requirements Related to the Product-Supplemental*
 - 7.2.2.2 *Organization Manufacturing Feasibility*
 - 7.2.3 Customer Communication
 - 7.2.3.1 *Customer Communication-Supplemental*
- 7.3 Design and Development
 - 7.3.1 Design and Development Planning
 - 7.3.1.1 *Multidisciplinary Approach*
 - 7.3.2 Design and Development Inputs
 - 7.3.2.1 *Product Design Input*
 - 7.3.2.2 *Manufacturing Process Design Input*
 - 7.3.2.3 *Special Characteristics*
 - 7.3.3 Design and Development Outputs
 - 7.3.3.1 *Product Design Output-Supplemental*
 - 7.3.3.2 *Manufacturing Process Design Outputs*
 - 7.3.4 Design and Development Review
 - 7.3.4.1 *Monitoring*
 - 7.3.5 Design and Development Verification
 - 7.3.6 Design and Development Validation
 - 7.3.6.1 *Design and Development Validation-Supplemental*
 - 7.3.6.2 *Prototype Program*
 - 7.3.6.3 *Product Approval Process*
 - 7.3.7 Control of Design and Development Changes

THIS INFORMATION IS THE PROPERTY OF TRIMARK CORPORATION AND THEREFORE IS TO BE TREATED AS CONFIDENTIAL. For documents printed from the master copy, which are held in TriMark's Information Systems, TriMark makes no warranty or representation that the material contained herein is the latest/current revision of the information.

EFFECTIVE	DOC CONT INIT	DESCRIPTION	PAGE	REV
11-18-14	JJE	TRIMARK QUALITY POLICY MANUAL	3 of 40	23.0

- 7.4 Purchasing
 - 7.4.1 Purchasing Process
 - 7.4.1.1 *Regulatory Conformity*
 - 7.4.1.2 *Supplier Quality Management System Development*
 - 7.4.1.3 *Customer-Approved Sources*
 - 7.4.2 Purchasing Information
 - 7.4.3 Verification of Purchased Product
 - 7.4.3.1 *Incoming Product Quality*
 - 7.4.3.2 *Supplier Monitoring*
 - 7.5 Production and Service Provision
 - 7.5.1 Control of Production and Service Provisions
 - 7.5.1.1 *Control Plans*
 - 7.5.1.2 *Work Instructions*
 - 7.5.1.3 *Verification of Job Set-ups*
 - 7.5.1.4 *Preventive and Predictive Maintenance*
 - 7.5.1.5 *Management of Production Tooling*
 - 7.5.1.6 *Production Scheduling*
 - 7.5.1.7 *Feedback of Information from Service*
 - 7.5.1.8 *Service Agreement with Customer*
 - 7.5.2 Validation of Processes for Production and Service Provision
 - 7.5.2.1 *Validation of Processes for Production and Service Provision-Supplemental*
 - 7.5.3 Identification and Traceability
 - 7.5.3.1 *Identification and Traceability-Supplemental*
 - 7.5.4 Customer Property
 - 7.5.4.1 *Customer-Owned Production Tooling*
 - 7.5.5 Preservation of Product
 - 7.5.5.1 *Storage and Inventory*
 - 7.6 Control of Monitoring and Measuring Devices
 - 7.6.1 *Measurement Systems Analysis*
 - 7.6.2 *Calibration/Verification Records*
 - 7.6.3 *Laboratory Requirements*
 - 7.6.3.1 *Internal Laboratory*
 - 7.6.3.2 *External Laboratory*
- 8.0 Measurement, Analysis and Improvement**
- 8.1 General
 - 8.1.1 *Identification of Statistical Tools*
 - 8.1.2 *Knowledge of Basic Statistical Concepts*
 - 8.2 Monitoring and Measurement
 - 8.2.1 Customer Satisfaction
 - 8.2.1.1 *Customer Satisfaction-Supplemental*
 - 8.2.2 Internal Audit
 - 8.2.2.1 *Quality Management Systems Audit*
 - 8.2.2.2 *Manufacturing Process Audit*
 - 8.2.2.3 *Product Audit*
 - 8.2.2.4 *Internal Audit Plans*
 - 8.2.2.5 *Internal Auditor Qualification*

THIS INFORMATION IS THE PROPERTY OF TRIMARK CORPORATION AND THEREFORE IS TO BE TREATED AS CONFIDENTIAL. For documents printed from the master copy, which are held in TriMark's Information Systems, TriMark makes no warranty or representation that the material contained herein is the latest/current revision of the information.

EFFECTIVE	DOC CONT INIT	DESCRIPTION	PAGE	REV
11-18-14	JJE	TRIMARK QUALITY POLICY MANUAL	4 of 40	23.0

- 8.2.3 Monitoring and Measurement of Processes
 - 8.2.3.1 *Monitoring and Measurement of Manufacturing Process*
- 8.2.4 Monitoring and Measurement of Product
 - 8.2.4.1 *Layout Inspection and Functional Testing*
 - 8.2.4.2 *Appearance Items*
- 8.3 Control of Nonconforming Product
 - 8.3.1 *Control of Nonconforming Product-Supplemental*
 - 8.3.2 *Control of Reworked Product*
 - 8.3.3 *Customer Information*
 - 8.3.4 *Customer Waiver*
- 8.4 Analysis of Data
 - 8.4.1 *Analysis and Use of Data*
- 8.5 Improvement
 - 8.5.1 Continual Improvement
 - 8.5.1.1 *Continual Improvement of the Organization*
 - 8.5.1.2 *Manufacturing Process Improvement*
 - 8.5.2 Corrective Action
 - 8.5.2.1 *Problem Solving*
 - 8.5.2.2 *Error-Proofing*
 - 8.5.2.3 *Corrective Action Impact*
 - 8.5.2.4 *Rejected Product Test/Analysis*
 - 8.5.3 Preventive Action

Revision Record

MISSION STATEMENT AND QUALITY POLICY

TriMark's mission statement is as follows:

We focus on “door systems” – to control access in and out, while emphasizing safety, security and convenience. We:

- provide reasonably priced, tailored, quality mechanical, electrical, electronic products and systems that stress fit-for-function;
- are responsive and easy to do business with;
- make promises we can keep and keep promises we make.

TRIMARK'S QUALITY POLICY

TriMark's team strives to continually improve our products, services and business systems to meet or exceed our customer's expectations.

THIS INFORMATION IS THE PROPERTY OF TRIMARK CORPORATION AND THEREFORE IS TO BE TREATED AS CONFIDENTIAL. For documents printed from the master copy, which are held in TriMark's Information Systems, TriMark makes no warranty or representation that the material contained herein is the latest/current revision of the information.

EFFECTIVE	DOC CONT INIT	DESCRIPTION	PAGE	REV
11-18-14	JJE	TRIMARK QUALITY POLICY MANUAL	5 of 40	23.0

Environmental Policy for TriMark

TriMark is a leading designer and manufacturer to the on- and off-road vehicle industries. We provide latching and access solutions for the agricultural, construction, truck, recreational vehicle, power sports and enclosure markets.

TriMark is committed to an environmental management program. This involves continuous improvement in environmental performance including the prevention of waste and pollution in support of our strategic business objectives for the protection of the environment.

TriMark cares about protecting our global environment and believes that compliance with lawful environmental regulations is part of being a good "corporate citizen." TriMark has taken a proactive step in addressing the current and expected future requirements for RoHS, End of Life and REACH to the products they manufacture, and is in voluntary compliance with the requirements for these European regulations on the products we manufacture at our manufacturing locations.

The following are key points and guidelines that apply to TriMark practices:

- Commitment to full compliance for applicable environmental local, state and federal regulations, as well as international laws and codes of practice.
- We will continually work to reduce our use of energy and materials, and to decrease the amount of waste generated which includes air emissions, wastewater and solid waste. TriMark will set annual environmental goals to monitor the effectiveness of this policy.
- TriMark is committed to the purchase, use and disposal of products and materials in a manner that will best utilize natural resources and minimize any negative impact on the environment. Recycling receptacles are set-up for the separation and collection and recycling of corrugated cardboard and paper products.
- In addition, we will work with our suppliers and customers to encourage good environmental practices, reusing and reducing wasteful packaging materials and other products that are used in the course of TriMark's business.
- TriMark employees shall be trained to perform their jobs in an environmentally responsible manner. This policy will be communicated to our employees and is available to our customers and suppliers on our website.

Scott A. Perkins
Sr. Vice President & CFO

Ricci L. Marzolf
Vice President Research & Development

Lynn D. Hopp
Vice President Human Resources

Ronald J. Priestley
Vice President Global Services

Kendra K. Knowlton
Vice President of Global Quality Assurance/Supplier
Development

THIS INFORMATION IS THE PROPERTY OF TRIMARK CORPORATION AND THEREFORE IS TO BE TREATED AS CONFIDENTIAL. For documents printed from the master copy, which are held in TriMark's Information Systems, TriMark makes no warranty or representation that the material contained herein is the latest/current revision of the information.

EFFECTIVE	DOC CONT INIT	DESCRIPTION	PAGE	REV
11-18-14	JJE	TRIMARK QUALITY POLICY MANUAL	6 of 40	23.0

THIS INFORMATION IS THE PROPERTY OF TRIMARK CORPORATION AND THEREFORE IS TO BE TREATED AS CONFIDENTIAL. For documents printed from the master copy, which are held in TriMark's Information Systems, TriMark makes no warranty or representation that the material contained herein is the latest/current revision of the information.

EFFECTIVE	DOC CONT INIT	DESCRIPTION	PAGE	REV
11-18-14	JJE	TRIMARK QUALITY POLICY MANUAL	7 of 40	23.0

1.0 Scope

This Quality Manual provides specifics on the policies and procedures used by TriMark Corporation to meet general requirements of ISO 9001:2008 and application of *TS 16949:2009 Quality Management System Requirements for North American Heavy Truck Market*, to demonstrate the ability to consistently design and manufacture vehicle hardware products for windows, doors, enclosures and related products, to meet the customer specifications, TriMark's specifications and applicable regulatory requirements and to address customer satisfaction including continual improvement and the prevention of nonconformance, in an environmental manner.

2.0 Permissible Exclusions

None

3.0 Terms and Definitions

The term "Supplier" and "Vendor" are synonymous and refer to the external source used to acquire purchased products, or materials and/or services by the organization.

The term "Organization" refers to TriMark Corporation internal organization.

The term "Customer" used in this quality manual refers to External Customer.

4.0 Quality Management System

4.1 General Requirements

TriMark has a documented quality management system in accordance with the requirements of the International Organization for Standardization (ISO) 9001:2008 *and emphasis of ISO/TS 16949:2009 (identified in italic lettering)*. The processes identified throughout the quality management system will be reviewed to ensure its effectiveness and to continually improve upon those processes.

The organization does:

- identify the processes needed and application of quality management system throughout the organization;
- determine the sequence and interaction of these processes;
- determine criteria and methods needed for ensuring the operation and control of processes are effective;
- ensure the availability of resources and information necessary to support the operation and monitoring of the processes;
- monitor, measure and analyze the processes;
- implement actions necessary to achieve planned results and continual improvement of the processes.

4.1.1 General Requirements-Supplemental

Ensuring control over outsourced processes does not absolve the organization of the responsibility of conformity to all customer requirements.

THIS INFORMATION IS THE PROPERTY OF TRIMARK CORPORATION AND THEREFORE IS TO BE TREATED AS CONFIDENTIAL. For documents printed from the master copy, which are held in TriMark's Information Systems, TriMark makes no warranty or representation that the material contained herein is the latest/current revision of the information.

EFFECTIVE	DOC CONT INIT	DESCRIPTION	PAGE	REV
11-18-14	JJE	TRIMARK QUALITY POLICY MANUAL	8 of 40	23.0

4.2 Documentation Requirements

4.2.1 General

The quality management system documentation includes:

- documented statements of a quality policy, quality objectives and environmental policy;
- a quality manual;
- documented procedures required by ISO/TS 16949:2009;
- documents needed by the organization to ensure the effective planning, operation and control of its processes;
- forms and quality records required.

The Quality Policy and objectives, and Environmental Policy are established and authorized by TriMark's Sr. Vice President & CFO.

4.2.2 Quality Manual

The organization establishes and maintains a quality manual that includes:

- the scope of the quality management system, including details of and justification for any exclusions;
- the documented procedures established for the quality management system, or reference to them.


The following flowchart is a description of the interaction between the processes of the quality management system, and covers all areas of the Organization.

(See next page.)

THIS INFORMATION IS THE PROPERTY OF TRIMARK CORPORATION AND THEREFORE IS TO BE TREATED AS CONFIDENTIAL. For documents printed from the master copy, which are held in TriMark's Information Systems, TriMark makes no warranty or representation that the material contained herein is the latest/current revision of the information.


EFFECTIVE	DOC CONT INIT	DESCRIPTION	PAGE	REV
11-18-14	JJE	TRIMARK QUALITY POLICY MANUAL	9 of 40	23.0

QMS Interaction Flowchart



THIS INFORMATION IS THE PROPERTY OF TRIMARK CORPORATION AND THEREFORE IS TO BE TREATED AS CONFIDENTIAL. For documents printed from the master copy, which are held in TriMark's Information Systems, TriMark makes no warranty or representation that the material contained herein is the latest/current revision of the information.

EFFECTIVE	DOC CONT INIT	DESCRIPTION	PAGE	REV
11-18-14	JJE	TRIMARK QUALITY POLICY MANUAL	10 of 40	23.0



THIS INFORMATION IS THE PROPERTY OF TRIMARK CORPORATION AND THEREFORE IS TO BE TREATED AS CONFIDENTIAL. For documents printed from the master copy, which are held in TriMark's Information Systems, TriMark makes no warranty or representation that the material contained herein is the latest/current revision of the information.

EFFECTIVE	DOC CONT INIT	DESCRIPTION	PAGE	REV
11-18-14	JJE	TRIMARK QUALITY POLICY MANUAL	11 of 40	23.0

4.2.3 Control of Documents

Documents required by the quality management system are controlled. Quality records are a special type of document and are controlled according to the requirements given in 4.2.4.

A document control procedure defines the controls needed to:

- approve documents for adequacy prior to issue;
- review and update as necessary and re-approve documents;
- ensure that changes and the current revision status of documents are identified;
- ensure that relevant versions of applicable documents are available at points of use;
- ensure that documents remain legible and readily identifiable;
- ensure that documents of external origin are identified and their distribution controlled;
- prevent the unintended use of obsolete documents and to apply suitable identification to them if they are retained for any purpose.

Supporting Documentation: *ISO Procedure Manual, Section 4.5 Document Control.*

4.2.3.1 Engineering Specification

TriMark has a process to assure the timely review, distribution and implementation of customer engineering standards/specifications and changes based on customer-required schedule, not to exceed 2 working weeks. Records of date and updated documents on which each change is implemented in production. Updated record of customer production part approval when these specifications are referenced on the design record or if they affect APQP documents.

Supporting Documentation: *QP 4.5-3 External Standards & Specifications Review
Customer PPAP Requirements
APQP Documents
Print/Drawing
TriMark Internal Specs*

4.2.4 Control of Records

Quality records are established and maintained to provide evidence of conformity to requirements and of the effective operation of the quality management system. Quality records remain legible, readily identifiable and retrievable. A documented procedure defines the controls needed for the identification, storage, protection, retrieval, retention time and disposition of records.

4.2.4.1 Records Retention

Quality records are controlled per regulatory and customer requirements.

Supporting Documentation: *QP 4.16-2 Quality Records Identified at TriMark*

5.0 Management Responsibility

5.1 Management Commitment

Management of the facility is committed to the development and implementation of the quality management system and continually improves its effectiveness by:

- communicating to the organization the importance of meeting customer as well as statutory and regulatory requirements;
- establishing a quality policy;
- establishing quality objectives;
- conducting management reviews;
- ensuring the availability of resources.

THIS INFORMATION IS THE PROPERTY OF TRIMARK CORPORATION AND THEREFORE IS TO BE TREATED AS CONFIDENTIAL. For documents printed from the master copy, which are held in TriMark's Information Systems, TriMark makes no warranty or representation that the material contained herein is the latest/current revision of the information.

EFFECTIVE	DOC CONT INIT	DESCRIPTION	PAGE	REV
11-18-14	JJE	TRIMARK QUALITY POLICY MANUAL	12 of 40	23.0

5.1.1 Process Efficiency

Management reviews the product realization processes and support processes to assure their effectiveness and efficiency.

5.2 Customer Focus

TriMark strives to identify current and future customer needs, to meet customer requirements, and exceed customer expectations.

TriMark's Management of the facility ensures that the organization gathers, understands and meets customer requirements through continually improving our processes, monitoring our suppliers, and collecting customer feedback.

5.3 Quality Policy

Our Quality Policy is posted in prominent places throughout the facility to maintain high standards within our organization. Management of the facility ensures that the quality policy is communicated to all employees. It is included in new employee training and training of the quality management system.

Quality Policy Statement

"TriMark's team strives to continually improve our products, services and business systems to meet or exceed our customer's expectations."

Mission Statement

We focus on "door systems" – to control access in and out, while emphasizing safety, security and convenience. We:

- provide reasonably priced, tailored, quality mechanical, electrical, electronic products and systems that stress fit-for-function;
- are responsive and easy to do business with;
- make promises we can keep and keep promises we make.

5.3.1 Environmental Policy

Our Environmental Policy is posted in prominent places throughout the facility to maintain high standards within our organization. Management of the facility ensures that the environmental policy is communicated to all employees. It is included in new employee training and training of the quality management system.

5.4 Planning

5.4.1 Quality Objectives

The Management of the facility ensures that quality objectives, including those needed to meet requirements for product, are established at relevant functions and levels within the organization. The quality objectives are measurable and consistent with the quality policy. These objectives and measurements are identified on the Key Metrics Performance Scorecard.

5.4.1.1 Quality Objectives-Supplemental

Management defines quality objectives and measurements that are included in the business plan and used to deploy the quality policy. These objectives address customer expectations and are achievable within the defined time period.

THIS INFORMATION IS THE PROPERTY OF TRIMARK CORPORATION AND THEREFORE IS TO BE TREATED AS CONFIDENTIAL. For documents printed from the master copy, which are held in TriMark's Information Systems, TriMark makes no warranty or representation that the material contained herein is the latest/current revision of the information.

EFFECTIVE	DOC CONT INIT	DESCRIPTION	PAGE	REV
11-18-14	JJE	TRIMARK QUALITY POLICY MANUAL	13 of 40	23.0

5.4.2 Quality Management System Planning

- Management of the facility ensures that the planning of the quality management system is carried out in order to meet the requirements given in 4.1, as well as the quality objectives; the integrity of the quality management system is maintained when changes to the quality management system are planned and implemented.

5.5 Responsibility and Authority

Management of the facility ensures that responsibilities, authorities and their interrelation are defined and communicated within the organization. The organization chart below illustrates the interrelations and authority of the personnel who manage, perform, and verify the activities affecting the quality management system. Individual responsibilities and authorities are shown in job descriptions, along with who performs and verifies work affecting the quality of products and services.

See Organization Chart on next page.

5.5.1.1 Responsibility for Quality


Managers with responsibility and authority for corrective action are promptly informed of products and processes that do not conform.

Personnel responsible for product quality have the authority to stop production to correct quality problems.

Production operations across all shifts are staffed with personnel in charge of, or delegated responsibility for, ensuring product quality.

THIS INFORMATION IS THE PROPERTY OF TRIMARK CORPORATION AND THEREFORE IS TO BE TREATED AS CONFIDENTIAL. For documents printed from the master copy, which are held in TriMark's Information Systems, TriMark makes no warranty or representation that the material contained herein is the latest/current revision of the information.

EFFECTIVE	DOC CONT INIT	DESCRIPTION	PAGE	REV
11-18-14	JJE	TRIMARK QUALITY POLICY MANUAL	14 of 40	23.0



5.5.2 Management Representative

Management of the facility has appointed the V.P. of Global Quality Assurance /Strategic Supplier Development as the ISO/TS Management Representative who, irrespective of other responsibilities, has the defined authority for:

- ensuring that processes needed for the quality management system are established, implemented and maintained;
- reporting to Management of the facility on the performance of the quality management system and any need for improvement;
- ensuring the promotion of awareness of customer requirements throughout the organization.

5.5.2.1 Customer Representative

Management of the facility has designated the Senior Project Managers, Account Managers, and Product Managers as Customer Representatives with responsibility and authority to ensure customer requirements are addressed. This includes selection of special characteristics, setting quality objectives and related training, corrective and preventive actions, product design and development, through participation in milestones and decision points related to production release, engineering release and related activities linked in customer requirements.

THIS INFORMATION IS THE PROPERTY OF TRIMARK CORPORATION AND THEREFORE IS TO BE TREATED AS CONFIDENTIAL. For documents printed from the master copy, which are held in TriMark's Information Systems, TriMark makes no warranty or representation that the material contained herein is the latest/current revision of the information.

EFFECTIVE	DOC CONT INIT	DESCRIPTION	PAGE	REV
11-18-14	JJE	TRIMARK QUALITY POLICY MANUAL	15 of 40	23.0

5.5.3 Internal Communication

Management of the facility ensures that appropriate communication processes are established within the organization and that communication takes place regarding the effectiveness of the quality management system. Multi media, audit results, key metric performance scorecards and other forms of communication that are used and stored on the U: drive, give the information and communication devices needed for all employees. U:\controlled_documents is our document control location.

5.6 Management Review

5.6.1 General

Management of the facility reviews the organization's quality management system on an annual basis to ensure its continuing suitability, adequacy and effectiveness. The review includes assessing opportunities for improvement and the need for changes to the quality management system, including the quality policy and quality objectives. Records from management reviews are maintained.

Supporting Documentation: **Management Meeting Minutes**
 QP 4.1-1 Management Review of Quality Systems

5.6.1.1 Quality Management Systems Performance

Management Review includes all requirements of the quality management system and it's performance trends as an essential part of the continual improvement process.

Supporting Documentation: **Management Review minutes of monitoring quality objectives specified in the business plan, regular reporting and evaluation of the cost of poor quality, customer satisfaction with product supplied**
 Quality Review Minutes

5.6.2 Review Input

Management of the facility or designee(s) are responsible for reviewing the quality system on an annual basis to ensure that all quality systems are performing to the highest standards and provides the necessary assistance required to maintain the effective functioning of those systems.

5.6.2.1 Review Input-Supplemental

Input to management review shall include an analysis of actual and potential field failures and the impact on quality safety and the environment.

Supporting Documentation: **Meeting Minutes**
 QP 4.1-1 Management Review of Quality Systems
 QP 4.14-1 Corrective Action
 QP 4.14-2 Preventive Action

5.6.3 Review Output

The output from the management review includes any decisions and actions related to:

- improvement of the effectiveness of the quality management system and its processes;
- improvement of product related to customer requirements and resource needs.

THIS INFORMATION IS THE PROPERTY OF TRIMARK CORPORATION AND THEREFORE IS TO BE TREATED AS CONFIDENTIAL. For documents printed from the master copy, which are held in TriMark's Information Systems, TriMark makes no warranty or representation that the material contained herein is the latest/current revision of the information.

EFFECTIVE	DOC CONT INIT	DESCRIPTION	PAGE	REV
11-18-14	JJE	TRIMARK QUALITY POLICY MANUAL	16 of 40	23.0

6.0 Resource Management

6.1 Provision of Resources

The organization determines and provides the resources needed to implement and maintain the quality management system and continually improve its effectiveness, and enhance customer satisfaction by meeting customer requirements.

6.2 Human Resources

6.2.1 General

Personnel performing work affecting product quality are competent on the basis of appropriate education, training, skills and experience. The training information can be found in individual personnel files kept in Human Resources Department.

6.2.2 Competence, Awareness and Training

The organization:

- determines the necessary competence for personnel performing work affecting quality and environment;
- provides training on the job, higher education classes or takes other measures to satisfy these needs;
- evaluates the effectiveness of the actions taken through auditing, annual reviews and customer feedback (i.e., customer returns);

6.2.2.1 Product Design Skills

Personnel with product design responsibility are competent and skilled to achieve design requirements, tools and techniques.

6.2.2.2 Training

The organization has established and documented a procedure for identifying training needs and competence of all personnel performing activities affecting product quality, personnel performing specific assigned task with particular attention to the satisfaction of customer requirements at all levels of the organization.

6.2.2.3 Training on the Job

The organization provides on the job training for personnel in any new or modified job affecting product quality including contract or agency personnel. This includes informing the personnel about the consequences to the customer of nonconformity to quality requirements.

THIS INFORMATION IS THE PROPERTY OF TRIMARK CORPORATION AND THEREFORE IS TO BE TREATED AS CONFIDENTIAL. For documents printed from the master copy, which are held in TriMark's Information Systems, TriMark makes no warranty or representation that the material contained herein is the latest/current revision of the information.

EFFECTIVE	DOC CONT INIT	DESCRIPTION	PAGE	REV
11-18-14	JJE	TRIMARK QUALITY POLICY MANUAL	17 of 40	23.0

6.2.2.4 Employee Motivation and Empowerment

The organization has a process to motivate personnel to achieve quality objectives, to make continual improvements, and to create an environment to promote innovation. The process includes the promotion of quality and technological awareness throughout the whole organization. This process is measured to show personnel are aware of the relevance and importance of their activities and they contribute to the achievement of the quality objectives.

Supporting Documentation: **QP 4.18-1 Training Request & Evaluation**
QP 4.18-2 Orientation of New Employees
Training Records and Annual Evaluations

F-189-600 Temporary Employee Training Info
Employee Meetings
Corporate Scorecard
5S/VFM/SW & CI Projects

6.3 Infrastructure

The organization determines, provides and maintains the infrastructure needed to achieve conformity to product requirements. Infrastructure includes, for example:

- buildings, workspace and associated utilities;
- process equipment, both hardware and software;
- supporting services such as transport or communication.

6.3.1 Plant, Facility and Equipment Planning

The organization uses a multidisciplinary approach for developing plant, facility and equipment plans. Plant layouts optimize material travel, handling and value added use of store space, and facilitate synchronous material flow. Methods have been developed and implemented to evaluate and monitor the effectiveness of existing operations.

Supporting Principles: **Lean Manufacturing**
Six Sigma
Process Plans
Product Line Plan
JD Edwards Hours Analysis

6.3.2 Contingency Plans

The organization has contingency plans to satisfy customer requirements in the event of an emergency such as utility interruptions, labor shortages, key equipment failures and field returns.

Supporting Documentation: **Contingency Plan**

6.4 Work Environment

The organization determines and manages the work environment needed to achieve conformity to product requirements by monitoring quality related costs, customer feedback and changes of increase or decrease in sales

THIS INFORMATION IS THE PROPERTY OF TRIMARK CORPORATION AND THEREFORE IS TO BE TREATED AS CONFIDENTIAL. For documents printed from the master copy, which are held in TriMark's Information Systems, TriMark makes no warranty or representation that the material contained herein is the latest/current revision of the information.

EFFECTIVE	DOC CONT INIT	DESCRIPTION	PAGE	REV
11-18-14	JJE	TRIMARK QUALITY POLICY MANUAL	18 of 40	23.0

6.4.1 Personnel Safety to Achieve Product Quality

The organization addresses product safety and potential risk to employees in the design and development process and the manufacturing process activities.

Supporting Documentation: DFMEA
Process Plans
PFMEA

6.4.2 Cleanliness of Premises

The organization maintains its premises in a state of order, cleanliness and repair consistent with the product and manufacturing process needs.

Supporting Principles: Lean Manufacturing
5S

7.0 Product Realization

7.1 Planning of Product Realization

The organization plans and develops the processes needed for product realization. Planning of product realization is consistent with the requirements of the other processes of the quality management system. In planning product realization, the organization determines the following, as appropriate:

- quality objectives and requirements for the product;
- the need to establish processes, documents, and provide resources specific to the product;
- required verification, validation, monitoring, inspection and test activities specific to the product and the criteria for product acceptance;
- records needed to provide evidence that the realization processes and resulting product meet requirements.

The output of this planning is in a form suitable for the organizations method of operations.

Supporting Documentation: QP 4.4-33 Product Realization

7.1.1 Planning of Product Realization-Supplemental

The quality plan contains customer requirements and reference to its technical specification in the planning of product realization.

7.1.2 Acceptance Criteria

The organization has defined acceptance criteria and, where required, approved by the customer. Acceptance level is C=0 for attributes data sampling per 8.2.3.1.

7.1.3 Confidentiality

The organization assures confidentiality of customer contracted products and projects under development, and related product information.

THIS INFORMATION IS THE PROPERTY OF TRIMARK CORPORATION AND THEREFORE IS TO BE TREATED AS CONFIDENTIAL. For documents printed from the master copy, which are held in TriMark's Information Systems, TriMark makes no warranty or representation that the material contained herein is the latest/current revision of the information.

EFFECTIVE	DOC CONT INIT	DESCRIPTION	PAGE	REV
11-18-14	JJE	TRIMARK QUALITY POLICY MANUAL	19 of 40	23.0

7.1.4 Change Control

The organization has a process to control and react to changes that impact product realization that effect change, including those changes caused by a supplier, shall be assessed and verification and validation activities defined to ensure compliance with customer requirements. These changes require notification to and agreement from the customer per customer requirements.

Changes are validated before implementation.

Customer proprietary designs, impact on fit, form, function performance and/or durability are reviewed with the customer so that all effects can be evaluated. This applies to product and manufacturing process changes.

Supporting Documentation: **Customer PPAP Requirements**
 Control Plans
 Design Records
 Specification Reports
 Work Instructions
 Special Instructions
 Windchill & Project Documentation

7.2 Customer-Related Processes

7.2.1 Determination of Requirements Related to the Product

The organization determines:

- requirements specified by the customer, including the requirements for delivery and post-delivery activities (*post delivery activities include after-sales product servicing provided per customer contract or purchase order*);
- requirements not stated by the customer but necessary for specified or intended use, where known, *including recycling, environmental impact and characteristics identified through the organization's knowledge of the product and manufacturing process*;
- statutory and regulatory requirements related to the product, *including applicable government, safety, and environmental regulations, applied to acquisition, storage, handling, recycling, elimination or disposal of materials*;
- any additional requirements determined by the organization.

Supporting Documentation: **Project Specification**
 Realization Sheet
 DFMEA
 ISO Procedure Manual Section 4.3 Contract Review

7.2.1.1 Customer-Designated Special Characteristics

The organization demonstrates conformity to customer requirements for designation, documentation and control of special characteristics through customer prints and/or specification and is transferred to TriMark prints.

Supporting Documentation: **QP 4.20-2 Supplier Quality Requirement**
 QP 4.20-3 TriMark Quality Requirement
 Customer Specifications and Prints

THIS INFORMATION IS THE PROPERTY OF TRIMARK CORPORATION AND THEREFORE IS TO BE TREATED AS CONFIDENTIAL. For documents printed from the master copy, which are held in TriMark's Information Systems, TriMark makes no warranty or representation that the material contained herein is the latest/current revision of the information.

EFFECTIVE	DOC CONT INIT	DESCRIPTION	PAGE	REV
11-18-14	JJE	TRIMARK QUALITY POLICY MANUAL	20 of 40	23.0

7.2.2 Review of Requirements Related to the Product

The organization reviews the requirements related to the product. This review is conducted prior to the organization's commitment to supply a product to the customer (e.g. submission of tenders, acceptance of contracts or orders, acceptance of changes to contracts or orders) and ensures:

- product requirements are defined (examples of this may be due date, standard or custom product, method of delivery, etc.);
- contract or order requirements differing from those previously expressed are resolved using various communication methods (i.e., e-mail, fax etc.);
- the organization has the ability to meet the defined requirements.

Records of the results of the review and actions arising from the review are maintained. Where the customer provides no documented statement of requirement, the customer requirements are confirmed by the organization before acceptance. Where product requirements are changed, the organization ensures that relevant documents are amended and that relevant personnel are made aware of the changed requirements.

Supporting Documentation: **ISO Procedure Manual Section 4.3 Contract Review**
EDI and/or E-mail Record of Changes

7.2.2.1 Review of Requirements Related to the Product-Supplemental

The organization performs it's due diligence in retrieving the customer authorization for waiving the above requirements in a formal review.

7.2.2.2 Organization Manufacturing Feasibility

The organization investigates, confirms and documents the manufacturing feasibility of proposed products in the contract review process, including risk analysis.

Supporting Documentation: **Customer Specification**
Customer CAD Documents
PFMEA

7.2.3 Customer Communication

The organization determines and implements effective arrangements for communicating with customers in relation to:

- product information communicated through the web catalog and direct contact;
- inquiries, contracts, or order handling, including amendments communicated through direct contact;
- customer feedback, including customer complaints, can be found in the CAR database and within call reports.

Supporting Documentation: **ISO Procedure Manual Section 4.3 Contract Review**
Account Plans

THIS INFORMATION IS THE PROPERTY OF TRIMARK CORPORATION AND THEREFORE IS TO BE TREATED AS CONFIDENTIAL. For documents printed from the master copy, which are held in TriMark's Information Systems, TriMark makes no warranty or representation that the material contained herein is the latest/current revision of the information.

EFFECTIVE	DOC CONT INIT	DESCRIPTION	PAGE	REV
11-18-14	JJE	TRIMARK QUALITY POLICY MANUAL	21 of 40	23.0

7.2.3.1 Customer Communication-Supplemental

The organization has the ability to communicate necessary information and data, in the customer-specified languages and format (e.g. Computer-Aided Design Data, Electronic Data Exchange)

Supporting: CAD
EDI

7.3 Design and Development

7.3.1 Design and Development Planning

The organization plans and controls the design and development of product *and manufacturing process and focus on error prevention rather than detection*. During the design and development planning, the organization determines the:

- design and development of our own product/process or customer product;
- review, verification and validation that are appropriate to each design and development stage;
- responsibilities and authorities for design and development.

The organization manages the interfaces between different groups involved in design and development to ensure effective communication and clear assignment of responsibility. Planning output is updated, as appropriate, as the design and development progresses.

Supporting Documentation: QP 4.4-33 Product Realization
ISIR
Test Data
Manufacturing Review

7.3.1.1 Multidisciplinary Approach

The organization uses the multidisciplinary approach to prepare for product realization for development/finalization and monitoring of special characteristics, development and review of FMEAs including actions to reduce potential risks and development and review of control plan with multiple area of expertise within the organization.

Supporting Documentation: Control Plans
FMEA's
Process Flow Charts
CAD Systems
Project Spec Sheet
Manufacturing Review
Opportunity/Project Web

THIS INFORMATION IS THE PROPERTY OF TRIMARK CORPORATION AND THEREFORE IS TO BE TREATED AS CONFIDENTIAL. For documents printed from the master copy, which are held in TriMark's Information Systems, TriMark makes no warranty or representation that the material contained herein is the latest/current revision of the information.

EFFECTIVE	DOC CONT INIT	DESCRIPTION	PAGE	REV
11-18-14	JJE	TRIMARK QUALITY POLICY MANUAL	22 of 40	23.0

7.3.2 Design and Development Inputs

Inputs relating to product requirements are determined and records maintained. These inputs include:

- functional and performance requirements;
- applicable statutory and regulatory requirements;
- where applicable, information derived from previous similar designs;
- other requirements essential for design and development.

These inputs are reviewed for adequacy. Requirements are complete, certain and not in conflict with each other.

Supporting Documentation: **Product Realization**
 DFMEA
 ET Specs
 Project Specs
 Opportunity/Project Web

7.3.2.1 Product Design Input

The organization identifies documents and reviews the product design input requirements for customer requirements, special characteristics, identification, traceability and packaging.

The information gained from previous design projects, competitor analysis, supplier feedback, internal input, and field data for future and similar projects are deployed throughout the organization.

Targets are established for quality, life, reliability, durability, maintainability, timing and cost throughout the project.

7.3.2.2 Manufacturing Process Design Input

The organization identifies, documents and reviews the manufacturing process design input requirements for product design output data, targets for productivity, process capability and cost, customer requirements and experiences from previous developments, if any exist.

7.3.2.3 Special Characteristics

The organization identifies special characteristics for product and process on the control plan documents. They comply with customer specified definitions and symbols, drawings, FMEA's, control plans and special instructions. The special characteristics symbol used throughout the organization is equivalent to the customer's use of the symbol.

Supporting Documentation: **Customer APQP Requirements**
 PPAP
 FMEA's
 QP 4.20-2 Supplier Quality Requirement
 QP 4.20-3 TriMark Quality Requirement
 Product Realization
 ESD-004 Control Characteristics
 Project Spec
 Process Plans

THIS INFORMATION IS THE PROPERTY OF TRIMARK CORPORATION AND THEREFORE IS TO BE TREATED AS CONFIDENTIAL. For documents printed from the master copy, which are held in TriMark's Information Systems, TriMark makes no warranty or representation that the material contained herein is the latest/current revision of the information.

EFFECTIVE	DOC CONT INIT	DESCRIPTION	PAGE	REV
11-18-14	JJE	TRIMARK QUALITY POLICY MANUAL	23 of 40	23.0

7.3.3 Design and Development Outputs

The outputs of design and development are provided in a form that enables verification against the design and development input and are approved prior to release. Design and development outputs will:

- meet the input requirements for design and development;
- provide appropriate information for purchasing, production and for service provision;
- contain or reference product acceptance criteria;
- specify the characteristics of the product that are essential for its safe and proper use.

Supporting Documentation: **Product Realization Spreadsheet**
 Project Spec.

7.3.3.1 Product Design Output-Supplemental

Also included is DFMEA, reliability results, product special characteristics, specification, product error proofing (as appropriate), product definition including drawings or mathematically based data, product design review results and diagnostic guidelines, where applicable.

7.3.3.2 Manufacturing Process Design Outputs

The manufacturing process design output is verified against the manufacturing process input requirements and validated. These outputs include specifications and drawings, manufacturing process flowcharts/layouts, PFMEAs, control plans, work instructions, process approval acceptance criteria, data for quality, reliability, maintainability and measurability, results of error-proofing activities (as appropriate), and methods of rapid detection and feedback of production/manufacturing process nonconformities.

Supporting Documentation: **QP 4.4-33 Product Realization**
 MRB Database
 FMEA's
 Control Plans
 Process Flow Charts
 Manufacturing Reviews
 Pilot Runs

7.3.4 Design and Development Review

At suitable stages, systematic reviews of design and development are conducted to:

- evaluate the ability of the results of design and development to fulfill requirements;
- identify any problems and propose necessary actions to eliminate problems.

Participants in such reviews include representatives of functions concerned with the design and development stage(s) being reviewed. Records of the results of the reviews and any necessary actions are maintained.

Supporting Documentation: **QP 4.4-33 Product Realization**
 Customer Specs
 Design Reviews

THIS INFORMATION IS THE PROPERTY OF TRIMARK CORPORATION AND THEREFORE IS TO BE TREATED AS CONFIDENTIAL. For documents printed from the master copy, which are held in TriMark's Information Systems, TriMark makes no warranty or representation that the material contained herein is the latest/current revision of the information.

EFFECTIVE	DOC CONT INIT	DESCRIPTION	PAGE	REV
11-18-14	JJE	TRIMARK QUALITY POLICY MANUAL	24 of 40	23.0

7.3.4.1 Monitoring

Measurements at specified stages of design and development are defined, analyzed and reported with summary results in management review. The measurements include but are not limited to quality risk, costs, lead-times and critical paths.

Supporting Documentation: **QP 4.4-33 Product Realization**
Management Review
Project Master List for Project Oversight Committee
Project Schedules
Project Lists in Opportunity/Project Web

7.3.5 Design and Development Verification

Verification is performed to ensure that the design and development outputs have satisfied the design and development inputs required. Records of the results of the verification and any necessary actions are maintained.

Supporting Documentation: **QP 4.4-33 Product Realization**
Project Spec
Assembly Spec
DVP&R
DFMEA

7.3.6 Design and Development Validation

Design and development validation is performed in accordance with planned arrangements to ensure that the resulting product is capable of fulfilling the requirements for the specified application or intended use, where known. Wherever practicable, validation is completed prior to the delivery or implementation of the product. Records of the results of validation and any necessary actions will be maintained.

Supporting Documentation: **QP 4.4-33 Product Realization**
PPAP
Project Spec

7.3.6.1 Design and Development Validation-Supplemental

Design and development validation is performed per comparison on customer requirements/internal requirements, lessons learned from documented failures and corrective action plans, and program timing.

Supporting Documentation: **Schedule**
DFMEA
PPAP
DVP&R

7.3.6.2 Prototype Program

The organization has a prototype program and control plan when required by the customer and uses the same suppliers, tooling and manufacturing processes as used in product when appropriate. The performance testing activities are monitored for timely completion and conformity to customer requirements. When outsourced, the organization is responsible for the outsourced services and technical leadership.

Supporting Documentation: **Test Req.**
Schedule
Prints

THIS INFORMATION IS THE PROPERTY OF TRIMARK CORPORATION AND THEREFORE IS TO BE TREATED AS CONFIDENTIAL. For documents printed from the master copy, which are held in TriMark's Information Systems, TriMark makes no warranty or representation that the material contained herein is the latest/current revision of the information.

EFFECTIVE	DOC CONT INIT	DESCRIPTION	PAGE	REV
11-18-14	JJE	TRIMARK QUALITY POLICY MANUAL	25 of 40	23.0

7.3.6.3 Product Approval Process

The organization conforms to a product and manufacturing process approval procedure that is recognized by the customer. The product approval is subsequent to the verification of the manufacturing process and is applied to the supplier.

Supporting Documentation: **Customer's PPAP Requirements**
QP 4.20-2 Supplier Quality Requirement

7.3.7 Control of Design and Development Changes

Design and development changes are identified and records maintained. The changes are reviewed, verified and validated, as appropriate, and approved before implementation. The reviews of design and development changes include evaluation of the effect of the changes on constituent parts and delivered product. Records of the results of the review of changes and any necessary actions are maintained.

Supporting Documentation: **QP 4.4.9 Engineering Change Orders**
Assembly Spec Revision Control

7.4 Purchasing

7.4.1 Purchasing Process

The organization ensures that purchased product conforms to specified purchase requirements. The type and extent of control applied to the supplier and the purchased product is dependent upon the effect of the purchased product on subsequent product realization or the final product.

The organization evaluates and selects suppliers based on their ability to supply product in accordance with the organizations requirements. Criteria for selection, evaluation and re-evaluation are established. Records of the results of evaluations and any necessary actions arising from the evaluation are maintained.

Supporting Documentation: **QP 4.20-2 Supplier Quality Requirement**
Supplier Requirements Manual
Supplier Rating

7.4.1.1 Regulatory Conformity

The organization assures that all purchased product or materials used in product conforms to applicable regulatory requirements.

7.4.1.2 Supplier Quality Management System Development

The organization performs supplier quality management system development. The goal of this program is supplier conformity with ISO 9001:2008 with the TS 16949:2009 emphasis. Suppliers shall be third party registered to ISO 9001:2008 unless otherwise stated by the customer.

7.4.1.3 Customer-Approved Sources

The organization shall use customer approved sources for purchased product, material or services, tool/gauge suppliers where specified by contract, customer drawings, specifications, etc. The organization is not relieved of responsibility for ensuring quality of purchase products when using customer approved sources.

Supporting Documentation: **QP 4.20-2 Supplier Quality Requirement**
Supplier Matrix
Procure Policy PP-002 Control of Purchased Parts

THIS INFORMATION IS THE PROPERTY OF TRIMARK CORPORATION AND THEREFORE IS TO BE TREATED AS CONFIDENTIAL. For documents printed from the master copy, which are held in TriMark's Information Systems, TriMark makes no warranty or representation that the material contained herein is the latest/current revision of the information.

EFFECTIVE	DOC CONT INIT	DESCRIPTION	PAGE	REV
11-18-14	JJE	TRIMARK QUALITY POLICY MANUAL	26 of 40	23.0

7.4.2 Purchasing Information

Purchasing information describes the product to be purchased, including, where appropriate:

- requirements for approval of product, procedures, processes and equipment;
- requirements for qualification of personnel;
- quality management system requirements.

The organization ensures the adequacy of specified purchase requirements prior to their communication to the supplier.

7.4.3 Verification of Purchased Product

The organization establishes and implements the inspection or other activities necessary for ensuring that purchased product meets specified purchase requirements.

7.4.3.1 Incoming Product Quality

The organization has multiple processes to assure quality of purchased product utilizing receipt of, and evaluation of, statistical data by the organization. Receiving inspection and/or testing of sampling based on performance and/or methods agreed with customer.

7.4.3.2 Supplier Monitoring

Supplier performance is monitored through delivery product quality, customer disruptions including field returns; delivery schedule performance (including incidents of premium freight) and special status customer notifications related to quality and delivery issues. The organization also promotes supplier monitoring of the performance of their manufacturing processes.

Supporting Documentation: QP 4.10-1 Inspection Materials Received
QP 4.6-1 Audits of Subcontractors and Suppliers
Control Plans
Supplier Quality Audits
Supplier Performance

7.5 Production and Service Provisions

7.5.1 Control of Production and Service Provisions

The organization has a plan to carry out production and service provisions under controlled conditions for the:

- availability of information that describes the characteristics of the product;
- availability of work instructions;
- use of suitable equipment;
- use of monitoring and measuring devices;
- implementation of monitoring and measurement activities;
- implementation of product release, delivery and post-delivery activities.

Supporting Documentation: WI 167-08 First Piece & In-Process Quality Checks (for example)
WI 167-02 Set Up & Tear Down for All Machine Centers (for example)
WI 167-01 Machining Jobs (for example)

THIS INFORMATION IS THE PROPERTY OF TRIMARK CORPORATION AND THEREFORE IS TO BE TREATED AS CONFIDENTIAL. For documents printed from the master copy, which are held in TriMark's Information Systems, TriMark makes no warranty or representation that the material contained herein is the latest/current revision of the information.

EFFECTIVE	DOC CONT INIT	DESCRIPTION	PAGE	REV
11-18-14	JJE	TRIMARK QUALITY POLICY MANUAL	27 of 40	23.0

7.5.1.1 Control Plan

The organization has control plans at the system, sub-system and component level for the product supplied and control plan for the pre-launch and production that take into account the DFMEA and PFMEA outputs.

Supporting Documentation: **DFMEA**
PFMEA
Control Plan
Process Plans

7.5.1.2 Work Instructions

The organization has documented work instructions at point of use for all employees having responsibility for the operation of processes that impact product quality. The work instructions are derived from the quality plan, control plans and the product realization process.

Supporting Documentation: **QP 4.9-11 Process APQP Procedure**
Work and Special Instructions
WI 167-08 First Piece & In-Process Quality Checks (for

example)

Control Plans

7.5.1.3 Verification of Job Set-Ups

Work instructions are available for job set-up personnel. Job set-ups are verified for initial run of job, material changeover and job change.

Supporting Documentation: **Set-Up Sheets**
Special Instructions
Work Instructions

7.5.1.4 Preventive and Predictive Maintenance

The organization has identified key process equipment and provided resources for machine/equipment maintenance with an effective plan of preventive maintenance system. The system includes planned maintenance activities, packaging and preservation of equipment, tooling and gauging, availability of replacement parts for key manufacturing equipment, documenting, evaluating and improving maintenance objectives and utilizing predictive maintenance methods to continually improve the effectiveness and the efficiency of production equipment.

Supporting: **Tooling Database**
Job Boss Database
AS 400
Preventative Maintenance Program

THIS INFORMATION IS THE PROPERTY OF TRIMARK CORPORATION AND THEREFORE IS TO BE TREATED AS CONFIDENTIAL. For documents printed from the master copy, which are held in TriMark's Information Systems, TriMark makes no warranty or representation that the material contained herein is the latest/current revision of the information.

EFFECTIVE	DOC CONT INIT	DESCRIPTION	PAGE	REV
11-18-14	JJE	TRIMARK QUALITY POLICY MANUAL	28 of 40	23.0

7.5.1.5 Management of Production Tooling

The organization provides resources for tool and gauge design, fabrication and verification activities. It also has established and implemented a system for production tooling management for maintenance and repair facilities and personnel, storage and recovery, set-up, tool change program for perishable tools, tool design and modification documentation, including engineering change level, and revision to documentation, tool identification which defines the status, such as production, repair and disposal. The organization has implemented a system to monitor these activities if any work is outsourced.

Supporting: **Tooling Database**
 Preventative Maintenance Program
 Job Boss Database
 JD Edwards
 ECN/ECO Process

7.5.1.6 Production Scheduling

Production is scheduled in order to meet customer requirements with JD Edwards System. It supports just-in-time which permits access to production information at key stages of the process.

Supporting: **JD Edwards**

7.5.1.7 Feedback of Information from Service

The organization has established a system for communication on service concerns to manufacturing engineering and design activities for non-conformities external to the organization.

Supporting: **CAR Database**
 MRB Database

7.5.1.8 Service Agreement with Customer

Non-applicable, we do not have service agreements with our customers.

7.5.2 Validation of Processes for Production and Service Provision

The organization validates processes for production provisions where the resulting output cannot be verified by subsequent monitoring or measurement. This includes any processes where deficiencies become apparent after the product is in use or has been delivered. Validation demonstrates the ability of these processes to achieve planned results. As applicable, the organization establishes arrangements for these processes including:

- defined criteria for review and approval of the processes;
- approval of equipment and qualification of personnel;
- use of specific methods and procedures;
- requirements for records;
- revalidation.

7.5.2.1 Validation of Processes for Production and Service Provision-Supplemental

Validation applies to process for production and service.

Supporting Documentation: **QP 4.4-1 Tool Try-Out**
 Pilot Run
 QP 4.9-11 Process APQP Procedure

THIS INFORMATION IS THE PROPERTY OF TRIMARK CORPORATION AND THEREFORE IS TO BE TREATED AS CONFIDENTIAL. For documents printed from the master copy, which are held in TriMark's Information Systems, TriMark makes no warranty or representation that the material contained herein is the latest/current revision of the information.

EFFECTIVE	DOC CONT INIT	DESCRIPTION	PAGE	REV
11-18-14	JJE	TRIMARK QUALITY POLICY MANUAL	29 of 40	23.0

7.5.3 Identification and Traceability

The organization identifies the product by suitable means throughout product realization. The organization identifies the product status with respect to monitoring and measurement requirements. Where traceability is a requirement, the organization controls and records the unique identification of the product.

Supporting Documentation: **QP 4.8-1 Product Traceability**

7.5.3.1 Identification and Traceability-Supplemental

The organization identifies the product by suitable means throughout product realization. The organization identifies the product status with respect to monitoring and measurement requirements. The organization controls and records the unique identification of the product.

Supporting Documentation: **QP 4.8-1 Product Traceability**

7.5.4 Customer Property

The organization exercises care with customer property while it is under the organization's control or being used by the organization. The organization identifies, verifies, protects and safeguards customer property provided for use or incorporation into the product. If any customer property is lost, damaged or otherwise found to be unsuitable for use, it's reported to the customer and records maintained. Customer property is treated the same as all product throughout the TriMark system with the exception that Customer Service Representatives will notify the customer of any problem and if customer has specific requirements as per the Project Specification.

Supporting Documentation: **JD Edwards
Tooling Database
MRB Database
Customer Quality Requirements
Project Specification**

7.5.4.1 Customer-Owned Production Tooling

Customer-owned tools, manufacturing, test and equipment are permanently marked so that the ownership of each item is visible and can be determined.

Supporting Documentation: **Tooling Database
Customer Quality Requirements
Project Specification
JD Edwards**

7.5.5 Preservation of Product

The organization preserves the conformity of product during internal processing and delivery to the intended destination. This preservation includes identification, handling, packaging, storage and protection. Preservation also applies to the constituent parts of a product.

Supporting Documentation: **ISO Procedure Manual, Section 4.15 Handling, Storage, Packaging, Preservation & Delivery**

THIS INFORMATION IS THE PROPERTY OF TRIMARK CORPORATION AND THEREFORE IS TO BE TREATED AS CONFIDENTIAL. For documents printed from the master copy, which are held in TriMark's Information Systems, TriMark makes no warranty or representation that the material contained herein is the latest/current revision of the information.

EFFECTIVE	DOC CONT INIT	DESCRIPTION	PAGE	REV
11-18-14	JJE	TRIMARK QUALITY POLICY MANUAL	30 of 40	23.0

7.5.5.1 Storage and Inventory

Product in inventory is assessed at planned intervals to detect deterioration. FIFO is used to manage inventory and obsolete inventory is controlled the same as non-conforming product.

Supporting Documentation: *WI 101-01 Obsolescence
Cycle Counts*

7.6 Control of Monitoring and Measuring Devices

The organization determines the monitoring and measurement to be undertaken and the monitoring and measuring devices needed to provide evidence of conformity of product to determined requirements. The organization establishes processes to ensure that monitoring and measurement can be carried out and is carried out in a manner that is consistent with the monitoring and measurement requirements.

Where necessary to ensure valid results measuring equipment is:

- calibrated or verified at specified intervals, or prior to use, against measurement standards traceable to international or national measurement standards; where no such standards exist, the basis used for calibration or verification shall be recorded;
- adjusted or re-adjusted as necessary;
- identified to enable the calibration status to be determined;
- safeguarded from adjustments that would invalidate the measurement result;
- protected from damage and deterioration during handling, maintenance and storage.

In addition, the organization assesses and records the validity of the previous measuring results when the equipment is found not to conform to requirements. The organization takes appropriate action on the equipment and any product affected. Records of the results of calibration and verification are maintained.

When used in the monitoring and measurement of specified requirements, the ability of computer software to satisfy the intended application is confirmed. This is undertaken prior to initial use and reconfirmed as necessary.

Supporting Documentation: *ISO Procedure Manual, Section 4.11 Inspection, Measuring & Test Equipment*

7.6.1 Measurement Systems Analysis

Statistical studies are conducted to analyze the variation present in the results of each type of measuring and test equipment that are referenced in the control plan according to customer reference manuals and/or other analytical methods and acceptance criteria approved by the customer.

7.6.2 Calibration/Verification Records

Records of calibration/verification activities for all gauges, measuring and test equipment are maintained to provide evidence of conformity of product to determined requirements. These records include employee and customer owned tools, equipment identification with the measurement standard against equipment, revisions following engineering changes, out of spec readings, an assessment of the impact of out of spec conditions, statement of conformity and notification to customer if suspect product or material has been shipped.

THIS INFORMATION IS THE PROPERTY OF TRIMARK CORPORATION AND THEREFORE IS TO BE TREATED AS CONFIDENTIAL. For documents printed from the master copy, which are held in TriMark's Information Systems, TriMark makes no warranty or representation that the material contained herein is the latest/current revision of the information.

EFFECTIVE	DOC CONT INIT	DESCRIPTION	PAGE	REV
11-18-14	JJE	TRIMARK QUALITY POLICY MANUAL	31 of 40	23.0

7.6.3 Laboratory Requirements

7.6.3.1 Internal Laboratory Requirements

TriMark's internal laboratory has a defined scope that includes its capability to perform required inspection, test and calibration. The scope has technical requirements such as adequacy of procedures, competency of personnel testing product traceable to standards and has records of review.

Supporting Documentation: *WI 187-05 In-House Calibration of Gauging
WI 187-06 Gauging Calibrated by an Outside Source
WI 187-25 Calibration Programs*

7.6.3.2 External Laboratory Requirements

External laboratories used by TriMark are certified to A2LA rating, ISO/IEC 17025.

8.0 Measurement, Analysis and Improvement

8.1 General

The organization plans and implements the monitoring, measurement, analysis and improvement processes needed to:

- demonstrate conformity of the product;
- ensure conformity of the quality management system;
- continually improve the effectiveness of the quality management system.

This includes determination of applicable methods, including statistical techniques, and the extent of their use.

Supporting Documentation: *QP 4.20-3 TriMark Quality Requirement*

8.1.1 Identification of Statistical Tools

The organization determines the appropriate statistical tools for each process during advance quality planning and are included in the control plans.

8.1.2 Knowledge of Basic Statistical Concepts

Basic statistical concepts are understood and utilized throughout the organization.

8.2 Monitoring and Measurement

8.2.1 Customer Satisfaction

As one of the measurements of the performance of the quality management system, the organization monitors information relating to customer perception as to whether the organization has fulfilled customer requirements. The methods for obtaining and using this information are determined.

Supporting Documentation: *RGAs
CARs
MRB Entries
Customer Surveys
Customer PPM Reports*

THIS INFORMATION IS THE PROPERTY OF TRIMARK CORPORATION AND THEREFORE IS TO BE TREATED AS CONFIDENTIAL. For documents printed from the master copy, which are held in TriMark's Information Systems, TriMark makes no warranty or representation that the material contained herein is the latest/current revision of the information.

EFFECTIVE	DOC CONT INIT	DESCRIPTION	PAGE	REV
11-18-14	JJE	TRIMARK QUALITY POLICY MANUAL	32 of 40	23.0

8.2.1.1 Customer Satisfaction-Supplemental

The organization monitors the performance of customer satisfaction through continual evaluation of performance of the realization processes. Performance is based on objective data including but not limited to, manufacturing processes, delivered part quality, customer's disruption including field returns, delivery and incident of premium freight, customer notification related to quality and delivery issues.

Supporting Documentation: **Customer Monthly Performance Reports**
Internal Delivery Reports
CAR Database Reports

Customer Surveys

8.2.2 Internal Audit

The organization conducts internal audits at planned intervals to determine whether the quality management system:

- conforms to the planned arrangements (see 7.1), to the requirements of this international standard and to the quality management system requirements established by the organization,
- is effectively implemented and maintained.

An audit program is planned, taking into consideration the status and importance of the processes and areas to be audited, as well as the results of previous audits. The audit criteria, scope, frequency and methods are defined. Selection of auditors and conduct of audits ensure objectivity and impartiality of the audit process. Auditors do not audit their own work. The responsibilities and requirements for planning and conducting audits and for reporting results and maintaining records are defined in a documented procedure.

Management responsible for the area being audited ensures that actions are taken without undue delay to eliminate detected nonconformities and their causes. Follow-up activities include the verification of the actions taken and the reporting of verification results.

Supporting Documentation: **QP 4.17-1 Internal Quality Systems Audits**

8.2.2.1 Quality Management Systems Audit

The organization performs audits of the quality management system to verify compliance with ISO/TS 16949:2009.

Supporting Documentation: **QP 4.17-1 Internal Quality Systems Audits**

8.2.2.2 Manufacturing Process Audit

The organization audits each manufacturing process to determine effectiveness.

Supporting Documentation: **QP 4.17-1 Internal Quality Systems Audits**

8.2.2.3 Product Audit

The organization performance product audits at appropriate stages of production and delivery to verify conformity to specified requirements at defined frequencies, such as product dimensions, functionality and packaging, and labeling.

Supporting Documentation: **WI 179-01 Work Flow in Assembly (for example)**
WI 179-09 Inspection (for example)

THIS INFORMATION IS THE PROPERTY OF TRIMARK CORPORATION AND THEREFORE IS TO BE TREATED AS CONFIDENTIAL. For documents printed from the master copy, which are held in TriMark's Information Systems, TriMark makes no warranty or representation that the material contained herein is the latest/current revision of the information.

EFFECTIVE	DOC CONT INIT	DESCRIPTION	PAGE	REV
11-18-14	JJE	TRIMARK QUALITY POLICY MANUAL	33 of 40	23.0

8.2.2.4 Internal Audit Plans

Internal audits cover all quality management related to processes, activities and shifts and are scheduled annually. In the event of a customer complaint and/or internal/external nonconformance, the audit frequency is appropriately increased.

Supporting Documentation: QP 4.17-1 Internal Quality Systems Audits

8.2.2.5 Internal Auditor Qualification

The organization has an audit program that assures internal auditors are qualified to audit the ISO/TS 16949:2009.

Supporting Documentation: QP 4.17-1 Internal Quality Systems Audits

8.2.3 Monitoring and Measurement of Processes

The organization applies suitable methods for monitoring and, where applicable, measurement of the quality management system processes. These methods demonstrate the ability of the processes to achieve planned results. When planned results are not achieved, correction and corrective action is taken, as appropriate, to ensure conformity of the product or process.

Supporting Documentation: **Rework Expense Graphs**
Scrap Expense Graphs
Quality Management Review

8.2.3.1 Monitoring and Measurement of Manufacturing Process

The organization performs process studies on all new manufacturing, assembly or sequencing processes to verify process capability and to provide additional input for process control. The results of process studies are documented with specifications, where applicable, for means of production, measurement and test, and maintenance instructions. These documents include objectives for manufacturing process capability, reliability, maintainability, availability and acceptance criteria.

The organization maintains manufacturing process performance as specified by the customer part approval requirements. The organization ensures that the control plans and process flow diagrams are implemented, including adherence to the specified measurement techniques, sampling plans, acceptance criteria and reaction plans when acceptance criteria is not met. Significant tool changes or machine repairs are recorded. Corrective action plans will be submitted and records maintained with dates and process changes.

Supporting Documentation: **PFMEA**
Control Plans
Process Plans
APQP
QP 4.9-11 Process APQP Procedure
Windchill
Tooling Database
WI 160-01 Preparing Tooling for Manufacturing
WI 184-03 Maintenance Projects

THIS INFORMATION IS THE PROPERTY OF TRIMARK CORPORATION AND THEREFORE IS TO BE TREATED AS CONFIDENTIAL. For documents printed from the master copy, which are held in TriMark's Information Systems, TriMark makes no warranty or representation that the material contained herein is the latest/current revision of the information.

EFFECTIVE	DOC CONT INIT	DESCRIPTION	PAGE	REV
11-18-14	JJE	TRIMARK QUALITY POLICY MANUAL	34 of 40	23.0

8.2.4 Monitoring and Measurement of Product

The organization monitors and measures the characteristics of the product requirements making sure they are met. This is carried out at appropriate stages of the product realization process in accordance with the planned arrangements (see 7.1).

Evidence of conformity with the acceptance criteria is maintained. Records indicate the person(s) authorizing release of product (see 4.2.4).

Product release and service delivery does not proceed until the planned arrangements have been satisfactorily completed unless otherwise approved by a relevant authority and, where applicable, by the customer.

8.2.4.1 Layout Inspection and Functional Testing

Layout inspection of measurement of all product dimensions shown on the design records and functional verification to customer engineering material and performance standards are performed for each product as specified on the control plan. Results are available for customer review.

8.2.4.2 Appearance Items

The organization provides appropriate resources including lighting for evaluation, master of color, grain, gloss, metallic brilliance, texture, distinctness of image as appropriate. The organization also provides maintenance and control of appearance masters and evaluation equipment, and verification that personnel making appearance evaluations are competent and qualified to do so.

Supporting Documentation: **QP 4.10-1 Inspection Materials Received**
QP 4.10-2 1st Article Inspection & Capability Studies
QP 4.20-2 Supplier Quality Requirement
Work Instructions
Special Instructions

THIS INFORMATION IS THE PROPERTY OF TRIMARK CORPORATION AND THEREFORE IS TO BE TREATED AS CONFIDENTIAL. For documents printed from the master copy, which are held in TriMark's Information Systems, TriMark makes no warranty or representation that the material contained herein is the latest/current revision of the information.

EFFECTIVE	DOC CONT INIT	DESCRIPTION	PAGE	REV
11-18-14	JJE	TRIMARK QUALITY POLICY MANUAL	35 of 40	23.0

8.3 Control of Nonconforming Product

The organization ensures that product which does not conform to product requirements is identified and controlled to prevent its unintended use or delivery. The controls and related responsibilities and authorities for dealing with nonconforming products are defined.

The organization will deal with nonconforming product by one or more of the following ways:

- by taking action to eliminate the detected nonconformity;
- by authorizing its use, release or acceptance under concession by a relevant authority and, where applicable, by the customer;
- by taking action to preclude its original intended use or application.

Records of the nature of nonconformities and any subsequent actions taken, including concessions obtained, are maintained.

When nonconforming product is corrected, it is subject to re-verification to demonstrate conformity to the requirements.

When nonconforming product is detected after delivery or use has started, the organization takes action appropriate to the effects, or potential effects, of the nonconformity.

Supporting Documentation: **QP 4.13-6 Parts in Hold Area**
ISO Procedure Manual, Section 4.13 Control of Nonconforming Product

8.3.1 Control of Nonconforming Product-Supplemental

Product with unidentified or suspect status is classified as nonconforming product.

8.3.2 Control of Reworked Product

Instructions for rework, including re-inspection requirements, are accessible and utilized by the appropriate personnel.

8.3.3 Customer Information

Customers are promptly informed in the event that nonconforming product has been shipped.

8.3.4 Customer Waiver

The organization notifies and obtains customer concession or deviation prior to further processing of product or manufacturing process that is different than currently approved. The organization maintains record of expiration date or quantity authorized and ensures compliance with original or superseding specifications and requirements when the authorization expires. Material shipped on an authorization is properly identified on each shipping container (this applies to purchased product also).

THIS INFORMATION IS THE PROPERTY OF TRIMARK CORPORATION AND THEREFORE IS TO BE TREATED AS CONFIDENTIAL. For documents printed from the master copy, which are held in TriMark's Information Systems, TriMark makes no warranty or representation that the material contained herein is the latest/current revision of the information.

EFFECTIVE	DOC CONT INIT	DESCRIPTION	PAGE	REV
11-18-14	JJE	TRIMARK QUALITY POLICY MANUAL	36 of 40	23.0

8.4 Analysis of Data

The organization will determine, collect and analyze appropriate data to demonstrate the suitability and effectiveness of the quality management system and to evaluate where continual improvement of the quality management system can be made. This includes data generated as a result of monitoring and measurement and from other relevant sources. These results can be found in the form of graphs and meeting minutes. These graphs are found on the communications board in the production area and on the computer system in the EOM report.

The analysis of data provides information relating to:

- on-time delivery performance;
- scrap, rework and sorting expense;
- RGA, CAR, field report and supplier deviation trends.

Supporting Documentation: **ISO Procedure Manual, Sections:**
4.13 Control of Nonconforming Product
4.14 Corrective and Preventive Action
4.17 Internal Quality Audits

8.4.1 Analysis and Use of Data

Trends in Quality and the operational performance are compared with progress towards the objectives and lead to action to support the development of priorities for prompt solutions to customer related problems, determination of key customer related trends and correlation for status review, decision making for long term planning and an information system for timely reporting of product information arising from usage. This information is compared with those of competitors and/or appropriate benchmarks.

8.5 Improvement

8.5.1 Continual Improvement

The organization continually improves the effectiveness of the quality management system through the use of the quality policy, quality objectives, environmental policy, audit results, analysis of data, corrective and preventive actions, management reviews and continual improvement (CI).

8.5.1.1 Continual Improvement of the Organization

The organization has a process/program for continual improvement.

8.5.1.2 Manufacturing Process Improvement

The manufacturing process improvement continually focuses on control and reduction of variation in product characteristics and manufacturing parameters.

Supporting Documentation: **CI Programs**
Lean Manufacturing
Employee Suggestion Program

THIS INFORMATION IS THE PROPERTY OF TRIMARK CORPORATION AND THEREFORE IS TO BE TREATED AS CONFIDENTIAL. For documents printed from the master copy, which are held in TriMark's Information Systems, TriMark makes no warranty or representation that the material contained herein is the latest/current revision of the information.

EFFECTIVE	DOC CONT INIT	DESCRIPTION	PAGE	REV
11-18-14	JJE	TRIMARK QUALITY POLICY MANUAL	37 of 40	23.0

8.5.2 Corrective Action

The organization takes action to eliminate the cause of nonconformities in order to prevent recurrence. Corrective actions are appropriate to the effects of the nonconformities encountered. Corrective Action procedure, QP 4.14-1 & QP 4.13-3 define requirements for:

- reviewing nonconformities (including customer complaints);
- determining the causes of nonconformities;
- evaluating the need for action to ensure that nonconformities do not recur;
- determining and implementing action needed;
- records of the results of action taken (see 4.2.4);
- reviewing corrective action taken.

Supporting Documentation: **QP 4.14-1 Corrective Action**
 QP 4.13-3 MRB Procedure

8.5.2.1 Problem Solving

The organization has a process for problem solving leading to root cause identification and elimination. Where a customer format exists, the organization uses the customer's format.

8.5.2.2 Error-Proofing

The organization uses error-proofing methods in their corrective action process.

8.5.2.3 Corrective Action Impact

The organization applies its corrective action and control implemented to similar process and products to eliminate cause of nonconformity.

8.5.2.4 Rejected Product Test/Analysis

The organization analyzes parts rejected by the customer's manufacturing facilities, engineering facilities and dealerships. The organization minimizes the cycle time of this process and records are both maintained and made available upon request. The organization performs analysis of rejected product and initiates corrective action to prevent recurrence. The organization monitors the effectiveness of implementation.

Supporting Documentation: **QP 4.14-1 Corrective Action**
 QP 4.13-3 MRB Procedure

8.5.3 Preventive Action

The organization will determine action to eliminate the cause of potential nonconformities in order to prevent their occurrence. Preventive actions are appropriate to the effects of the potential problems. Preventive Action procedure, QP# 4.14-2, defines requirements for:

- determining potential nonconformities and their causes;
- evaluating the need for action to prevent occurrence of nonconformities;
- determining and implementing action needed;
- records of results of action taken;
- reviewing preventive action taken.

Supporting Documentation: **QP 4.14-2 Preventive Action**

THIS INFORMATION IS THE PROPERTY OF TRIMARK CORPORATION AND THEREFORE IS TO BE TREATED AS CONFIDENTIAL. For documents printed from the master copy, which are held in TriMark's Information Systems, TriMark makes no warranty or representation that the material contained herein is the latest/current revision of the information.

EFFECTIVE	DOC CONT INIT	DESCRIPTION	PAGE	REV
11-18-14	JJE	TRIMARK QUALITY POLICY MANUAL	38 of 40	23.0

REVISION RECORD

REVISION	DATE REVISED	CHANGE DESCRIPTION
1.0	02-28-03	Implemented new policy manual to meet ISO 9001:2008 requirements.
2.0	06-13-03	Changes to organizational chart.
3.0	09-26-03	Changes to organizational chart and changes to section 7.5.4.
4.0	01-06-04	Changes to Mission statement on approval page and section 5.3 and changes to organizational chart.
5	04-02-04	Added Therin Rentschler and Kendra Knowlton as Black Belts to Org Chart.
6	09-10-04	Removed Jeff Dolezal and Ken Chesney from signature page (#4) and from org chart (page 9); made the following additional changes to the org chart: moved Ann Flatjord to Cust Serv Rep; added Steph Wiltse to Shipping/Rec Clerk; added Shailesh Joshi, Warehouse Manager to TMEu section.
7	1-22-05	Changed Gloria Carr's name to Justin Elliott for document control manual holder.
8	3-23-05	Replaced all occurrences of "Top Management" with "Senior Management of the Facility. Replaced all occurrences of "Good News" with "Multi Media and Other Forms of Communication." In the first sentence took out the word "of" and replaced it with "or." In 7.5.4 added an 's to the word organizations. Replaced all occurrences of "CPI" and replaced it with "CI." Then replaced the Org Chart rev. 20 and replaced it with the Org Chart rev. 21.
9	6-9-05	8.5.2 Added Supporting documentation
10	1-6-06	7.5.4 changed NMAR System to MRB Database. 8.2.1 changed NMARs to MRB Entries. 8.5.2 changed NMAR to MRB.
11	5-10-6	New QMS interaction flowchart, updates to the previous interaction flowchart. Also, updates to the org chart.
12	9-5-06	Sections 7.5.1 & 7.5.2 updated
13	9-15-06	Updated the Scope and section 6.2.2
14	1-2-07	Deleted Mark Bouman's name from the ownership and realigned the org chart in Mark's absence.
15	3-24-07	Deleted the distribution list and deleted the text referring to hard copy approvals below the electronic approvals.
16	10-16-07	Change to organizational chart.
17	11-17-08	Implementation of TS.
18	12-3-09	New Org chart and updated registration to ISO 9001: 2008 and also added in reference to WI 167-08 First Piece & In-Process Quality Checks
19	10-12-10	Implementation of the Environmental Policy. Removed The TriNews Express from section 6.2.2.4 and added customer PPM reports to section 8.2.1.
20	3-16-11	Updated the org chart.
21	4-26-12	Updated the org chart, added, changed and deleted titles from ownership and the overall content. Changed continuously to continually in the quality policy.
22	1-6-14	Updated org chart on page 14, numbering fixed, title updated in section 5.5.2, removed V.P. of Manufacturing from approvals, and updated supporting documents in sections 5.6.2.1, 6.2.2.4, 7.4.1, 8.2.1.1, 8.2.2.2.

THIS INFORMATION IS THE PROPERTY OF TRIMARK CORPORATION AND THEREFORE IS TO BE TREATED AS CONFIDENTIAL. For documents printed from the master copy, which are held in TriMark's Information Systems, TriMark makes no warranty or representation that the material contained herein is the latest/current revision of the information.

EFFECTIVE	DOC CONT INIT	DESCRIPTION	PAGE	REV
11-18-14	JJE	TRIMARK QUALITY POLICY MANUAL	39 of 40	23.0

23	11-18-14	Updated titles, Org Chart, Supporting Documentation, and section 7.6.1.
----	----------	---

THIS INFORMATION IS THE PROPERTY OF TRIMARK CORPORATION AND THEREFORE IS TO BE TREATED AS CONFIDENTIAL. For documents printed from the master copy, which are held in TriMark's Information Systems, TriMark makes no warranty or representation that the material contained herein is the latest/current revision of the information.

EFFECTIVE	DOC CONT INIT	DESCRIPTION	PAGE	REV
11-18-14	JJE	TRIMARK QUALITY POLICY MANUAL	40 of 40	23.0