

## PRICE LIST MAY 2016

new



## S-Flexi Series

Product Description	SRP suggested retail price
<b>SETS</b>	
16A 1 Gang 1 Way Switch (Standard) SE-CA_FS1W1GS_SA	83
16A 2 Gang 1 Way Switch (Standard) SE-CA_FS1W2GS_SA	129
16A 3 Gang 1 Way Switch (Standard) SE-CA_FS1W3GS_SA	175
16A 4 Gang 1 Way Switch (XS Size) SE-CA_FS1W4XS_SA	241
16A 1 Gang 1 Way Switch (Elongated) SE-CA_FS1W1GL_SA	103
16A 2 Gang 1 Way Switch (Mid size) SE-CA_FS1W2GM_SA	151
16A Duplex 3-pin Universal Outlet SE-CA_FS2GT3P_OA	196
13A 2 Gang International Outlet SE-CA_FS2TIP_OA	365
Co-axial Outlet Mechanism Assembly SE-CA_FSCOAX_MA	266
Telephone Outlet Mechanism Assembly SE-CA_FSTEL_MA	187
Data Outlet Mechanism Assembly SE-CA_FSDAT_MA	357

Product Description	SRP suggested retail price
<b>SWITCHES MECHANISM</b>	
XS Size Blank Plate SE-F50XM1_WE	14
16A 250V XS Size Switch Mechanism SE-F50M1_WE 1 Way	51
SE-F50_2M1_WE 2 Way	74
16A 250V S Size Switch Mechanism SE-F50M1_5_WE 1 Way	46
SE-F50_2M1_5_WE 2 Way	74
16A 250V M Size Switch Mechanism SE-F50M2_WE 1 Way	57
SE-F50_2M2_WE 2 Way	92
16A 250V L Size Switch Mechanism SE-F50M4_WE 1 Way	66
SE-F50_2M4_WE 2 Way	116
10A 250V L Size Bell Push Switch Mechanism SE-F50BPM4_WE	150
10A 250V M Size Bell Push Switch Mechanism SE-F50BPM2_WE	128
10A 250V S Size Bell Push Switch Mechanism SE-F50BPM1_5H_WE	115
400W Light Dimming Switch SE-F50RD400MV_WE	867
250W Fan Speed Controller SE-F50FC250MV_WE	867
<b>FLUSH PLATES / SURROUNDS / GRID PLATE</b>	
1 Gang Flush Plate w/ Plastic Grid, Vertical (for Size M) SE-FG1050_WE	37
1 Gang Flush Plate w/ Plastic Grid, Vertical (for Size S) SE-FG1051_WE	37
2 Gang Flush Plate w/ Plastic Grid, Vertical (for Size S) SE-FG1052_WE	37
3 Gang Flush Plate w/ Plastic Grid, Vertical (for Size S) SE-FG1053_WE	37
1 Gang Flush Plate w/ Plastic Grid, Horizontal (for Size S) SE-FG1051H_WE	37
2 Gang Flush Plate w/ Plastic Grid, Horizontal (for Size S) SE-FG1052H_WE	37

Product Description	SRP suggested retail price
<b>SOCKET MECHANISM</b>	
16A 250V 3 Pin Universal Socket Outlet w/ Shutter SE-F1426UESM_WE	132
16A 250V 3-pin Universal Duplex Socket Mechanism w/ Shutter SE-F1426UEST2M_WE	159
13A 250V International Socket Outlet w/ Shutter SE-F1426UAM_WE	164
TV Co-axial Outlet Mechanism Size M SE-F50TVM_WE	229
6-Pin RJ12 Telephone Outlet Size M SE-F50RJ4M_WE	150
Cat 5E Data Connection Outlet Size M SE-F50RJ8M_WE	320
10A 250V 2 Pin Universal Socket Outlet w/ Shutter SE-F1426USM_WE	126
<b>POP-UP MECHANISM</b>	
Empty Floor Socket w/ Wall Box, Aluminum SE-E224F_ABE	2,053
Empty Floor Socket w/ Wall Box, Brass SE-E224F_BAS	2,281

Product Description	SRP suggested retail price
<b>SETS</b>	
<b>16A 1 Gang 1 Way Switch (Standard)</b> SE-CA_CCS3031_1GAF	<b>130</b>
<b>16A 2 Gang 1 Way Switch (Standard)</b> SE-CA_CCS3031_2GAF	<b>211</b>
<b>16A 3 Gang 1 Way Switch (Standard)</b> SE-CA_CCS3031_3GAF	<b>292</b>
<b>16A 1 Gang 1 Way Switch (Elongated)</b> SE-CA_CCS3031E1_AF	<b>154</b>
<b>16A 2 Gang 1 Way Switch (Mid size)</b> SE-CA_CCS3031M1_AF	<b>227</b>
<b>16A Duplex 3-pin Universal Outlet</b> SE-CA_CCS3045SAT3P	<b>247</b>
<b>16A Duplex 2-pin Universal Outlet</b> SE-CA_CCS3043SA_2P	<b>229</b>

<b>FLUSH PLATES &amp; ACCESSORIES</b>	
<b>Flush Plate w/ Plastic Grid (3 Gang)</b> SE-A3000_WE	<b>49</b>
<b>Flush Plate w/ Plastic Grid (1 Gang)</b> SE-A3001_WE	<b>49</b>
<b>Flush Plate w/ Plastic Grid (2 Gang)</b> SE-A3002_WE	<b>49</b>
<b>Twin Flush Plate w/ Plastic Grid</b> SE-A3000T2_WE	<b>91</b>
<b>Blank Flush Plate w/ Plastic Grid</b> SE-A3030VX_WE	<b>65</b>
<b>Blank Twin Flush Plate</b> SE-A3030T2VX_WE	<b>98</b>
<b>1-Gang Metallic Surround Natural Hairline Veneered</b> SE-A3001M_NHE	<b>150</b>
<b>2-Gang Metallic Surround Natural Hairline Veneered</b> SE-A3002M_NHE	<b>150</b>
<b>3-Gang Metallic Surround Natural Hairline Veneered</b> SE-A3000M_NHE	<b>150</b>
<b>Blank Metallic Surround Natural Hairline Veneered</b> SE-A3030VXM_NHE	<b>150</b>
<b>Grid</b> SE-A3000G	<b>28</b>

Product Description	SRP suggested retail price
<b>SWITCHES MECHANISM</b>	
<b>Standard-sized Removable Cover Plate</b> SE-3030P_WE	<b>17</b>
<b>16A Standard-sized Switch Mechanism w/ Fluorescence</b> SE-3031_1_2M_F_WE 1W SE-3031_2_3M_F_WE 2W	<b>81</b> <b>119</b>
<b>16A 1W Standard-sized Switch Mechanism w/ Neon</b> SE-3031_1_2NM_WE	<b>196</b>
<b>16A Mid-sized Switch Mechanism w/ Fluorescence</b> SE-3031M1_2M_F_WE 1W SE-3031M2_3M_F_WE 2W	<b>89</b> <b>124</b>
<b>16A 1W Mid-sized Switch Mechanism w/ Neon</b> SE-3031M1_2NM_WE	<b>193</b>
<b>16A Elongated-sized Switch Mechanism w/ Fluorescence</b> SE-3031E1_2M_F_WE 1W SE-3031E2_3M_F_WE 2W	<b>105</b> <b>132</b>
<b>16A 1W Elongated-sized Switch Mechanism w/ Neon</b> SE-3031E1_2NM_WE	<b>198</b>
<b>Dimmer Mechanism with Rotary On/Off</b> SE-3031V500M_K_WE	<b>1,410</b>
<b>3A Bell Switch Mechanism</b> SE-3031EMBP2_3_WE	<b>196</b>

<b>SOCKETS AND TELECOMMUNICATION ACCESSORIES</b>	
<b>16A 250V 2-pin Universal Socket Mechanism w/ Shutter</b> SE-3426USM_WE	<b>90</b>
<b>16A 250V 3-pin Universal Socket Mechanism w/ Shutter</b> SE-3426UESTM_WE	<b>143</b>
<b>16A 250V Twin 3-pin Universal Socket Mechanism w/ Shutter</b> SE-3426UEST2M_WE	<b>198</b>
<b>16A 250V 2-pin American Socket Mechanism</b> SE-3426ASM_WE	<b>56</b>
<b>75Ohm Co-axial Outlet Mechanism</b> SE-3031TV75MS_WE	<b>207</b>
<b>F-type Outlet Mechanism</b> SE-3031PFM_WE	<b>303</b>
<b>6-Pin 4-Wire Telephone Outlet Mechanism w/ Shutter</b> SE-3031RJ64M_WE	<b>231</b>
<b>8-Pin 8-Wire Data Outlet Mechanism w/ Shutter</b> SE-3031RJ88SMA5_WE	<b>408</b>

Product Description	SRP suggested retail price
<b>HOTEL ACCESSORIES</b>	
<b>240V Shaver Socket, Vertical</b> SE-A3727_WE	<b>2,186</b>
<b>240V Shaver Socket, Horizontal</b> SE-A3727H_WE	<b>2,186</b>
<b>240V Key Card Switch for Standard Sized Key Card, Vertical</b> SE-A3031EKT_WE	<b>1,293</b>
<b>240V Key Card Switch for Standard Sized Key Card, Horizontal</b> SE-A3031EKTH_WE	<b>1,293</b>
<b>240V Red Neon Indicator w/ "Do Not Disturb" Message, Vertical</b> SE-3031NDM_RD	<b>240</b>
<b>240V Green Neon Indicator w/ "Please Clean Up" Message, Vertical</b> SE-3031NPM_GN	<b>240</b>
<b>240V Red Neon Indicator w/ "Do Not Disturb" Message, Horizontal</b> SE-3031NDMH_RD	<b>240</b>
<b>240V Green Neon Indicator w/ "Please Clean Up" Message, Horizontal</b> SE-3031NPMH_GN	<b>240</b>
<b>240V 3 Position Switch, On-Off-On, Vertical</b> SE-3039M_WE	<b>284</b>
<b>240V 3 Position Switch, On-Off-On, Horizontal</b> SE-3039MH_WE	<b>284</b>

<b>WEATHER PROOF ACCESSORIES</b>	
<b>6A 240V Weather Proof Door Bell Switch w/ LED Indicator, Vertical</b> SE-A3031WBP_WE	<b>400</b>
<b>220V 2-Wire Mechanical Door Chime</b> <i>New!</i> SE-99AC220	<b>800</b>
<b>Weather Proof Cover, Horizontal</b> SE-A3223HR	<b>391</b>
<b>Weather Proof Cover w/ Surface Mounted Enclosure, Horizontal</b> SE-A3223HSMR	<b>565</b>


Product Description

**SRP**  
suggested  
retail price

WE  
White

BZ  
Bronze


SZ  
Silver Bronze

**SWITCH MODULE (LED Indicator)**
  
250V 16A 1 Way Switch  
3M Sized Module, Push-in  
**New!** SE- 8431LP\_1

232

256


-

  
250V 16A 2 Way Switch  
3M Sized Module, Push-in  
**New!** SE- 8431LP\_2

278

307


-

  
250V 16A 1 Way Switch  
1.5M Sized Module, Push-in  
**New!** SE- 8431MP\_1

218

240


-

  
250V 16A 2 Way Switch  
1.5M Sized Module, Push-in  
**New!** SE- 8431MP\_2

264

291


-

  
250V 16A 1 Way Switch  
1M Sized Module, Push-in  
**New!** SE- 8431SP\_1

207

229

-

  
250V 16A 2 Way Switch  
1M Sized Module, Push-in  
**New!** SE- 8431SP\_2

250

276

-

  
250V 16A Intermediate Switch  
1.5M Sized Module  
**New!** SE- 8431M\_3

406

447

-

**BELL PRESS SWITCH MODULE**
  
250V 4A Bell Press Switch  
3M Sized Module  
**New!** SE- 8431LBP

260

287

-

  
250V 4A Bell Press Switch  
1M Sized Module  
**New!** SE- 8431SBP

217

239

-

  
250V 4A Bell Press Switch  
3M Sized Module, Horizontal  
**New!** SE- 8431LBPH

260

287


-

  
250V 4A Bell Press Switch  
1M Sized module, Horizontal  
**New!** SE- 8431SBPH

217

239

-

**SOCKET MODULE**
  
250V 16A Single 3-pin Socket  
2M Sized Module  
**New!** SE- 84426MUES

228

251

-

  
250V 16A Twin Universal 3-pin Socket  
3M Sized Module  
**New!** SE- 84426LUES2

316

347


-

  
250V 20A Philippines 3-pin Socket  
2M Sized Module  
**New!** SE- 84426MPH20

414

457

-

  
250V 10A Single 2-pin Socket Universal  
1M Sized Module  
**New!** SE- 84426SPUS

219

241

-

\*Available colors:

White (add\_WE)

Bronze (add\_BZ)

Silver Bronze (add\_SZ)

ie.

SE- 8431LP\_1\_WE (white)

SE- 8431LP\_1\_BZ (bronze)

SE- 8431LP\_1\_SZ (silver bronze)


Product Description

**SRP**  
suggested  
retail price

WE  
White

BZ  
Bronze


SZ  
Silver Bronze

**TELECOMMUNICATION ACCESSORY MODULE**
  
Keystone Cat 6 Data Outlet with Shutter  
1M Sized Module  
**New!** SE- 8431SRJ6

377

415

-

  
Keystone Cat 6 Data Outlet with Shutter  
1M Sized Module, Horizontal  
**New!** SE- 8431SRJ6H

377

415

-

  
Telephone Outlet with Shutter  
1M Sized Module  
**New!** SE- 8431SRJ4

280

309

-

  
Telephone Outlet with Shutter  
1M Sized Module, Horizontal  
**New!** SE- 8431SRJ4H

280

309

-

  
5MHz-860MHz Coaxial TV Outlet  
1M Sized Module  
**New!** SE- 8431STV

271

299


-

  
5MHz-1000MHz Coaxial TV  
F-connection Outlet 1M Sized Module  
**New!** SE- 8431STVF

348

384

-

**HOTEL ACCESSORY MODULE**
  
250V "DO NOT DISTURB"  
Symbol 1M Sized Module  
**New!** SE- 8430SDND

416

459


-

  
250V Illuminated "PLEASE CLEAN UP"  
Symbol 1M Sized Module  
**New!** SE- 8430SPCU

416

459


-

  
250V "DO NOT DISTURB"  
Symbol 1M Sized Module, Horizontal  
**New!** SE- 8430SDNDH

416

459

-

  
250V Illuminated "PLEASE CLEAN UP"  
Symbol 1M Sized Module  
**New!** SE- 8430SPCUH

416

459

-

  
250V 2 Way Switch "DO NOT DISTURB"  
Symbol 1M Sized Module  
**New!** SE- 8431SDND

407

447


-

  
250V 2 Way Switch "DO NOT DISTURB"  
Symbol 1M Sized Module, Horizontal  
**New!** SE- 8431SDNDH

407

447


-

  
250V Illuminated "PLEASE CLEAN UP"  
Symbol 1M Sized Module  
**New!** SE- 8431SPCU

407

447


-

  
250V Illuminated "PLEASE CLEAN UP"  
Symbol 1M Sized Module, Horizontal  
**New!** SE- 8431SPCUH

407

447


-

  
250V Illuminated Red LED Indicator  
1M Sized Module  
**New!** SE- 8430SNRD

758

833

-

  
250V Illuminated Green LED Indicator  
1M Sized Module  
**New!** SE- 8430SNGN













758




833

-

## ZENcelo Series




## Mini Circuit Breakers






Product Description		SRP suggested retail price		
		WE White	BZ Bronze	SZ Silver Bronze
HOTEL UNITS				
	Electronic Key Card Time Delay Switch <b>New!</b> SE- A8431EKT	2,517	-	2,769
	Electronic Key Card Time Delay Switch, Horizontal <b>New!</b> SE- A8431EKTH	2,517	-	2,769
	Shaver Socket Horizontal <b>New!</b> SE- A84727H	2,420	-	2,663
	Shaver Socket <b>New!</b> SE- A84727	2,420	-	2,663
BLANK COVER MODULE				
	Blank Cover 1M Sized Module <b>New!</b> SE- 8430SP	23	27	-
	Blank Cover 3M Sized Module <b>New!</b> SE- 8430LP	47	54	-
COVER PLATES				
	Surround & Gridplate for 1M Sized Module Horizontal <b>New!</b> SE- A8401SH	109	-	119
	Surround & Gridplate for 1.5M Sized Module Horizontal <b>New!</b> SE- A8401MH	109	-	119
	Surround & Gridplate for 3M Sized Module Horizontal <b>New!</b> SE- A8401LH	109	-	119
	Surround & Gridplate for 1M Sized Module <b>New!</b> SE- A8401S	109	-	119
	Surround & Gridplate for 1.5M Sized Module <b>New!</b> SE- A8401M	109	-	119
	Surround & Gridplate for 3M Sized Module <b>New!</b> SE- A8401L	109	-	119
*Available colors: White (add WE) Bronze (add BZ) Silver Bronze (add SZ)				
ie. SE- 8431LP_1_WE (white) SE- 8431LP_1_BZ (bronze) SE- 8431LP_1_SZ (silver bronze)				

Product Description					PKG packing (pcs./ctn.)	SRP suggested retail price
iC60N (C-curve)						
	"N" Version, 1-Pole					
	Rated Current	IEC/EN 60898-1	IEC/EN 60947-2			
		Household Application	Industrial Application			
		Icn at 230V (L-N)	Icu at 100-133V (L-N)	Icu at 200-240V (L-N)		
SE-A9F74102	2A	6 kA	50 kA	50 kA	12	419
SE-A9F74103	3A	6 kA	50 kA	50 kA	12	419
SE-A9F74104	4A	6 kA	50 kA	50 kA	12	419
SE-A9F74106	6A	6 kA	20 kA	10 kA	12	392
SE-A9F74110	10A	6 kA	20 kA	10 kA	12	349
SE-A9F74116	16A	6 kA	20 kA	10 kA	12	349
SE-A9F74120	20A	6 kA	20 kA	10 kA	12	349
SE-A9F74125	25A	6 kA	20 kA	10 kA	12	349
SE-A9F74132	32A	6 kA	20 kA	10 kA	12	367
SE-A9F74140	40A	6 kA	20 kA	10 kA	12	410
SE-A9F74150	50A	6 kA	20 kA	10 kA	12	583
SE-A9F74163	63A	6 kA	20 kA	10 kA	12	583
	"N" Version, 2-Pole					
	Rated Current	IEC/EN 60898-1	IEC/EN 60947-2			
		Household Application	Industrial Application			
		Icn at 230V (L-N)/ 400V (L-L)	Icu at 220-240V (L-L)	Icu at 380-415V (L-L)	Icu at 440V (L-L)	
SE-A9F74202	2A	6 kA	50 kA	50 kA	25 kA	6 722
SE-A9F74203	3A	6 kA	50 kA	50 kA	25 kA	6 722
SE-A9F74204	4A	6 kA	50 kA	50 kA	25 kA	6 722
SE-A9F74206	6A	6 kA	20 kA	10 kA	6 kA	6 677
SE-A9F74210	10A	6 kA	20 kA	10 kA	6 kA	6 618
SE-A9F74216	16A	6 kA	20 kA	10 kA	6 kA	6 618
SE-A9F74220	20A	6 kA	20 kA	10 kA	6 kA	6 618
SE-A9F74225	25A	6 kA	20 kA	10 kA	6 kA	6 618
SE-A9F74232	32A	6 kA	20 kA	10 kA	6 kA	6 643
SE-A9F74240	40A	6 kA	20 kA	10 kA	6 kA	6 718
SE-A9F74250	50A	6 kA	20 kA	10 kA	6 kA	6 876
SE-A9F74263	63A	6 kA	20 kA	10 kA	6 kA	6 876
	"N" Version, 3-Pole					
	Rated Current	IEC/EN 60898-1	IEC/EN 60947-2			
		Household Application	Industrial Application			
		Icn at 230V (L-N)/ 400V (L-L)	Icu at 220-240V (L-L)	Icu at 380-415V (L-L)	Icu at 440V (L-L)	
SE-A9F74302	2A	6 kA	50 kA	50 kA	25 kA	4 1,401
SE-A9F74303	3A	6 kA	50 kA	50 kA	25 kA	4 1,401
SE-A9F74304	4A	6 kA	50 kA	50 kA	25 kA	4 1,401
SE-A9F74306	6A	6 kA	20 kA	10 kA	6 kA	4 1,314
SE-A9F74310	10A	6 kA	20 kA	10 kA	6 kA	4 1,203
SE-A9F74316	16A	6 kA	20 kA	10 kA	6 kA	4 1,203
SE-A9F74320	20A	6 kA	20 kA	10 kA	6 kA	4 1,203
SE-A9F74325	25A	6 kA	20 kA	10 kA	6 kA	4 1,203
SE-A9F74332	32A	6 kA	20 kA	10 kA	6 kA	4 1,251
SE-A9F74340	40A	6 kA	20 kA	10 kA	6 kA	4 1,397
SE-A9F74350	50A	6 kA	20 kA	10 kA	6 kA	4 1,840
SE-A9F74363	63A	6 kA	20 kA	10 kA	6 kA	4 1,840



Mini Circuit Breakers

Product Description						PKG	SRP
						packing (pcs./ctn.)	suggested retail price
iC60H (C-curve)							
	"H" Version, 1-Pole						
	Rated Current	IEC/EN 60898-1	IEC/EN 60947-2				
		Household Application	Industrial Application				
		Icn at 230V (L-N)	Icu at 100-133V (L-N)	Icu at 200-240V (L-N)			
	SE-A9F84102	2A	10 kA	70 kA	70 kA	12	570
SE-A9F84103	3A	10 kA	70 kA	70 kA	12	570	
SE-A9F84104	4A	10 kA	70 kA	70 kA	12	570	
SE-A9F84106	6A	10 kA	30 kA	15 kA	12	525	
SE-A9F84110	10A	10 kA	30 kA	15 kA	12	475	
SE-A9F84116	16A	10 kA	30 kA	15 kA	12	475	
SE-A9F84120	20A	10 kA	30 kA	15 kA	12	475	
SE-A9F84125	25A	10 kA	30 kA	15 kA	12	475	
SE-A9F84132	32A	10 kA	30 kA	15 kA	12	499	
SE-A9F84140	40A	10 kA	30 kA	15 kA	12	570	
SE-A9F84150	50A	10 kA		15 kA	12	875	
SE-A9F84163	63A	10 kA		15 kA	12	875	
	"H" Version, 2-Pole						
	Rated Current	IEC/EN 60898-1	IEC/EN 60947-2				
		Household Application	Industrial Application				
		Icn at 230V (L-N)/ 400V (L-L)	Icu at 220-240V (L-L)	Icu at 380-415V (L-L)	Icu at 440V (L-L)		
	SE-A9F84202	2A	10 kA	70 kA	70 kA	50 kA	6
SE-A9F84203	3A	10 kA	70 kA	70 kA	50 kA	6	1,141
SE-A9F84204	4A	10 kA	70 kA	70 kA	50 kA	6	1,141
SE-A9F84206	6A	10 kA	30 kA	15 kA	10 kA	6	1,097
SE-A9F84210	10A	10 kA	30 kA	15 kA	10 kA	6	993
SE-A9F84216	16A	10 kA	30 kA	15 kA	10 kA	6	993
SE-A9F84220	20A	10 kA	30 kA	15 kA	10 kA	6	993
SE-A9F84225	25A	10 kA	30 kA	15 kA	10 kA	6	993
SE-A9F84232	32A	10 kA	30 kA	15 kA	10 kA	6	1,042
SE-A9F84240	40A	10 kA	30 kA	15 kA	10 kA	6	1,192
SE-A9F84250	50A	10 kA		15 kA	10 kA	6	1,296
SE-A9F84263	63A	10 kA		15 kA	10 kA	6	1,296
	"H" Version, 3-Pole						
	Rated Current	IEC/EN 60898-1	IEC/EN 60947-2				
		Household Application	Industrial Application				
		Icn at 230V (L-N)/ 400V (L-L)	Icu at 220-240V (L-L)	Icu at 380-415V (L-L)	Icu at 440V (L-L)		
	SE-A9F84302	2A	10 kA	70 kA	70 kA	50 kA	4
SE-A9F84303	3A	10 kA	70 kA	70 kA	50 kA	4	1,710
SE-A9F84304	4A	10 kA	70 kA	70 kA	50 kA	4	1,710
SE-A9F84306	6A	10 kA	30 kA	15 kA	10 kA	4	1,642
SE-A9F84310	10A	10 kA	30 kA	15 kA	10 kA	4	1,503
SE-A9F84316	16A	10 kA	30 kA	15 kA	10 kA	4	1,503
SE-A9F84320	20A	10 kA	30 kA	15 kA	10 kA	4	1,503
SE-A9F84325	25A	10 kA	30 kA	15 kA	10 kA	4	1,503
SE-A9F84332	32A	10 kA	30 kA	15 kA	10 kA	4	1,578
SE-A9F84340	40A	10 kA	30 kA	15 kA	10 kA	4	1,653
SE-A9F84350	50A	10 kA		15 kA	10 kA	4	2,463
SE-A9F84363	63A	10 kA		15 kA	10 kA	4	2,463

Product Description						PKG	SRP
						packing (pcs./ctn.)	suggested retail price
iC120							
	"N" Version, 1-Pole						
	Rated Current	IEC/EN 60898-1	IEC/EN 60947-2				
		Household Application	Industrial Application				
		Icn at 230-400V	Icu at 220-240V	Icu at 380-415V	Icu at 440V (L-L)		
	SE-A9N18357	80A	10 kA	10 kA	3 kA		12
SE-A9N18358	100A	10 kA	10 kA	3 kA		12	1,620
SE-A9N18359	125A	10 kA	10 kA	3 kA		12	1,942
	"N" Version, 2-Pole						
	Rated Current	IEC/EN 60898-1	IEC/EN 60947-2				
		Household Application	Industrial Application				
		Icn at 230-400V	Icu at 220-240V	Icu at 380-415V	Icu at 440V		
	SE-A9N18361	80A	10 kA	20 kA	10 kA	6 kA	6
SE-A9N18362	100A	10 kA	20 kA	10 kA	6 kA	6	3,171
SE-A9N18363	125A	10 kA	20 kA	10 kA	6 kA	6	3,802
	"N" Version, 3-Pole						
	Rated Current	IEC/EN 60898-1	IEC/EN 60947-2				
		Household Application	Industrial Application				
		Icn at 230-400V	Icu at 220-240V	Icu at 380-415V	Icu at 440V		
	SE-A9N18365	80A	10 kA	20 kA	10 kA	6 kA	4
SE-A9N18367	100A	10 kA	20 kA	10 kA	6 kA	4	4,630
SE-A9N18369	125A	10 kA	20 kA	10 kA	6 kA	4	5,778
ACT19							
	240VAC						
	ICT Contactors						
	Rating						
	SE-A9C20631	25A, 1P, AC7a, 1NO					872
	SE-A9C20632	25A, 2P, AC7a, 2NO					1,133
	SE-A9C20636	25A, 2P, AC7a, 2NC					1,586
	SE-A9C20642	40A, 2P, AC7a, 2NO					2,544
	SE-A9C20633	25A, 3P, AC7a, 3NO					2,077
	SE-A9C20643	40A, 3P, AC7a, 3NO					3,262
	SE-A9C20663	63A, 3P, AC7a, 3NO					3,262
SE-A9C20868	63A, 4P, AC7a, 2NO+2NC					6,657	
	Auxiliary Contact						
	SE-A9C15914	5A (1A DC) 1NO/1NC					1,941
	SE-A9C15915	5A (1A DC) 1C/O					1,480
	SE-A9C15916	5A (1A DC) 2N/O					1,849

Product Description

PKG  
packing  
(pcs./ctn.)

SRP  
suggested  
retail price

## ik60N (C-curve)

1-Pole, I<sub>cn</sub> at 230V (L-N) = 6 kA

Rating

SE-A9K27106	6A	12	264
SE-A9K27110	10A	12	264
SE-A9K27116	16A	12	264
SE-A9K27120	20A	12	264
SE-A9K27125	25A	12	264
SE-A9K27132	32A	12	264

2-Pole, I<sub>cn</sub> at 230V (L-N) / 400V (L-L) = 6 kA

Rating

SE-A9K27206	6A	6	462
SE-A9K27210	10A	6	462
SE-A9K27216	16A	6	462
SE-A9K27220	20A	6	462
SE-A9K27225	25A	6	462
SE-A9K27232	32A	6	462

3-Pole, I<sub>cn</sub> at 230V (L-N) / 400V (L-L) = 6 kA

Rating

SE-A9K24306	6A	4	899
SE-A9K24310	10A	4	899
SE-A9K24316	16A	4	899
SE-A9K24320	20A	4	899
SE-A9K24325	25A	4	899
SE-A9K24332	32A	4	899

## EARTH LEAKAGE PROTECTION

RESIDUAL CURRENT CIRCUIT BREAKER (RCCB) 1P+N, 240V

Rating Sensitivity

SE-A9R71225	25A	30mA	6	2,578
SE-A9R71240	40A	30mA	6	2,726
SE-A9R71263	63A	30mA	6	2,949
SE-A9R11280	80A	30mA	6	3,172

3P+N, 415V

Rating Sensitivity

SE-A9R71440	40A	30mA	3	3,658
SE-A9R71463	63A	30mA	3	4,917

RESIDUAL CURRENT CIRCUIT BREAKER with OVERCURRENT PROTECTION (RCBO) 1P+N, 230V

Rating Sensitivity

SE-A9D31606	6A	30mA	6	3,132
SE-A9D31610	10A	30mA	6	2,990
SE-A9D31616	16A	30mA	6	2,847
SE-A9D31620	20A	30mA	6	2,990
SE-A9D31625	25A	30mA	6	3,302
SE-A9D31632	32A	30mA	6	3,759
SE-A9D31640	40A	30mA	6	4,413

## FLUSH MOUNTED ENCLOSURE

<b>New!</b> SE-DOMH12104F	4 Module	1	478
<b>New!</b> SE-DOMH12108F	8 Module	1	652
<b>New!</b> SE-DOMH12112F	12 Module	1	821

Product Description

PKG  
packing  
(pcs./ctn.)

SRP  
suggested  
retail price

## HOMELINE CIRCUIT BREAKER

Plug-in 1-Pole, Screw Clamp Terminal

Rating

SE-HOM115	120/240V, 10kA	15A	10	365
SE-HOM120	120/240V, 10kA	20A	10	365
SE-HOM125	120/240V, 10kA	25A	10	365
SE-HOM130	120/240V, 10kA	30A	10	365
SE-HOM140	120/240V, 10kA	40A	10	539
SE-HOM150	120/240V, 10kA	50A	10	539

Plug-in 2-Pole, Screw Clamp Terminal

SE-HOM215	120/240V, 10kA	15A	5	554
SE-HOM220	120/240V, 10kA	20A	5	554
SE-HOM225	120/240V, 10kA	25A	5	554
SE-HOM230	120/240V, 10kA	30A	5	554
SE-HOM240	120/240V, 10kA	40A	5	767
SE-HOM245	120/240V, 10kA	45A	5	767
SE-HOM250	120/240V, 10kA	50A	5	767
SE-HOM260	120/240V, 10kA	60A	5	767
SE-HOM270	120/240V, 10kA	70A	5	1,505
SE-HOM280	120/240V, 10kA	80A	5	1,505
SE-HOM290	120/240V, 10kA	90A	5	1,505
SE-HOM2100	120/240V, 10kA	100A	5	1,505

## QOB CIRCUIT BREAKER

1-Pole, 120/240V, 10kA, Bolt-on

Rating

SE-QOB115	Pressure Plate	15A	10	563
SE-QOB120	Pressure Plate	20A	10	563
SE-QOB130	Pressure Plate	30A	10	563
SE-QOB140	Box Lugs	40A	10	790
SE-QOB150	Box Lugs	50A	10	790
SE-QOB160	Box Lugs	60A	10	790

2-Pole, 120/240V, 10kA, Bolt-on

SE-QOB215	Pressure Plate	15A	5	898
SE-QOB220	Pressure Plate	20A	5	898
SE-QOB230	Pressure Plate	30A	5	898
SE-QOB240	Box Lugs	40A	5	898
SE-QOB250	Box Lugs	50A	5	898
SE-QOB260	Box Lugs	60A	5	898
SE-QOB270	Box Lugs	70A	5	1,408
SE-QOB280	Box Lugs	80A	5	1,542
SE-QOB290	Box Lugs	90A	5	1,542
SE-QOB2100	Box Lugs	100A	5	1,542

3-Pole, 240V, 10kA, Bolt-on

SE-QOB315	Pressure Plate	15A	3	2,735
SE-QOB320	Pressure Plate	20A	3	2,735
SE-QOB330	Pressure Plate	30A	3	2,735
SE-QOB340	Box Lugs	40A	3	2,735
SE-QOB350	Box Lugs	50A	3	2,735
SE-QOB360	Box Lugs	60A	3	2,735
SE-QOB370	Box Lugs	70A	3	2,892
SE-QOB380	Box Lugs	80A	3	2,976
SE-QOB390	Box Lugs	90A	3	2,976
SE-QOB3100	Box Lugs	100A	3	2,976

## QOB VH CIRCUIT BREAKER

1-Pole, 120/240V, 22kA, Bolt-on

Rating

SE-QOB115VH	Pressure Plate	15A	10	2,133
SE-QOB120VH	Pressure Plate	20A	10	2,133
SE-QOB130VH	Pressure Plate	30A	10	2,133

2-Pole, 120/240V, 22kA, Bolt-on

SE-QOB215VH	Pressure Plate	15A	5	3,593
SE-QOB220VH	Pressure Plate	20A	5	3,593
SE-QOB230VH	Pressure Plate	30A	5	3,593
SE-QOB240VH	Box Lugs	40A	5	3,593
SE-QOB250VH	Box Lugs	50A	5	3,593
SE-QOB260VH	Box Lugs	60A	5	3,593
SE-QOB270VH	Box Lugs	70A	5	3,706
SE-QOB280VH	Box Lugs	80A	5	4,558
SE-QOB290VH	Box Lugs	90A	5	4,558
SE-QOB2100VH	Box Lugs	100A	5	4,558

3-Pole, 240V, 22kA, Bolt-on

SE-QOB315VH	Pressure Plate	15A	3	5,755
SE-QOB320VH	Pressure Plate	20A	3	5,755
SE-QOB330VH	Pressure Plate	30A	3	5,755
SE-QOB340VH	Box Lugs	40A	3	5,755
SE-QOB350VH	Box Lugs	50A	3	5,755
SE-QOB360VH	Box Lugs	60A	3	5,755
SE-QOB370VH	Box Lugs	70A	3	4,481
SE-QOB380VH	Box Lugs	80A	3	5,049
SE-QOB390VH	Box Lugs	90A	3	5,049
SE-QOB3100VH	Box Lugs	100A	3	5,049

Product Description

**PKG**  
packing  
(pcs./ctn.)

**SRP**  
suggested  
retail price

**MOULDED CASE CIRCUIT BREAKER**
**EASYPACT EZC**

1-Pole, 18kAIC, 230V  
Rating

SE-EZC100N1015	15AT/100AF	1	1,580
SE-EZC100N1020	20AT/100AF	1	1,580
SE-EZC100N1025	25AT/100AF	1	1,580
SE-EZC100N1030	30AT/100AF	1	1,580
SE-EZC100N1040	40AT/100AF	1	1,580
SE-EZC100N1050	50AT/100AF	1	1,580
SE-EZC100N1060	60AT/100AF	1	1,761
SE-EZC100N1075	75AT/100AF	1	1,761
SE-EZC100N1080	80AT/100AF	1	1,761
SE-EZC100N1100	100AT/100AF	1	1,761

3-Pole, 25kAIC, 230V

SE-EZC100F3015	15AT/100AF	1	2,733
SE-EZC100F3020	20AT/100AF	1	2,733
SE-EZC100F3025	25AT/100AF	1	2,733
SE-EZC100F3030	30AT/100AF	1	2,733
SE-EZC100F3040	40AT/100AF	1	2,733
SE-EZC100F3050	50AT/100AF	1	2,733
SE-EZC100F3060	60AT/100AF	1	2,869
SE-EZC100F3075	75AT/100AF	1	2,869
SE-EZC100F3080	80AT/100AF	1	2,869
SE-EZC100F3100	100AT/100AF	1	2,869

3-Pole, 25kAIC, 230V

SE-EZC100N3015	15AT/100AF	1	3,137
SE-EZC100N3020	20AT/100AF	1	3,137
SE-EZC100N3025	25AT/100AF	1	3,137
SE-EZC100N3030	30AT/100AF	1	3,137
SE-EZC100N3040	40AT/100AF	1	3,137
SE-EZC100N3050	50AT/100AF	1	3,137
SE-EZC100N3060	60AT/100AF	1	3,363
SE-EZC100N3075	75AT/100AF	1	3,363
SE-EZC100N3080	80AT/100AF	1	3,363
SE-EZC100N3100	100AT/100AF	1	3,363

1-Pole, 25kAIC, 230V

SE-EZC100H1015	15AT/100AF	1	1,702
SE-EZC100H1020	20AT/100AF	1	1,702
SE-EZC100H1025	25AT/100AF	1	1,702
SE-EZC100H1030	30AT/100AF	1	1,702
SE-EZC100H1040	40AT/100AF	1	1,702
SE-EZC100H1050	50AT/100AF	1	1,702
SE-EZC100H1060	60AT/100AF	1	1,988
SE-EZC100H1075	75AT/100AF	1	1,988
SE-EZC100H1080	80AT/100AF	1	1,988
SE-EZC100H1100	100AT/100AF	1	1,988

2-Pole, 50kAIC, 230V

SE-EZC100H2015	15AT/100AF	1	2,056
SE-EZC100H2020	20AT/100AF	1	2,056
SE-EZC100H2025	25AT/100AF	1	2,056
SE-EZC100H2030	30AT/100AF	1	2,056
SE-EZC100H2040	40AT/100AF	1	2,056
SE-EZC100H2050	50AT/100AF	1	2,056
SE-EZC100H2060	60AT/100AF	1	2,397
SE-EZC100H2075	75AT/100AF	1	2,397
SE-EZC100H2080	80AT/100AF	1	2,397
SE-EZC100H2100	100AT/100AF	1	2,397

3-Pole, 50kAIC, 230V

SE-EZC100H3015	15AT/100AF	1	3,559
SE-EZC100H3020	20AT/100AF	1	3,559
SE-EZC100H3025	25AT/100AF	1	3,559
SE-EZC100H3030	30AT/100AF	1	3,559
SE-EZC100H3040	40AT/100AF	1	3,559
SE-EZC100H3050	50AT/100AF	1	3,559
SE-EZC100H3060	60AT/100AF	1	3,781
SE-EZC100H3075	75AT/100AF	1	3,781
SE-EZC100H3080	80AT/100AF	1	3,781
SE-EZC100H3100	100AT/100AF	1	3,781

Product Description

**PKG**  
packing  
(pcs./ctn.)

**SRP**  
suggested  
retail price

**MOULDED CASE CIRCUIT BREAKER**
**EASYPACT EZC**

2-Pole, 85kAIC, 230V

SE-EZC250H2125	125AT/250AF	1	5,923
SE-EZC250H2160	160AT/250AF	1	5,923
SE-EZC250H2200	200AT/250AF	1	5,923
SE-EZC250H2225	225AT/250AF	1	7,811
SE-EZC250H2250	250AT/250AF	1	7,811

3-Pole, 25kAIC, 230V

SE-EZC250F3125	125AT/250AF	1	7,412
SE-EZC250F3160	160AT/250AF	1	7,412
SE-EZC250F3200	200AT/250AF	1	7,412
SE-EZC250F3225	225AT/250AF	1	9,177
SE-EZC250F3250	250AT/250AF	1	9,177

3-Pole, 50kAIC, 230V

SE-EZC250N3125	125AT/250AF	1	8,074
SE-EZC250N3160	160AT/250AF	1	8,074
SE-EZC250N3200	200AT/250AF	1	8,074
SE-EZC250N3225	225AT/250AF	1	10,058
SE-EZC250N3250	250AT/250AF	1	10,058

3-Pole, 85kAIC, 230V

SE-EZC250H3125	125AT/250AF	1	8,433
SE-EZC250H3160	160AT/250AF	1	8,433
SE-EZC250H3200	200AT/250AF	1	8,433
SE-EZC250H3225	225AT/250AF	1	11,097
SE-EZC250H3250	250AT/250AF	1	11,097

3-Pole, 40kAIC, 230V

SE-EZC400N3320N	320AT/400AF	1	16,126
SE-EZC400N3350N	350AT/400AF	1	16,126
SE-EZC400N3400N	400AT/400AF	1	16,126

3-Pole, 70kAIC, 230V

SE-EZC400H3300	300AT/400AF	1	18,041
SE-EZC400H3350	350AT/400AF	1	18,041
SE-EZC400H3400	400AT/400AF	1	18,041

3-Pole, 50kAIC, 230V

<b>New!</b> SE-EZC630N3500N	500AT/630AF	1	20,360
<b>New!</b> SE-EZC630N3600N	600AT/630AF	1	20,360

3-Pole, 85kAIC, 230V

<b>New!</b> SE-EZC630H3500N	500AT/630AF	1	23,530
<b>New!</b> SE-EZC630H3600N	600AT/630AF	1	23,530

**EASYPACT CVS**

3-Pole, 70kAIC, 230V

Rating

SE-LV540316	400AT/630AF	1	19,411
SE-LV563315	500AT/630AF	1	24,482 ↑
SE-LV563316	630AT/630AF	1	24,482 ↑

**COMPACT NS**

3-Pole, 50kAIC, 440V,  
60Hz, L.I. Protection

Rating

SE-33466	800AT/800AF	1	62,155 ↑
SE-33472	1000AT/1000AF	1	80,779
SE-33478	1250AT/1250AF	1	93,840
SE-33482	1600AT/1600AF	1	103,892
<b>New!</b> SE-NS2000N	2000AT/2000AF	1	182,915
<b>New!</b> SE-NS2500N	2500AT/2500AF	1	198,753
<b>New!</b> SE-NS3200N	3200AT/3200AF	1	270,083

3-Pole, 65kAIC, 440V, 60Hz FT/MO

Rating

SE-33467	800AT/800AF	1	70,780 ↑
SE-33473	1000AT/1000AF	1	102,147
SE-33479	1250AT/1250AF	1	138,021
SE-33483	1600AT/1600AF	1	149,097
<b>New!</b> SE-NS2000H	2000AT/2000AF	1	207,095
<b>New!</b> SE-NS2500H	2500AT/2500AF	1	233,910
<b>New!</b> SE-NS3200H	3200AT/3200AF	1	366,910

**EASYPACT EZC**
**Cable Lugs**

SE-EZALUG0502	50A (1 set - 2 pcs.)	1	477
SE-EZALUG0503	50A (1 set - 3 pcs.)	1	613
SE-EZALUG1002	60A - 100A (1 set - 2 pcs.)	1	477
SE-EZALUG1003	60A - 100A (1 set - 3 pcs.)	1	613
SE-EZELUG2503	250A (1 set - 3 pcs.)	1	899
SE-EZELUG2504	250A (1 set - 4 pcs.)	1	1,199
<b>New!</b> SE-LV432479	400A (1 set - 3 pcs.)	1	1,938



Product Description

**PKG**  
packing  
(pcs./ctn.)

**SRP**  
suggested  
retail price

**MOULDED CASE CIRCUIT BREAKER**
**EASYPACT MVS**

3-Pole, 50kAIC, 440V,  
Fixed Type/Manually Operated/LI

Rating

<b>New!</b>	SE-MVS08N3MF2A	800AT/800AF	1	<b>141,288</b>
<b>New!</b>	SE-MVS10N3MF2A	1000AT/1000AF	1	<b>141,288</b>
<b>New!</b>	SE-MVS12N3MF2A	1250AT/1250AF	1	<b>158,421</b>
<b>New!</b>	SE-MVS16N3MF2A	1600AT/1600AF	1	<b>176,270</b>
<b>New!</b>	SE-MVS20N3MF2A	2000AT/2000AF	1	<b>188,241</b>
<b>New!</b>	SE-MVS25N3MF2A	2500AT/2500AF	1	<b>210,749</b>
<b>New!</b>	SE-MVS32N3MF2A	3200AT/3200AF	1	<b>279,565</b>
<b>New!</b>	SE-MVS40N3MF2A	4000AT/4000AF	1	<b>424,581</b>

3-Pole, 65kAIC, 440V,  
Fixed Type/Manually Operated/LI

Rating

<b>New!</b>	SE-MVS08H3MF2A	800AT/800AF	1	<b>153,546</b>
<b>New!</b>	SE-MVS10H3MF2A	1000AT/1000AF	1	<b>153,546</b>
<b>New!</b>	SE-MVS12H3MF2A	1250AT/1250AF	1	<b>172,184</b>
<b>New!</b>	SE-MVS16H3MF2A	1600AT/1600AF	1	<b>191,610</b>
<b>New!</b>	SE-MVS20H3MF2A	2000AT/2000AF	1	<b>204,585</b>
<b>New!</b>	SE-MVS25H3MF2A	2500AT/2500AF	1	<b>229,100</b>
<b>New!</b>	SE-MVS32H3MF2A	3200AT/3200AF	1	<b>303,866</b>
<b>New!</b>	SE-MVS40H3MF2A	4000AT/4000AF	1	<b>461,498</b>

**MASTERPACT NW**

3-Pole, 65kAIC, 480V,  
Fixed Type/Manually  
Operated/LI

Rating

<b>New!</b>	SE-NW08H13F2E	800AT/800AF	1	<b>198,097</b>
<b>New!</b>	SE-NW10H13F2E	1000AT/1000AF	1	<b>198,097</b>
<b>New!</b>	SE-NW12H13F2E	1250AT/1250AF	1	<b>220,372</b>
<b>New!</b>	SE-NW16H13F2E	1600AT/1600AF	1	<b>243,578</b>
<b>New!</b>	SE-NW20H13F2E	2000AT/2000AF	1	<b>259,010</b>
<b>New!</b>	SE-NW25H13F2E	2500AT/2500AF	1	<b>288,322</b>
<b>New!</b>	SE-NW32H13F2E	3200AT/3200AF	1	<b>377,661</b>
<b>New!</b>	SE-NW40H13F2E	4000AT/4000AF	1	<b>566,011</b>

3-Pole, 100kAIC, 480V, Fixed Type/  
Manually Operated/LI

Rating

<b>New!</b>	SE-NW50H13F2E	5000AT/5000AF	1	<b>1,065,201</b>
<b>New!</b>	SE-NW63H13F2E	6300AT/6000AF	1	<b>1,441,532</b>

3-Pole, 100kAIC, 480V, Fixed Type/  
Manually Operated/LI

Rating

<b>New!</b>	SE-NW08H23F2E	800AT/800AF	1	<b>220,911</b>
<b>New!</b>	SE-NW10H23F2E	1000AT/1000AF	1	<b>220,911</b>
<b>New!</b>	SE-NW12H23F2E	1250AT/1250AF	1	<b>244,981</b>
<b>New!</b>	SE-NW16H23F2E	1600AT/1600AF	1	<b>270,232</b>
<b>New!</b>	SE-NW20H23F2E	2000AT/2000AF	1	<b>306,116</b>
<b>New!</b>	SE-NW25H23F2E	2500AT/2500AF	1	<b>359,202</b>
<b>New!</b>	SE-NW32H23F2E	3200AT/3200AF	1	<b>415,168</b>
<b>New!</b>	SE-NW40H23F2E	4000AT/4000AF	1	<b>625,447</b>

3-Pole, 150kAIC, 480V, Fixed Type/  
Manually Operated/LI

Rating

<b>New!</b>	SE-NW50H23F2E	5000AT/5000AF	1	<b>1,177,650</b>
<b>New!</b>	SE-NW63H23F2E	6300AT/6000AF	1	<b>1,587,649</b>

**PRESSURE SWITCH**
**Switch**

SE-9013FSG2J20	20-40 PSI	1	<b>695.00</b>
----------------	-----------	---	---------------

**ENERGY METER**
**EasyLogic Power & Energy Meter**

<b>New!</b>	SE-METSEPM1200	PM1200 RS485	1	<b>10,120</b>
-------------	----------------	--------------	---	---------------

Product Description

**PKG**  
packing  
(pcs./ctn.)

**SRP**  
suggested  
retail price

**TESYS**
**TESYS CONTACTORS** Auxiliary Contact 1NO+1NC

	(Recommended) Rated operational current (Ie), AC-3 (Ue ≤ 440 V)	KW		HP			
		220V	440V	220V	440V		
SE-LC1D09**	9A	2.2	4	3	5.5	1	<b>1,263</b>
SE-LC1D12**	12A	3	5.5	4	7.5	1	<b>1,510</b>
SE-LC1D18**	18A	4	9	5.5	-	1	<b>1,901</b>
SE-LC1D25**	25A	5.5	11	7.5	15	1	<b>2,519</b>
SE-LC1D32**	32A	7.5	15	10	20	1	<b>3,747</b>
SE-LC1D38**	38A	9	18.5	-	25	1	<b>4,330</b>
SE-LC1D40**	40A	11	22	15	30	1	<b>5,428</b>
SE-LC1D50**	50A	15	30	20	40	1	<b>5,634</b>
SE-LC1D65**	65A	18.5	37	25	50	1	<b>7,782</b>
SE-LC1D80**	80A	22	45	30	60	1	<b>9,772</b>
SE-LC1D95**	95A	25	45	-	60	1	<b>12,358</b>
SE-LC1D115**	115A	30	59	40	75	1	<b>17,004</b>
SE-LC1D150**	150A	40	80	-	100	1	<b>18,891</b>

Note:

- The -M7 and -R7 are coil voltage rating for controls and not operating voltage (power)
- Rated operational current indicated are for operating voltage (Ue) of 440 and below

\*\*Use M7 for 220V Coil and R7 for 440V Coil

**TESYS THERMAL OVERLOAD RELAY**

	Setting Range		Assembled with LC1D Contactors		
	A min.	A max.			
SE-LRD01	0.1	0.16	D09-D38	1	<b>1,133</b>
SE-LRD02	0.16	0.25	D09-D39	1	<b>1,133</b>
SE-LRD03	0.25	0.40	D09-D40	1	<b>1,133</b>
SE-LRD04	0.4	0.63	D09-D41	1	<b>1,133</b>
SE-LRD05	0.63	1	D09-D42	1	<b>1,133</b>
SE-LRD06	1	1.6	D09-D43	1	<b>1,133</b>
SE-LRD07	1.6	2.5	D09-D44	1	<b>1,133</b>
SE-LRD08	2.5	4	D09-D45	1	<b>1,133</b>
SE-LRD10	4	6	D09-D46	1	<b>1,133</b>
SE-LRD12	5.5	8	D09-D47	1	<b>1,133</b>
SE-LRD14	7	10	D09-D48	1	<b>1,133</b>
SE-LRD16	9	13	D12-D38	1	<b>1,133</b>
SE-LRD21	12	18	D18-D38	1	<b>1,133</b>
SE-LRD22	16	24	D25-D38	1	<b>1,290</b>
SE-LRD32	23	32	D25-D38	1	<b>1,647</b>
SE-LRD35	30	38	D25-D38	1	<b>1,688</b>

**TESYS THERMAL MAGNETIC  
CIRCUIT BREAKER**

	Setting Range of Thermal Trips		KW		Magnetic Tripping		
	A min.	A max.	220V	440V			
SE-GV2ME01	0.1	0.16	-	-	1.5	1	<b>2,368</b>
SE-GV2ME02	0.16	0.25	-	-	2.4	1	<b>2,368</b>
SE-GV2ME03	0.25	0.4	0.06	0.09	5	1	<b>2,368</b>
SE-GV2ME04	0.4	0.63	-	0.12	8	1	<b>2,368</b>
SE-GV2ME05	0.63	1	0.09	0.25	13	1	<b>2,498</b>
SE-GV2ME06	1	1.6	0.18	0.37	22.5	1	<b>2,498</b>
SE-GV2ME07	1	2.5	0.37	0.75	33.5	1	<b>2,498</b>
SE-GV2ME08	2.5	4	0.55	1.1	51	1	<b>2,498</b>
SE-GV2ME10	4	6.3	1.10	2.2	78	1	<b>2,498</b>
SE-GV2ME14	6	10	1.50	3	138	1	<b>2,834</b>
SE-GV2ME16	9	14	2.20	5.5	170	1	<b>2,834</b>
SE-GV2ME20	13	18	4.00	7.5	223	1	<b>2,834</b>
SE-GV2ME21	17	23	5.50	11	327	1	<b>3,260</b>
SE-GV2ME22	20	25	5.50	11	327	1	<b>3,651</b>
SE-GV2ME32	24	32	7.50	15	416	1	<b>5,524</b>

**TESYS ENCLOSED STARTERS**

	KW		HP		Setting Range			
	220V	415V	220V	440V	A min.	A max.		
LE1M35_05**	0.12	0.25	-	-	0.54	0.8	1	<b>3,740</b>
LE1M35_06**	0.18	0.37	-	0.5	0.8	1.2	1	<b>3,740</b>
LE1M35_07**	0.25	0.55	-	0.75	1.2	1.8	1	<b>3,740</b>
LE1M35_08**	0.37	0.75	0.5	1	1.8	2.6	1	<b>3,740</b>
LE1M35_10**	0.55	1.5	0.75	2	2.6	3.7	1	<b>3,740</b>
LE1M35_12**	1.1	2.2	1.5	3	3.7	5.5	1	<b>3,740</b>
LE1M35_14**	1.5	3	2	4	5.5	8	1	<b>3,987</b>
LE1M35_16**	2.2	4	3	5.5	8	11.5	1	<b>3,987</b>
LE1M35_21**	3	5.5	4	7.5	10	14	1	<b>4,536</b>
LE1M35_22**	3.7	7.5	5.5	5.5	12	16	1	<b>4,536</b>

Note:

- The -M7 and -R7 are coil voltage rating for controls and not operating voltage (power)
- The smallest standard motor size in HP is 0.5HP

\*\*Use M7 for 220V Coil and R7 for 440V Coil

Primary National Distributor:

**FIREFLY ELECTRIC & LIGHTING CORP.**

7/F Zen Offices Bldg. 1111 Natividad Lopez St., Ermita, Manila, Philippines

T: (02) 7891000 (Trunkline)

www.fireflyelectric.com • info@fireflyelectric.com

Contact Person: