

SAN DIEGO GAS & ELECTRIC MONTHLY GAS QUALITY REPORT

April 2021

	Thermal Zone 1 Oceanside		Thermal Zone 2 Rainbow		Thermal Zone 3 Sweetwater		Thermal Zone 4 Witherby		Thermal Zone 5 Harvest Station		Thermal Zone 6 Camino Del Norte		Thermal Zone 7 Point Loma	
	BTU	Spec Gv	BTU	Spec Gv	BTU	Spec Gv	BTU	Spec Gv	BTU	Spec Gv	BTU	Spec Gv	BTU	Spec Gv
04/01/2021	1035	0.5881	1030	0.5853	1031	0.5852			1031	0.5855	1030	0.5853		
04/02/2021	1037	0.5879	1031	0.5859	1031	0.5854			1030	0.5855	1031	0.5859		
04/03/2021	1036	0.5880	1030	0.5851	1031	0.5856			1031	0.5858	1030	0.5857		
04/04/2021	1034	0.5880	1030	0.5858	1031	0.5854			1030	0.5848	1030	0.5858		
04/05/2021	1034	0.5876	1030	0.5852	1029	0.5857			1030	0.5857	1030	0.5852		
04/06/2021	1034	0.5884	1031	0.5849	1031	0.5851			1030	0.5850	1031	0.5848		
04/07/2021	1033	0.5881	1029	0.5848	1030	0.5839			1031	0.5850	1029	0.5848		
04/08/2021	1032	0.5869	1028	0.5837	1029	0.5852			1029	0.5848	1028	0.5837		
04/09/2021	1033	0.5872	1030	0.5847	1028	0.5838			1029	0.5852	1030	0.5847		
04/10/2021	1031	0.5868	1029	0.5841	1030	0.5853			1031	0.5849	1029	0.5841		
04/11/2021	1034	0.5885	1027	0.5842	1028	0.5837			1028	0.5862	1027	0.5842		
04/12/2021	1037	0.5893	1027	0.5848	1028	0.5842			1028	0.5843	1027	0.5848		
04/13/2021	1033	0.5882	1028	0.5852	1028	0.5852			1027	0.5848	1028	0.5852		
04/14/2021	1033	0.5876	1029	0.5843	1029	0.5853			1028	0.5853	1029	0.5843		
04/15/2021	1031	0.5860	1029	0.5834	1030	0.5844			1029	0.5843	1027	0.5824		
04/16/2021	1031	0.5858	1029	0.5859	1029	0.5841			1029	0.5835	1029	0.5859		
04/17/2021	1032	0.5859	1028	0.5849	1030	0.5857			1029	0.5863	1028	0.5850		
04/18/2021	1033	0.5871	1029	0.5850	1028	0.5848			1028	0.5846	1029	0.5850		
04/19/2021	1028	0.5846	1031	0.5850	1031	0.5855			1029	0.5851	1031	0.5850		
04/20/2021	1029	0.5853	1031	0.5849	1031	0.5847			1030	0.5844	1031	0.5849		
04/21/2021	1030	0.5857	1031	0.5847	1031	0.5849			1030	0.5847				

	Thermal Zone 1 Oceanside		Thermal Zone 2 Rainbow		Thermal Zone 3 Sweetwater		Thermal Zone 4 Witherby		Thermal Zone 5 Harvest Station		Thermal Zone 6 Camino Del Norte		Thermal Zone 7 Point Loma	
Avg BTU	1033		1029		1030				1029		1029			
Min BTU	1028		1027		1028				1027		1027			
Max BTU	1037		1031		1031				1031		1031			
Avg Spec Gv	0.5872		0.5848		0.5849				0.5850		0.5848			
Min Spec Gv	0.5846		0.5834		0.5837				0.5835		0.5824			
Max SpeGvty	0.5893		0.5859		0.5857				0.5863		0.5859			

*** Unofficial Data, Subject to Change ***

SAN DIEGO GAS & ELECTRIC MONTHLY GAS QUALITY REPORT

March 2021

	Thermal Zone 1 Oceanside		Thermal Zone 2 Rainbow		Thermal Zone 3 Sweetwater		Thermal Zone 4 Witherby		Thermal Zone 5 Harvest Station		Thermal Zone 6 Camino Del Norte		Thermal Zone 7 Point Loma	
	BTU	Spec Gv	BTU	Spec Gv	BTU	Spec Gv	BTU	Spec Gv	BTU	Spec Gv	BTU	Spec Gv	BTU	Spec Gv
03/01/2021	1043	0.5940	1036	0.5882	1037	0.5879	1037	0.5883	1037	0.5876	1037	0.5883	1018	0.5720
03/02/2021	1041	0.5942	1034	0.5875	1034	0.5877	1035	0.5882	1036	0.5886	1035	0.5882	1018	0.5720
03/03/2021	1041	0.5946	1036	0.5885	1035	0.5880	1035	0.5881	1034	0.5877	1035	0.5881	1018	0.5720
03/04/2021	1039	0.5941	1037	0.5894	1038	0.5890	1036	0.5885	1036	0.5882	1036	0.5885	1018	0.5720
03/05/2021	1042	0.5942	1038	0.5890	1038	0.5891	1037	0.5892	1037	0.5896	1037	0.5892	1018	0.5720
03/06/2021	1038	0.5913	1040	0.5901	1039	0.5895	1038	0.5894	1038	0.5890	1038	0.5894	1018	0.5720
03/07/2021	1037	0.5900	1039	0.5903	1039	0.5897	1038	0.5896	1041	0.5905	1038	0.5896	1018	0.5720
03/08/2021	1035	0.5895	1039	0.5900	1039	0.5901	1038	0.5898	1040	0.5905	1038	0.5898	1018	0.5720
03/09/2021	1036	0.5898	1039	0.5903	1038	0.5897	1039	0.5903	1038	0.5900	1039	0.5903	1018	0.5720
03/10/2021	1037	0.5899	1041	0.5911	1039	0.5904	1039	0.5906	1039	0.5903	1039	0.5906	1018	0.5720
03/11/2021	1036	0.5896	1039	0.5906	1041	0.5912	1039	0.5906	1039	0.5910	1039	0.5906	1018	0.5720
03/12/2021	1036	0.5895	1039	0.5909	1039	0.5907	1039	0.5909	1039	0.5904	1039	0.5909	1018	0.5720
03/13/2021	1037	0.5897	1038	0.5900	1039	0.5906	1038	0.5900	1039	0.5910	1038	0.5900	1018	0.5720
03/14/2021	1037	0.5899	1039	0.5910	1038	0.5897	1039	0.5910	1036	0.5890	1039	0.5910	1018	0.5720
03/15/2021	1036	0.5900	1039	0.5910	1040	0.5912	1039	0.5910	1037	0.5893	1039	0.5910	1018	0.5720
03/16/2021	1036	0.5896	1037	0.5901	1040	0.5910	1037	0.5901	1037	0.5886	1037	0.5901	1018	0.5720
03/17/2021	1035	0.5898	1036	0.5895	1037	0.5900	1036	0.5895	1036	0.5882	1036	0.5895	1018	0.5720
03/18/2021	1034	0.5896	1035	0.5892	1037	0.5898	1035	0.5893	1034	0.5880	1035	0.5892		
03/19/2021	1033	0.5886	1036	0.5894	1035	0.5892	1036	0.5894	1040	0.5914	1036	0.5894		
03/20/2021	1032	0.5882	1036	0.5896	1035	0.5893	1036	0.5897	1038	0.5903	1036	0.5896		
03/21/2021	1033	0.5887	1036	0.5889	1036	0.5895	1036	0.5887	1033	0.5882	1036	0.5889		
03/22/2021	1035	0.5889	1034	0.5877	1035	0.5885	1034	0.5877	1030	0.5861	1034	0.5877		
03/23/2021	1034	0.5885	1034	0.5870	1034	0.5874	1034	0.5869	1035	0.5891	1034	0.5870		
03/24/2021	1034	0.5878	1033	0.5856	1035	0.5869	1033	0.5858	1036	0.5890	1033	0.5856		
03/25/2021	1034	0.5878	1035	0.5868	1033	0.5857	1035	0.5868	1030	0.5865	1035	0.5868		
03/26/2021	1032	0.5869	1036	0.5865	1037	0.5867	1036	0.5865	1029	0.5866	1036	0.5865		
03/27/2021	1033	0.5872	1030	0.5868	1034	0.5859	1030	0.5870	1034	0.5861	1030	0.5868		
03/28/2021	1029	0.5870	1032	0.5877	1031	0.5876	1032	0.5877	1029	0.5861	1032	0.5877		
03/29/2021	1031	0.5886	1034	0.5882	1033	0.5876	1034	0.5882	1032	0.5878	1034	0.5882		
03/30/2021	1032	0.5891	1034	0.5874	1034	0.5879	1034	0.5874	1033	0.5883	1034	0.5874		
03/31/2021	1039	0.5896	1031	0.5857	1034	0.5868	1031	0.5857	1034	0.5873	1031	0.5858		

	Thermal Zone 1 Oceanside		Thermal Zone 2 Rainbow		Thermal Zone 3 Sweetwater		Thermal Zone 4 Witherby		Thermal Zone 5 Harvest Station		Thermal Zone 6 Camino Del Norte		Thermal Zone 7 Point Loma	
Avg BTU	1036		1036		1037		1036		1036		1036		1018	
Min BTU	1029		1030		1031		1030		1029		1030		1018	
Max BTU	1043		1041		1041		1039		1041		1039		1018	
Avg Spec Gv	0.5899		0.5888		0.5888		0.5888		0.5887		0.5888		0.5720	
Min Spec Gv	0.5869		0.5856		0.5857		0.5857		0.5861		0.5856		0.5720	
Max SpeGvty	0.5946		0.5911		0.5912		0.5910		0.5914		0.5910		0.5720	

*** Unofficial Data, Subject to Change ***

SAN DIEGO GAS & ELECTRIC MONTHLY GAS QUALITY REPORT

February 2021

	Thermal Zone 1 Oceanside		Thermal Zone 2 Rainbow		Thermal Zone 3 Sweetwater		Thermal Zone 4 Witherby		Thermal Zone 5 Harvest Station		Thermal Zone 6 Camino Del Norte		Thermal Zone 7 Point Loma	
	BTU	Spec Gv	BTU	Spec Gv	BTU	Spec Gv	BTU	Spec Gv	BTU	Spec Gv	BTU	Spec Gv	BTU	Spec Gv
02/01/2021	1030	0.5867	1028	0.5839	1027	0.5833	1027	0.5837	1026	0.5836	1027	0.5837	1028	0.5840
02/02/2021	1032	0.5877	1031	0.5858	1030	0.5847	1029	0.5848	1027	0.5831	1029	0.5848	1028	0.5840
02/03/2021	1033	0.5884	1030	0.5852	1031	0.5856	1030	0.5853	1029	0.5841	1030	0.5853	1028	0.5840
02/04/2021	1032	0.5877	1030	0.5841	1030	0.5846	1029	0.5848	1030	0.5851	1029	0.5848	1028	0.5840
02/05/2021	1032	0.5876	1032	0.5854	1032	0.5847	1030	0.5848	1030	0.5841	1030	0.5848	1028	0.5840
02/06/2021	1029	0.5857	1027	0.5835	1032	0.5858	1030	0.5849	1033	0.5857	1030	0.5849	1028	0.5840
02/07/2021	1026	0.5841	1029	0.5845	1030	0.5846	1029	0.5840	1030	0.5866	1029	0.5840	1028	0.5840
02/08/2021	1028	0.5850	1031	0.5862	1031	0.5852	1031	0.5856	1027	0.5871	1031	0.5856	1028	0.5840
02/09/2021	1029	0.5852	1028	0.5840	1030	0.5854	1029	0.5847	1031	0.5862	1029	0.5847	1028	0.5840
02/10/2021	1028	0.5853	1027	0.5829	1027	0.5833	1028	0.5842	1029	0.5847	1028	0.5842	1018	0.5720
02/11/2021	1022	0.5815	1029	0.5829	1029	0.5832	1029	0.5842	1028	0.5833	1029	0.5842	1018	0.5720
02/12/2021	1026	0.5835	1025	0.5828	1029	0.5828	1028	0.5832	1040	0.5837	1028	0.5832	1018	0.5720
02/13/2021	1032	0.5864	1023	0.5822	1030	0.5833	1025	0.5828	1055	0.5828	1025	0.5828	1018	0.5720
02/14/2021	1034	0.5876	1024	0.5852	1030	0.5833	1025	0.5827	1055	0.5840	1025	0.5827	1018	0.5720
02/15/2021	1032	0.5869	1022	0.5852	1043	0.5902	1023	0.5840	1051	0.5906	1023	0.5840	1018	0.5720
02/16/2021	1036	0.5891	1026	0.5878	1050	0.5937	1024	0.5857	1049	0.5939	1024	0.5857	1018	0.5720
02/17/2021	1034	0.5889	1041	0.5935	1049	0.5940	1025	0.5870	1048	0.5942	1025	0.5870	1018	0.5720
02/18/2021	1033	0.5883	1045	0.5969	1042	0.5946	1033	0.5908	1041	0.5926	1033	0.5908	1018	0.5720
02/19/2021	1045	0.5944	1043	0.5978	1044	0.5978	1039	0.5940	1046	0.5979	1039	0.5940	1018	0.5720
02/20/2021	1050	0.5996	1046	0.6010	1044	0.5988	1043	0.5971	1042	0.5970	1043	0.5971	1018	0.5720
02/21/2021	1049	0.5994	1051	0.6056	1048	0.6026	1047	0.6005	1046	0.6002	1047	0.6005	1018	0.5720
02/22/2021	1051	0.6010	1050	0.6047	1051	0.6057	1048	0.6027	1050	0.6051	1048	0.6027	1018	0.5720
02/23/2021	1051	0.6013	1043	0.5985	1048	0.6022	1049	0.6038	1049	0.6036	1049	0.6038	1018	0.5720
02/24/2021	1045	0.5966	1042	0.5953	1041	0.5964	1044	0.5992	1046	0.6006	1044	0.5992	1018	0.5720
02/25/2021	1042	0.5956	1042	0.5929	1044	0.5957	1045	0.5986	1043	0.5962	1045	0.5986	1018	0.5720
02/26/2021	1038	0.5928	1040	0.5899	1040	0.5908	1041	0.5943	1041	0.5932	1041	0.5944	1018	0.5720
02/27/2021	1039	0.5931	1031	0.5840	1034	0.5862	1038	0.5903	1039	0.5893	1038	0.5903	1018	0.5720
02/28/2021	1043	0.5950	1037	0.5874	1033	0.5853	1036	0.5882	1031	0.5840	1036	0.5882	1018	0.5720

	Thermal Zone 1 Oceanside		Thermal Zone 2 Rainbow		Thermal Zone 3 Sweetwater		Thermal Zone 4 Witherby		Thermal Zone 5 Harvest Station		Thermal Zone 6 Camino Del Norte		Thermal Zone 7 Point Loma	
Avg BTU	1036		1034		1037		1033		1039		1033		1021	
Min BTU	1022		1022		1027		1023		1026		1023		1018	
Max BTU	1051		1051		1051		1049		1055		1049		1028	
Avg Spec Gv	0.5902		0.5893		0.5898		0.5891		0.5901		0.5891		0.5759	
Min Spec Gv	0.5815		0.5822		0.5828		0.5827		0.5828		0.5827		0.5720	
Max SpeGvty	0.6013		0.6056		0.6057		0.6038		0.6051		0.6038		0.5840	

*** Unofficial Data, Subject to Change ***

SAN DIEGO GAS & ELECTRIC MONTHLY GAS QUALITY REPORT

January 2021

	Thermal Zone 1 Oceanside		Thermal Zone 2 Rainbow		Thermal Zone 3 Sweetwater		Thermal Zone 4 Witherby		Thermal Zone 5 Harvest Station		Thermal Zone 6 Camino Del Norte		Thermal Zone 7 Point Loma	
	BTU	Spec Gv	BTU	Spec Gv	BTU	Spec Gv	BTU	Spec Gv	BTU	Spec Gv	BTU	Spec Gv	BTU	Spec Gv
01/01/2021	1040	0.5938	1031	0.5860	1030	0.5856	1030	0.5865	1031	0.5874	1030	0.5865	1021	0.5780
01/02/2021	1039	0.5932	1031	0.5858	1031	0.5860	1031	0.5861	1029	0.5850	1031	0.5861	1021	0.5780
01/03/2021	1037	0.5928	1028	0.5848	1031	0.5855	1030	0.5857	1031	0.5859	1030	0.5857	1021	0.5780
01/04/2021	1041	0.5944	1029	0.5839	1027	0.5836	1028	0.5844	1030	0.5852	1028	0.5844	1021	0.5780
01/05/2021	1036	0.5919	1032	0.5864	1031	0.5852	1031	0.5861	1026	0.5825	1031	0.5861	1021	0.5780
01/06/2021	1036	0.5915	1030	0.5859	1031	0.5858	1031	0.5864	1031	0.5863	1031	0.5864	1021	0.5780
01/07/2021	1032	0.5901	1031	0.5857	1030	0.5857	1030	0.5859	1030	0.5858	1030	0.5859	1021	0.5780
01/08/2021	1033	0.5904	1031	0.5857	1032	0.5858	1031	0.5859	1030	0.5855	1031	0.5859	1021	0.5780
01/09/2021	1036	0.5913	1029	0.5855	1030	0.5853	1030	0.5856	1031	0.5855	1030	0.5856	1021	0.5780
01/10/2021	1035	0.5907	1031	0.5869	1028	0.5853	1028	0.5855	1029	0.5855	1028	0.5855	1021	0.5780
01/11/2021	1035	0.5907	1035	0.5893	1035	0.5890	1033	0.5887	1032	0.5878	1033	0.5887	1021	0.5780
01/12/2021	1034	0.5900	1033	0.5889	1034	0.5888	1033	0.5889	1034	0.5888	1033	0.5889	1021	0.5780
01/13/2021	1036	0.5901	1032	0.5865	1032	0.5880	1032	0.5858	1033	0.5883	1032	0.5879	1028	0.5840
01/14/2021	1033	0.5893	1030	0.5849	1031	0.5852	1031	0.5861	1031	0.5871	1031	0.5861	1028	0.5840
01/15/2021	1034	0.5896	1031	0.5860	1030	0.5853	1030	0.5858	1030	0.5850	1030	0.5858	1028	0.5840
01/16/2021	1033	0.5892	1029	0.5856	1030	0.5864	1030	0.5860	1027	0.5864	1030	0.5860	1028	0.5840
01/17/2021	1032	0.5887	1029	0.5864	1029	0.5854	1028	0.5856	1030	0.5857	1028	0.5856	1028	0.5840
01/18/2021	1036	0.5892	1030	0.5868	1030	0.5863	1029	0.5863	1030	0.5861	1029	0.5863	1028	0.5840
01/19/2021	1037	0.5891	1029	0.5863	1030	0.5866	1030	0.5870	1029	0.5863	1030	0.5870	1028	0.5840
01/20/2021	1034	0.5886	1028	0.5859	1029	0.5863	1029	0.5863	1029	0.5864	1029	0.5863	1028	0.5840
01/21/2021	1030	0.5872	1028	0.5862	1028	0.5859	1027	0.5861	1028	0.5856	1027	0.5861	1028	0.5840
01/22/2021	1028	0.5858	1027	0.5841	1028	0.5860	1028	0.5861	1027	0.5858	1028	0.5861	1028	0.5840
01/23/2021	1028	0.5847	1030	0.5852	1029	0.5852	1028	0.5853	1027	0.5859	1028	0.5853	1028	0.5840
01/24/2021	1027	0.5826	1028	0.5841	1030	0.5854	1028	0.5847	1028	0.5840	1028	0.5847	1028	0.5840
01/25/2021	1026	0.5812	1030	0.5850	1029	0.5847	1030	0.5852	1029	0.5842	1030	0.5852	1028	0.5840
01/26/2021	1021	0.5809	1028	0.5840	1029	0.5850	1029	0.5848	1028	0.5851	1029	0.5848	1028	0.5840
01/27/2021	1022	0.5808	1027	0.5826	1028	0.5835	1028	0.5844	1028	0.5839	1028	0.5844	1028	0.5840
01/28/2021	1021	0.5801	1024	0.5818	1028	0.5836	1028	0.5840	1027	0.5833	1028	0.5840	1028	0.5840
01/29/2021	1017	0.5797	1022	0.5805	1027	0.5835	1026	0.5833	1027	0.5836	1026	0.5833	1028	0.5840
01/30/2021	1016	0.5777	1023	0.5816	1027	0.5832	1026	0.5832	1026	0.5832	1026	0.5831	1028	0.5840
01/31/2021	1012	0.5761	1025	0.5823	1025	0.5831	1025	0.5831	1024	0.5840	1025	0.5831	1028	0.5840

	Thermal Zone 1 Oceanside		Thermal Zone 2 Rainbow		Thermal Zone 3 Sweetwater		Thermal Zone 4 Witherby		Thermal Zone 5 Harvest Station		Thermal Zone 6 Camino Del Norte		Thermal Zone 7 Point Loma	
Avg BTU	1031		1029		1030		1029		1029		1029		1025	
Min BTU	1012		1022		1025		1025		1024		1025		1021	
Max BTU	1041		1035		1035		1033		1034		1033		1028	
Avg Spec Gv	0.5875		0.5852		0.5855		0.5856		0.5855		0.5857		0.5817	
Min Spec Gv	0.5761		0.5805		0.5831		0.5831		0.5825		0.5831		0.5780	
Max SpeGvty	0.5944		0.5893		0.5890		0.5889		0.5888		0.5889		0.5840	

*** Unofficial Data, Subject to Change ***

SAN DIEGO GAS & ELECTRIC MONTHLY GAS QUALITY REPORT

December 2020

	Thermal Zone 1 Oceanside		Thermal Zone 2 Rainbow		Thermal Zone 3 Sweetwater		Thermal Zone 4 Witherby		Thermal Zone 5 Harvest Station		Thermal Zone 6 Camino Del Norte		Thermal Zone 7 Point Loma	
	BTU	Spec Gv	BTU	Spec Gv	BTU	Spec Gv	BTU	Spec Gv	BTU	Spec Gv	BTU	Spec Gv	BTU	Spec Gv
12/01/2020	1027	0.5866	1016	0.5766	1016	0.5770	1016	0.5767	1018	0.5789	1016	0.5771	1015	0.5700
12/02/2020	1032	0.5878	1016	0.5768	1016	0.5766	1016	0.5764	1016	0.5766	1016	0.5766	1015	0.5700
12/03/2020	1036	0.5894	1018	0.5787	1016	0.5777	1016	0.5777	1016	0.5770	1016	0.5777	1015	0.5700
12/04/2020	1038	0.5904	1021	0.5815	1020	0.5804	1020	0.5804	1016	0.5770	1020	0.5803	1015	0.5700
12/05/2020	1033	0.5893	1025	0.5837	1026	0.5842	1026	0.5842	1021	0.5811	1026	0.5842	1015	0.5700
12/06/2020	1039	0.5923	1028	0.5854	1028	0.5862	1028	0.5862	1026	0.5847	1028	0.5862	1015	0.5700
12/07/2020	1041	0.5934	1029	0.5852	1030	0.5860	1030	0.5860	1029	0.5863	1030	0.5859	1015	0.5700
12/08/2020	1038	0.5920	1028	0.5855	1028	0.5857	1028	0.5857	1029	0.5857	1028	0.5857	1015	0.5700
12/09/2020	1039	0.5927	1031	0.5858	1028	0.5855	1028	0.5855	1027	0.5849	1028	0.5854	1015	0.5700
12/10/2020	1040	0.5930	1029	0.5845	1028	0.5844	1028	0.5844	1029	0.5855	1028	0.5845	1015	0.5700
12/11/2020	1043	0.5939	1027	0.5840	1029	0.5845	1029	0.5845	1029	0.5843	1029	0.5845	1015	0.5700
12/12/2020	1042	0.5936	1028	0.5852	1027	0.5846	1027	0.5846	1027	0.5840	1027	0.5846	1015	0.5700
12/13/2020	1043	0.5933	1026	0.5847	1027	0.5853	1027	0.5853	1028	0.5851	1027	0.5853	1015	0.5700
12/14/2020	1043	0.5936	1023	0.5842	1023	0.5841	1023	0.5841	1026	0.5849	1023	0.5841	1015	0.5700
12/15/2020	1043	0.5937	1026	0.5848	1024	0.5844	1024	0.5844	1024	0.5842	1024	0.5844	1015	0.5700
12/16/2020	1039	0.5926	1026	0.5841	1026	0.5849	1026	0.5849	1026	0.5848	1026	0.5849	1021	0.5780
12/17/2020	1036	0.5919	1024	0.5839	1024	0.5839	1024	0.5839	1025	0.5834	1024	0.5838	1021	0.5780
12/18/2020	1042	0.5939	1023	0.5839	1023	0.5835	1023	0.5835	1024	0.5835	1023	0.5835	1021	0.5780
12/19/2020	1044	0.5949	1024	0.5836	1024	0.5847	1024	0.5847	1023	0.5838	1024	0.5847	1021	0.5780
12/20/2020	1041	0.5940	1026	0.5844	1025	0.5830	1024	0.5839	1024	0.5837	1024	0.5838	1021	0.5780
12/21/2020	1040	0.5933	1025	0.5838	1026	0.5844	1025	0.5840	1025	0.5843	1025	0.5840	1021	0.5780
12/22/2020	1040	0.5930	1027	0.5840	1024	0.5834	1025	0.5835	1024	0.5832	1025	0.5835	1021	0.5780
12/23/2020	1036	0.5918	1028	0.5841	1028	0.5835	1028	0.5837	1028	0.5837	1028	0.5837	1021	0.5780
12/24/2020	1042	0.5938	1029	0.5851	1029	0.5851	1028	0.5853	1028	0.5848	1028	0.5853	1021	0.5780
12/25/2020	1033	0.5907	1028	0.5849	1029	0.5842	1029	0.5852	1029	0.5849	1029	0.5852	1021	0.5780
12/26/2020	1035	0.5913	1031	0.5855	1028	0.5845	1028	0.5847	1029	0.5843	1028	0.5847	1021	0.5780
12/27/2020	1037	0.5925	1030	0.5864	1033	0.5868	1032	0.5867	1028	0.5844	1032	0.5867	1021	0.5780
12/28/2020	1038	0.5927	1027	0.5851	1029	0.5857	1028	0.5854	1031	0.5863	1028	0.5854	1021	0.5780
12/29/2020	1038	0.5921	1029	0.5861	1029	0.5857	1029	0.5858	1027	0.5850	1029	0.5858	1021	0.5780
12/30/2020	1046	0.5959	1031	0.5874	1030	0.5864	1030	0.5870	1030	0.5859	1030	0.5870	1021	0.5780
12/31/2020	1042	0.5945	1031	0.5868	1032	0.5876	1032	0.5878	1030	0.5871	1032	0.5878	1021	0.5780

	Thermal Zone 1 Oceanside		Thermal Zone 2 Rainbow		Thermal Zone 3 Sweetwater		Thermal Zone 4 Witherby		Thermal Zone 5 Harvest Station		Thermal Zone 6 Camino Del Norte		Thermal Zone 7 Point Loma	
Avg BTU	1039		1026		1026		1026		1026		1026		1018	
Min BTU	1027		1016		1016		1016		1016		1016		1015	
Max BTU	1046		1031		1033		1032		1031		1032		1021	
Avg Spec Gv	0.5924		0.5841		0.5840		0.5841		0.5837		0.5841		0.5741	
Min Spec Gv	0.5866		0.5766		0.5766		0.5764		0.5766		0.5766		0.5700	
Max SpeGvty	0.5959		0.5874		0.5876		0.5878		0.5871		0.5878		0.5780	

*** Unofficial Data, Subject to Change ***

SAN DIEGO GAS & ELECTRIC MONTHLY GAS QUALITY REPORT

November 2020

	Thermal Zone 1 Oceanside		Thermal Zone 2 Rainbow		Thermal Zone 3 Sweetwater		Thermal Zone 4 Witherby		Thermal Zone 5 Harvest Station		Thermal Zone 6 Camino Del Norte		Thermal Zone 7 Point Loma	
	BTU	Spec Gv	BTU	Spec Gv	BTU	Spec Gv	BTU	Spec Gv	BTU	Spec Gv	BTU	Spec Gv	BTU	Spec Gv
11/01/2020	1015	0.5762	1016	0.5769	1016	0.5759	1016	0.5765	1016	0.5758	1016	0.5765	1011	0.5630
11/02/2020	1017	0.5774	1017	0.5770	1017	0.5775	1017	0.5776	1017	0.5773	1017	0.5776	1011	0.5630
11/03/2020	1016	0.5757	1016	0.5758	1017	0.5757	1016	0.5759	1017	0.5759	1016	0.5759	1011	0.5630
11/04/2020	1016	0.5766	1017	0.5776	1016	0.5762	1016	0.5764	1016	0.5758	1016	0.5764	1011	0.5630
11/05/2020	1019	0.5795	1020	0.5805	1019	0.5789	1018	0.5792	1017	0.5772	1018	0.5792	1011	0.5630
11/06/2020	1021	0.5827	1022	0.5830	1021	0.5826	1021	0.5829	1020	0.5818	1021	0.5829	1011	0.5630
11/07/2020	1022	0.5813	1021	0.5803	1022	0.5830	1022	0.5836	1022	0.5836	1022	0.5836	1011	0.5630
11/08/2020	1020	0.5797	1019	0.5793	1021	0.5809	1021	0.5816	1022	0.5838	1021	0.5817	1011	0.5630
11/09/2020	1021	0.5798	1021	0.5797	1019	0.5789	1020	0.5796	1022	0.5835	1020	0.5796	1011	0.5630
11/10/2020	1035	0.5896	1020	0.5791	1020	0.5788	1020	0.5790	1020	0.5793	1020	0.5790	1011	0.5630
11/11/2020	1034	0.5885	1018	0.5788	1020	0.5793	1019	0.5796	1020	0.5789	1019	0.5796	1011	0.5630
11/12/2020	1039	0.5889	1018	0.5780	1017	0.5778	1017	0.5779	1017	0.5782	1017	0.5779	1011	0.5630
11/13/2020	1039	0.5886	1018	0.5785	1018	0.5781	1018	0.5782	1017	0.5776	1018	0.5782	1011	0.5630
11/14/2020	1036	0.5892	1019	0.5799	1019	0.5787	1019	0.5789	1018	0.5780	1019	0.5789	1011	0.5630
11/15/2020	1034	0.5889	1020	0.5798	1020	0.5796	1019	0.5797	1019	0.5795	1019	0.5797	1011	0.5630
11/16/2020	1034	0.5894	1020	0.5790	1020	0.5795	1020	0.5796	1021	0.5799	1020	0.5796	1011	0.5630
11/17/2020	1038	0.5904	1019	0.5786	1020	0.5778	1020	0.5780	1020	0.5782	1019	0.5782	1015	0.5700
11/18/2020	1037	0.5905	1018	0.5783	1019	0.5786	1018	0.5786	1020	0.5783	1018	0.5789	1015	0.5700
11/19/2020	1040	0.5918	1018	0.5786	1018	0.5780	1018	0.5787	1018	0.5787	1018	0.5787	1015	0.5700
11/20/2020	1040	0.5920	1018	0.5781	1018	0.5785	1018	0.5788	1018	0.5786	1018	0.5788	1015	0.5700
11/21/2020	1037	0.5910	1017	0.5773	1017	0.5770	1017	0.5770	1017	0.5773	1017	0.5768	1015	0.5700
11/22/2020	1040	0.5923	1017	0.5782	1017	0.5779	1017	0.5778	1017	0.5776	1017	0.5780	1015	0.5700
11/23/2020	1040	0.5921	1016	0.5786	1017	0.5782	1017	0.5785	1017	0.5780	1017	0.5785	1015	0.5700
11/24/2020	1037	0.5906	1014	0.5764	1015	0.5773	1014	0.5774	1015	0.5778	1014	0.5774	1015	0.5700
11/25/2020	1031	0.5882	1013	0.5766	1013	0.5755	1013	0.5757	1013	0.5757	1013	0.5757	1015	0.5700
11/26/2020	1036	0.5899	1014	0.5767	1014	0.5775	1014	0.5776	1013	0.5752	1014	0.5777	1015	0.5700
11/27/2020	1033	0.5888	1015	0.5773	1015	0.5764	1014	0.5765	1014	0.5767	1014	0.5765	1015	0.5700
11/28/2020	1034	0.5895	1018	0.5792	1017	0.5786	1017	0.5785	1016	0.5775	1017	0.5785	1015	0.5700
11/29/2020	1030	0.5875	1016	0.5768	1018	0.5786	1017	0.5780	1018	0.5785	1017	0.5781	1015	0.5700
11/30/2020	1037	0.5901	1016	0.5772	1016	0.5767	1016	0.5769	1019	0.5803	1016	0.5769	1015	0.5700

	Thermal Zone 1 Oceanside		Thermal Zone 2 Rainbow		Thermal Zone 3 Sweetwater		Thermal Zone 4 Witherby		Thermal Zone 5 Harvest Station		Thermal Zone 6 Camino Del Norte		Thermal Zone 7 Point Loma	
Avg BTU	1031		1018		1018		1018		1018		1018		1013	
Min BTU	1015		1013		1013		1013		1013		1013		1011	
Max BTU	1040		1022		1022		1022		1022		1022		1015	
Avg Spec Gv	0.5866		0.5784		0.5783		0.5785		0.5785		0.5785		0.5663	
Min Spec Gv	0.5757		0.5758		0.5755		0.5757		0.5752		0.5757		0.5630	
Max SpeGvty	0.5923		0.5830		0.5830		0.5836		0.5838		0.5836		0.5700	

*** Unofficial Data, Subject to Change ***

SAN DIEGO GAS & ELECTRIC MONTHLY GAS QUALITY REPORT

October 2020

	Thermal Zone 1 Oceanside		Thermal Zone 2 Rainbow		Thermal Zone 3 Sweetwater		Thermal Zone 4 Witherby		Thermal Zone 5 Harvest Station		Thermal Zone 6 Camino Del Norte		Thermal Zone 7 Point Loma	
	BTU	Spec Gv	BTU	Spec Gv	BTU	Spec Gv	BTU	Spec Gv	BTU	Spec Gv	BTU	Spec Gv	BTU	Spec Gv
10/01/2020	1022	0.5817	1022	0.5810	1023	0.5813	1023	0.5822	1022	0.5812	1023	0.5822	1017	0.5720
10/02/2020	1022	0.5811	1022	0.5813	1022	0.5807	1022	0.5813	1021	0.5804	1022	0.5813	1017	0.5720
10/03/2020	1023	0.5816	1024	0.5821	1023	0.5815	1022	0.5815	1022	0.5813	1022	0.5815	1017	0.5720
10/04/2020	1023	0.5811	1022	0.5801	1024	0.5817	1024	0.5822	1023	0.5819	1024	0.5822	1017	0.5720
10/05/2020	1019	0.5787	1020	0.5788	1020	0.5791	1022	0.5804	1021	0.5795	1022	0.5804	1017	0.5720
10/06/2020	1019	0.5779	1017	0.5774	1019	0.5780	1019	0.5787	1019	0.5784	1019	0.5787	1017	0.5720
10/07/2020	1016	0.5769	1016	0.5769	1016	0.5769	1017	0.5774	1016	0.5767	1017	0.5774	1017	0.5720
10/08/2020	1016	0.5768	1016	0.5762	1017	0.5769	1016	0.5768	1016	0.5766	1016	0.5769	1017	0.5720
10/09/2020	1017	0.5760	1018	0.5763	1018	0.5763	1017	0.5759	1017	0.5763	1017	0.5765	1017	0.5720
10/10/2020	1016	0.5755	1016	0.5757	1017	0.5752	1016	0.5751	1017	0.5756	1019	0.5780	1017	0.5720
10/11/2020	1015	0.5762	1015	0.5761	1016	0.5761	1016	0.5759	1015	0.5755	1017	0.5779	1017	0.5720
10/12/2020	1014	0.5764	1015	0.5768	1014	0.5764	1014	0.5767	1015	0.5763	1014	0.5767	1017	0.5720
10/13/2020	1015	0.5763	1015	0.5765	1015	0.5766	1015	0.5766	1014	0.5765	1015	0.5766	1017	0.5720
10/14/2020	1015	0.5765	1015	0.5767	1015	0.5767	1014	0.5764	1015	0.5766	1014	0.5764	1011	0.5630
10/15/2020	1015	0.5766	1015	0.5767	1015	0.5764	1015	0.5766	1015	0.5768	1015	0.5766	1011	0.5630
10/16/2020	1015	0.5772	1016	0.5770	1015	0.5769	1015	0.5765	1015	0.5765	1015	0.5765	1011	0.5630
10/17/2020	1015	0.5762	1015	0.5758	1016	0.5764	1016	0.5766	1016	0.5768	1014	0.5764	1011	0.5630
10/18/2020	1017	0.5765	1018	0.5769	1016	0.5760	1015	0.5757	1015	0.5758	1016	0.5765	1011	0.5630
10/19/2020	1018	0.5770	1017	0.5770	1018	0.5768	1017	0.5771	1018	0.5769	1017	0.5771	1011	0.5630
10/20/2020	1016	0.5778	1015	0.5776	1016	0.5778	1017	0.5774	1017	0.5774	1016	0.5770	1011	0.5630
10/21/2020	1016	0.5774	1017	0.5777	1016	0.5772	1016	0.5771	1015	0.5771	1017	0.5773	1011	0.5630
10/22/2020	1017	0.5769	1016	0.5763	1017	0.5769	1017	0.5773	1017	0.5773	1016	0.5774	1011	0.5630
10/23/2020	1014	0.5760	1014	0.5760	1015	0.5756	1015	0.5761	1015	0.5757	1015	0.5761	1011	0.5630
10/24/2020	1013	0.5767	1013	0.5769	1014	0.5767	1014	0.5771	1014	0.5764	1014	0.5771	1011	0.5630
10/25/2020	1013	0.5771	1014	0.5774	1014	0.5771	1014	0.5774	1013	0.5769	1014	0.5774	1011	0.5630
10/26/2020	1015	0.5779	1015	0.5778	1015	0.5778	1015	0.5773	1014	0.5775	1015	0.5773	1011	0.5630
10/27/2020	1015	0.5776	1015	0.5776	1015	0.5775	1014	0.5770	1015	0.5773	1014	0.5770	1011	0.5630
10/28/2020	1014	0.5761	1014	0.5750	1014	0.5763	1014	0.5769	1014	0.5777	1014	0.5769	1011	0.5630
10/29/2020	1013	0.5751	1013	0.5749	1013	0.5749	1013	0.5763	1013	0.5753	1013	0.5763	1011	0.5630
10/30/2020	1015	0.5750	1017	0.5761	1014	0.5743	1014	0.5758	1013	0.5759	1014	0.5758	1011	0.5630
10/31/2020	1018	0.5771	1017	0.5765	1019	0.5770	1017	0.5769	1018	0.5763	1017	0.5769	1011	0.5630

	Thermal Zone 1 Oceanside		Thermal Zone 2 Rainbow		Thermal Zone 3 Sweetwater		Thermal Zone 4 Witherby		Thermal Zone 5 Harvest Station		Thermal Zone 6 Camino Del Norte		Thermal Zone 7 Point Loma	
Avg BTU	1016		1017		1017		1017		1016		1017		1014	
Min BTU	1013		1013		1013		1013		1013		1013		1011	
Max BTU	1023		1024		1024		1024		1023		1024		1017	
Avg Spec Gv	0.5773		0.5773		0.5773		0.5775		0.5773		0.5777		0.5668	
Min Spec Gv	0.5750		0.5749		0.5743		0.5751		0.5753		0.5758		0.5630	
Max SpeGvty	0.5817		0.5821		0.5817		0.5822		0.5819		0.5822		0.5720	

*** Unofficial Data, Subject to Change ***

SAN DIEGO GAS & ELECTRIC MONTHLY GAS QUALITY REPORT

September 2020

	Thermal Zone 1 Oceanside		Thermal Zone 2 Rainbow		Thermal Zone 3 Sweetwater		Thermal Zone 4 Witherby		Thermal Zone 5 Harvest Station		Thermal Zone 6 Camino Del Norte		Thermal Zone 7 Point Loma	
	BTU	Spec Gv	BTU	Spec Gv	BTU	Spec Gv	BTU	Spec Gv	BTU	Spec Gv	BTU	Spec Gv	BTU	Spec Gv
09/01/2020	1014	0.5747	1014	0.5744	1015	0.5754	1015	0.5751	1016	0.5753	1014	0.5750	1012	0.5650
09/02/2020	1014	0.5745	1013	0.5749	1014	0.5743	1014	0.5743	1016	0.5756	1013	0.5745	1012	0.5650
09/03/2020	1013	0.5746	1013	0.5738	1014	0.5740	1013	0.5746	1016	0.5752	1013	0.5748	1012	0.5650
09/04/2020	1013	0.5751	1014	0.5759	1013	0.5745	1013	0.5739	1014	0.5744	1013	0.5746	1012	0.5650
09/05/2020	1015	0.5766	1015	0.5763	1015	0.5759	1015	0.5760	1014	0.5745	1014	0.5758	1012	0.5650
09/06/2020	1015	0.5763	1015	0.5763	1015	0.5760	1015	0.5761	1015	0.5760	1015	0.5762	1012	0.5650
09/07/2020	1018	0.5778	1020	0.5789	1018	0.5773	1017	0.5772	1015	0.5760	1017	0.5778	1012	0.5650
09/08/2020	1021	0.5792	1022	0.5796	1021	0.5790	1021	0.5792	1015	0.5763	1020	0.5787	1012	0.5650
09/09/2020	1022	0.5803	1023	0.5805	1023	0.5801	1022	0.5801	1016	0.5767	1022	0.5799	1012	0.5650
09/10/2020	1025	0.5819	1025	0.5823	1025	0.5819	1025	0.5817	1018	0.5776	1024	0.5812	1012	0.5650
09/11/2020	1024	0.5810	1024	0.5811	1025	0.5814	1024	0.5810	1019	0.5781	1024	0.5814	1012	0.5650
09/12/2020	1024	0.5819	1025	0.5827	1025	0.5825	1025	0.5818	1020	0.5787	1025	0.5826	1012	0.5650
09/13/2020	1024	0.5825	1024	0.5824	1024	0.5823	1024	0.5820	1021	0.5795	1024	0.5825	1012	0.5650
09/14/2020	1022	0.5822	1021	0.5815	1023	0.5821	1023	0.5815	1021	0.5798	1023	0.5824	1012	0.5650
09/15/2020	1021	0.5816	1021	0.5815	1021	0.5812	1021	0.5808	1021	0.5800	1021	0.5813	1012	0.5650
09/16/2020	1020	0.5815	1020	0.5804	1020	0.5816	1020	0.5810	1021	0.5800	1020	0.5818	1017	0.5720
09/17/2020	1020	0.5798	1021	0.5802	1020	0.5793	1020	0.5790	1021	0.5800	1020	0.5823	1017	0.5720
09/18/2020	1023	0.5832	1025	0.5835	1022	0.5821	1023	0.5819	1020	0.5796	1021	0.5809	1017	0.5720
09/19/2020	1025	0.5836	1025	0.5830	1025	0.5838	1024	0.5834	1020	0.5797	1024	0.5834	1017	0.5720
09/20/2020	1026	0.5839	1028	0.5847	1026	0.5835	1025	0.5831	1021	0.5805	1025	0.5831	1017	0.5720
09/21/2020	1028	0.5852	1028	0.5846	1028	0.5850	1027	0.5845	1022	0.5808	1027	0.5845	1017	0.5720
09/22/2020	1026	0.5840	1025	0.5828	1029	0.5857	1027	0.5843	1023	0.5815	1027	0.5843	1017	0.5720
09/23/2020	1025	0.5833	1024	0.5825	1025	0.5824	1025	0.5832	1023	0.5818	1025	0.5832	1017	0.5720
09/24/2020	1024	0.5833	1025	0.5834	1024	0.5825	1024	0.5827	1024	0.5821	1024	0.5827	1017	0.5720
09/25/2020	1025	0.5831	1024	0.5822	1025	0.5831	1025	0.5838	1024	0.5822	1025	0.5838	1017	0.5720
09/26/2020	1023	0.5818	1023	0.5823	1024	0.5822	1024	0.5824	1024	0.5823	1024	0.5824	1017	0.5720
09/27/2020	1023	0.5824	1024	0.5827	1023	0.5823	1023	0.5826	1024	0.5822	1023	0.5826	1017	0.5720
09/28/2020	1023	0.5822	1023	0.5820	1024	0.5825	1024	0.5831	1023	0.5822	1024	0.5831	1017	0.5720
09/29/2020	1023	0.5814	1023	0.5823	1023	0.5817	1023	0.5817	1024	0.5824	1023	0.5817	1017	0.5720
09/30/2020	1023	0.5827	1023	0.5824	1022	0.5806	1023	0.5823	1019	0.5781	1023	0.5823	1017	0.5720

	Thermal Zone 1 Oceanside		Thermal Zone 2 Rainbow		Thermal Zone 3 Sweetwater		Thermal Zone 4 Witherby		Thermal Zone 5 Harvest Station		Thermal Zone 6 Camino Del Norte		Thermal Zone 7 Point Loma	
Avg BTU	1021		1022		1022		1021		1020		1021		1015	
Min BTU	1013		1013		1013		1013		1014		1013		1012	
Max BTU	1028		1028		1029		1027		1024		1027		1017	
Avg Spec Gv	0.5807		0.5807		0.5805		0.5805		0.5790		0.5807		0.5685	
Min Spec Gv	0.5745		0.5738		0.5740		0.5739		0.5744		0.5745		0.5650	
Max SpeGvty	0.5852		0.5847		0.5857		0.5845		0.5824		0.5845		0.5720	

*** Unofficial Data, Subject to Change ***

SAN DIEGO GAS & ELECTRIC MONTHLY GAS QUALITY REPORT

August 2020

	Thermal Zone 1 Oceanside		Thermal Zone 2 Rainbow		Thermal Zone 3 Sweetwater		Thermal Zone 4 Witherby		Thermal Zone 5 Harvest Station		Thermal Zone 6 Camino Del Norte		Thermal Zone 7 Point Loma	
	BTU	Spec Gv	BTU	Spec Gv	BTU	Spec Gv	BTU	Spec Gv	BTU	Spec Gv	BTU	Spec Gv	BTU	Spec Gv
08/01/2020	1014	0.5769	1014	0.5769	1014	0.5768	1014	0.5767	1014	0.5763	1014	0.5775	1010	0.5630
08/02/2020	1015	0.5766	1016	0.5767	1016	0.5773	1015	0.5767	1014	0.5764	1014	0.5768	1010	0.5630
08/03/2020	1015	0.5767	1016	0.5769	1015	0.5766	1015	0.5764	1014	0.5764	1015	0.5765	1010	0.5630
08/04/2020	1017	0.5777	1015	0.5765	1018	0.5778	1017	0.5772	1014	0.5762	1015	0.5766	1010	0.5630
08/05/2020	1015	0.5758	1014	0.5760	1016	0.5760	1015	0.5762	1015	0.5763	1015	0.5770	1010	0.5630
08/06/2020	1014	0.5764	1014	0.5768	1014	0.5757	1015	0.5757	1015	0.5761	1015	0.5760	1010	0.5630
08/07/2020	1013	0.5773	1012	0.5776	1015	0.5770	1014	0.5767	1015	0.5758	1013	0.5770	1010	0.5630
08/08/2020	1013	0.5775	1015	0.5774	1013	0.5771	1013	0.5772	1014	0.5760	1013	0.5774	1010	0.5630
08/09/2020	1018	0.5787	1022	0.5799	1018	0.5784	1016	0.5774	1014	0.5762	1017	0.5781	1010	0.5630
08/10/2020	1021	0.5796	1021	0.5792	1021	0.5797	1022	0.5800	1015	0.5766	1024	0.5805	1010	0.5630
08/11/2020	1019	0.5782	1022	0.5794	1019	0.5778	1020	0.5781	1016	0.5773	1023	0.5799	1010	0.0563
08/12/2020	1020	0.5802	1019	0.5796	1022	0.5803	1022	0.5797	1017	0.5775	1021	0.5794	1012	0.5650
08/13/2020	1019	0.5794	1020	0.5795	1020	0.5790	1019	0.5792	1018	0.5781	1019	0.5797	1012	0.5650
08/14/2020	1018	0.5791	1018	0.5788	1019	0.5791	1019	0.5790	1019	0.5787	1020	0.5795	1012	0.5650
08/15/2020	1014	0.5786	1016	0.5784	1016	0.5783	1016	0.5784	1018	0.5789	1015	0.5786	1012	0.5650
08/16/2020	1018	0.5790	1019	0.5793	1018	0.5788	1016	0.5783	1016	0.5782	1016	0.5787	1012	0.5650
08/17/2020	1018	0.5796	1019	0.5791	1019	0.5796	1019	0.5791	1021	0.5790	1018	0.5793	1012	0.5650
08/18/2020	1018	0.5781	1017	0.5774	1029	0.5804	1019	0.5788	1038	0.5810	1019	0.5787	1012	0.5650
08/19/2020	1016	0.5774	1017	0.5769	1039	0.5797	1028	0.5790	1055	0.5821	1020	0.5782	1012	0.5650
08/20/2020	1016	0.5760	1015	0.5763	1016	0.5760	1018	0.5766	1034	0.5793	1016	0.5768	1012	0.5650
08/21/2020	1015	0.5756	1016	0.5756	1016	0.5757	1015	0.5757	1022	0.5774	1015	0.5766	1012	0.5650
08/22/2020	1016	0.5751	1016	0.5754	1016	0.5751	1016	0.5751	1019	0.5766	1016	0.5758	1012	0.5650
08/23/2020	1015	0.5748	1015	0.5748	1015	0.5749	1016	0.5751	1018	0.5759	1016	0.5754	1012	0.5650
08/24/2020	1015	0.5751	1016	0.5757	1015	0.5748	1015	0.5745	1017	0.5756	1016	0.5751	1012	0.5650
08/25/2020	1016	0.5763	1017	0.5771	1017	0.5761	1016	0.5756	1017	0.5753	1016	0.5762	1012	0.5650
08/26/2020	1016	0.5767	1015	0.5757	1017	0.5766	1017	0.5769	1016	0.5756	1016	0.5766	1012	0.5650
08/27/2020	1015	0.5757	1015	0.5760	1015	0.5758	1015	0.5754	1016	0.5758	1015	0.5763	1012	0.5650
08/28/2020	1015	0.5757	1015	0.5752	1016	0.5758	1016	0.5758	1016	0.5757	1015	0.5759	1012	0.5650
08/29/2020	1015	0.5752	1015	0.5756	1015	0.5749	1015	0.5749	1015	0.5752	1015	0.5755	1012	0.5650
08/30/2020	1014	0.5753	1015	0.5752	1015	0.5754	1015	0.5754	1014	0.5749	1015	0.5758	1012	0.5650
08/31/2020	1015	0.5750	1014	0.5751	1015	0.5749	1015	0.5752	1015	0.5750	1014	0.5750	1012	0.5650

	Thermal Zone 1 Oceanside		Thermal Zone 2 Rainbow		Thermal Zone 3 Sweetwater		Thermal Zone 4 Witherby		Thermal Zone 5 Harvest Station		Thermal Zone 6 Camino Del Norte		Thermal Zone 7 Point Loma	
Avg BTU	1016		1016		1018		1017		1019		1016		1011	
Min BTU	1013		1012		1013		1013		1014		1013		1010	
Max BTU	1021		1022		1039		1028		1055		1024		1012	
Avg Spec Gv	0.5771		0.5771		0.5771		0.5770		0.5769		0.5773		0.5479	
Min Spec Gv	0.5748		0.5748		0.5748		0.5745		0.5749		0.5750		0.0563	
Max SpeGvty	0.5802		0.5799		0.5804		0.5800		0.5821		0.5805		0.5650	

*** Unofficial Data, Subject to Change ***

SAN DIEGO GAS & ELECTRIC MONTHLY GAS QUALITY REPORT

July 2020

	Thermal Zone 1 Oceanside		Thermal Zone 2 Rainbow		Thermal Zone 3 Sweetwater		Thermal Zone 4 Witherby		Thermal Zone 5 Harvest Station		Thermal Zone 6 Camino Del Norte		Thermal Zone 7 Point Loma	
	BTU	Spec Gv	BTU	Spec Gv	BTU	Spec Gv	BTU	Spec Gv	BTU	Spec Gv	BTU	Spec Gv	BTU	Spec Gv
07/01/2020	1017	0.5778	1017	0.5779	1016	0.5776	1016	0.5774	1018	0.5782	1015	0.5776	1012	0.5660
07/02/2020	1016	0.5784	1016	0.5786	1016	0.5780	1017	0.5775	1017	0.5779	1016	0.5778	1012	0.5660
07/03/2020	1017	0.5791	1017	0.5787	1017	0.5791	1017	0.5785	1017	0.5778	1016	0.5782	1012	0.5660
07/04/2020	1016	0.5783	1016	0.5772	1016	0.5787	1017	0.5785	1017	0.5778	1017	0.5787	1012	0.5660
07/05/2020	1015	0.5767	1016	0.5767	1015	0.5766	1016	0.5771	1017	0.5779	1015	0.5771	1012	0.5660
07/06/2020	1018	0.5784	1018	0.5783	1018	0.5782	1017	0.5769	1016	0.5770	1016	0.5769	1012	0.5660
07/07/2020	1017	0.5769	1018	0.5771	1018	0.5771	1018	0.5778	1015	0.5768	1017	0.5786	1012	0.5660
07/08/2020	1018	0.5779	1017	0.5787	1018	0.5779	1018	0.5768	1016	0.5770	1017	0.5775	1012	0.5660
07/09/2020	1017	0.5787	1017	0.5782	1017	0.5789	1017	0.5785	1017	0.5770	1017	0.5786	1012	0.5660
07/10/2020	1015	0.5779	1016	0.5780	1015	0.5774	1016	0.5780	1017	0.5775	1016	0.5784	1012	0.5660
07/11/2020	1017	0.5782	1017	0.5780	1017	0.5783	1016	0.5779	1016	0.5776	1016	0.5779	1012	0.5660
07/12/2020	1017	0.5781	1016	0.5779	1017	0.5781	1017	0.5779	1016	0.5776	1017	0.5776	1012	0.5660
07/13/2020	1018	0.5793	1018	0.5791	1017	0.5790	1017	0.5783	1016	0.5776	1017	0.5781	1012	0.5660
07/14/2020	1017	0.5786	1018	0.5791	1019	0.5797	1018	0.5790	1016	0.5777	1017	0.5789	1012	0.5660
07/15/2020	1019	0.5792	1018	0.5789	1019	0.5792	1019	0.5789	1016	0.5778	1016	0.5789	1010	0.5630
07/16/2020	1018	0.5786	1016	0.5781	1018	0.5783	1018	0.5785	1016	0.5780	1017	0.5786	1010	0.5630
07/17/2020	1016	0.5788	1017	0.5778	1016	0.5790	1016	0.5784	1016	0.5778	1016	0.5777	1010	0.5630
07/18/2020	1017	0.5775	1017	0.5781	1018	0.5776	1018	0.5775	1016	0.5776	1016	0.5778	1010	0.5630
07/19/2020	1017	0.5784	1017	0.5780	1018	0.5786	1017	0.5780	1016	0.5773	1017	0.5776	1010	0.5630
07/20/2020	1016	0.5769	1016	0.5765	1016	0.5774	1017	0.5776	1016	0.5772	1017	0.5769	1010	0.5630
07/21/2020	1017	0.5782	1018	0.5791	1017	0.5788	1016	0.5768	1016	0.5766	1016	0.5764	1010	0.5630
07/22/2020	1017	0.5789	1016	0.5788	1017	0.5789	1018	0.5789	1016	0.5763	1018	0.5793	1010	0.5630
07/23/2020	1017	0.5786	1017	0.5790	1017	0.5786	1017	0.5787	1016	0.5767	1016	0.5789	1010	0.5630
07/24/2020	1017	0.5788	1017	0.5785	1018	0.5792	1017	0.5786	1016	0.5770	1017	0.5788	1010	0.5630
07/25/2020	1017	0.5779	1018	0.5784	1018	0.5780	1017	0.5782	1016	0.5773	1017	0.5790	1010	0.5630
07/26/2020	1016	0.5784	1015	0.5777	1017	0.5786	1018	0.5781	1016	0.5775	1017	0.5782	1010	0.5630
07/27/2020	1016	0.5778	1017	0.5780	1016	0.5777	1016	0.5774	1016	0.5777	1015	0.5777	1010	0.5630
07/28/2020	1017	0.5785	1016	0.5780	1018	0.5786	1017	0.5781	1015	0.5771	1015	0.5776	1010	0.5630
07/29/2020	1015	0.5775	1014	0.5774	1015	0.5776	1016	0.5775	1015	0.5773	1016	0.5781	1010	0.5630
07/30/2020	1014	0.5773	1015	0.5772	1014	0.5771	1014	0.5769	1015	0.5771	1014	0.5775	1010	0.5630
07/31/2020	1015	0.5775	1014	0.5771	1015	0.5775	1015	0.5775	1015	0.5759	1015	0.5777	1010	0.5630

	Thermal Zone 1 Oceanside		Thermal Zone 2 Rainbow		Thermal Zone 3 Sweetwater		Thermal Zone 4 Witherby		Thermal Zone 5 Harvest Station		Thermal Zone 6 Camino Del Norte		Thermal Zone 7 Point Loma	
Avg BTU	1017		1017		1017		1017		1016		1016		1011	
Min BTU	1014		1014		1014		1014		1015		1014		1010	
Max BTU	1019		1018		1019		1019		1018		1018		1012	
Avg Spec Gv	0.5782		0.5781		0.5782		0.5779		0.5773		0.5780		0.5644	
Min Spec Gv	0.5767		0.5765		0.5766		0.5768		0.5759		0.5764		0.5630	
Max SpeGvty	0.5793		0.5791		0.5797		0.5790		0.5782		0.5793		0.5660	

*** Unofficial Data, Subject to Change ***

SAN DIEGO GAS & ELECTRIC MONTHLY GAS QUALITY REPORT

June 2020

	Thermal Zone 1 Oceanside		Thermal Zone 2 Rainbow		Thermal Zone 3 Sweetwater		Thermal Zone 4 Witherby		Thermal Zone 5 Harvest Station		Thermal Zone 6 Camino Del Norte		Thermal Zone 7 Point Loma	
	BTU	Spec Gv	BTU	Spec Gv	BTU	Spec Gv	BTU	Spec Gv	BTU	Spec Gv	BTU	Spec Gv	BTU	Spec Gv
06/01/2020	1028	0.5867	1028	0.5873	1027	0.5862	1028	0.5859	1025	0.5855	1027	0.5862	1012	0.5660
06/02/2020	1029	0.5870	1027	0.5860	1026	0.5868	1028	0.5869	1027	0.5860	1026	0.5868	1012	0.5660
06/03/2020	1026	0.5842	1024	0.5833	1024	0.5853	1027	0.5855	1027	0.5861	1024	0.5853	1012	0.5660
06/04/2020	1025	0.5823	1024	0.5817	1022	0.5827	1025	0.5831	1027	0.5855	1022	0.5827	1012	0.5660
06/05/2020	1023	0.5808	1021	0.5799	1027	0.5844	1024	0.5811	1025	0.5840	1025	0.5824	1012	0.5660
06/06/2020	1019	0.5788	1017	0.5788	1021	0.5797	1022	0.5803	1022	0.5814	1021	0.5799	1012	0.5660
06/07/2020	1018	0.5783	1020	0.5793	1017	0.5786	1020	0.5796	1021	0.5800	1017	0.5785	1012	0.5660
06/08/2020	1020	0.5802	1019	0.5799	1022	0.5797	1018	0.5788	1020	0.5793	1020	0.5790	1012	0.5660
06/09/2020	1022	0.5797	1026	0.5801	1021	0.5794	1022	0.5816	1019	0.5791	1022	0.5802	1012	0.5660
06/10/2020	1025	0.5788	1022	0.5784	1026	0.5794	1026	0.5798	1019	0.5792	1025	0.5792	1012	0.5660
06/11/2020	1021	0.5778	1020	0.5771	1021	0.5780	1023	0.5782	1021	0.5790	1022	0.5783	1012	0.5660
06/12/2020	1016	0.5751	1015	0.5752	1017	0.5750	1021	0.5769	1021	0.5785	1016	0.5750	1012	0.5660
06/13/2020	1014	0.5766	1015	0.5779	1014	0.5751	1015	0.5750	1019	0.5768	1014	0.5747	1012	0.5660
06/14/2020	1017	0.5788	1018	0.5796	1016	0.5776	1015	0.5773	1017	0.5758	1014	0.5771	1012	0.5660
06/15/2020	1017	0.5783	1016	0.5783	1016	0.5779	1018	0.5789	1016	0.5759	1015	0.5776	1012	0.5660
06/16/2020	1017	0.5795	1017	0.5796	1017	0.5792	1017	0.5782	1016	0.5763	1016	0.5784	1012	0.5660
06/17/2020	1017	0.5797	1017	0.5795	1017	0.5796	1017	0.5793	1016	0.5765	1017	0.5794	1012	0.5660
06/18/2020	1015	0.5775	1015	0.5768	1018	0.5793	1017	0.5793	1016	0.5770	1016	0.5794	1012	0.5660
06/19/2020	1016	0.5769	1015	0.5761	1016	0.5782	1015	0.5766	1016	0.5773	1014	0.5767	1012	0.5660
06/20/2020	1015	0.5757	1016	0.5761	1016	0.5755	1015	0.5758	1016	0.5776	1015	0.5764	1012	0.5660
06/21/2020	1016	0.5763	1016	0.5755	1016	0.5755	1016	0.5757	1016	0.5775	1015	0.5753	1012	0.5660
06/22/2020	1016	0.5763	1016	0.5767	1017	0.5758	1016	0.5754	1016	0.5768	1016	0.5763	1012	0.5660
06/23/2020	1016	0.5772	1017	0.5769	1017	0.5772	1016	0.5766	1016	0.5764	1016	0.5765	1012	0.5660
06/24/2020	1017	0.5770	1016	0.5769	1017	0.5766	1017	0.5766	1016	0.5765	1016	0.5771	1012	0.5660
06/25/2020	1016	0.5775	1017	0.5780	1016	0.5776	1016	0.5769	1016	0.5764	1016	0.5769	1012	0.5660
06/26/2020	1020	0.5798	1021	0.5807	1020	0.5795	1018	0.5780	1016	0.5765	1018	0.5786	1012	0.5660
06/27/2020	1021	0.5810	1021	0.5809	1021	0.5810	1021	0.5805	1017	0.5771	1021	0.5807	1012	0.5660
06/28/2020	1020	0.5800	1021	0.5797	1020	0.5803	1021	0.5804	1018	0.5778	1021	0.5808	1012	0.5660
06/29/2020	1021	0.5799	1018	0.5789	1021	0.5795	1021	0.5798	1018	0.5779	1020	0.5800	1012	0.5660
06/30/2020	1016	0.5777	1016	0.5776	1020	0.5792	1019	0.5789	1018	0.5781	1020	0.5792	1012	0.5660

	Thermal Zone 1 Oceanside		Thermal Zone 2 Rainbow		Thermal Zone 3 Sweetwater		Thermal Zone 4 Witherby		Thermal Zone 5 Harvest Station		Thermal Zone 6 Camino Del Norte		Thermal Zone 7 Point Loma	
Avg BTU	1019		1019		1020		1020		1019		1019		1012	
Min BTU	1014		1015		1014		1015		1016		1014		1012	
Max BTU	1029		1028		1027		1028		1027		1027		1012	
Avg Spec Gv	0.5792		0.5791		0.5793		0.5792		0.5789		0.5792		0.5660	
Min Spec Gv	0.5751		0.5752		0.5750		0.5750		0.5758		0.5747		0.5660	
Max SpeGvty	0.5870		0.5873		0.5868		0.5869		0.5861		0.5868		0.5660	

*** Unofficial Data, Subject to Change ***

SAN DIEGO GAS & ELECTRIC MONTHLY GAS QUALITY REPORT

May 2020

	Thermal Zone 1 Oceanside		Thermal Zone 2 Rainbow		Thermal Zone 3 Sweetwater		Thermal Zone 4 Witherby		Thermal Zone 5 Harvest Station		Thermal Zone 6 Camino Del Norte		Thermal Zone 7 Point Loma	
	BTU	Spec Gv	BTU	Spec Gv	BTU	Spec Gv	BTU	Spec Gv	BTU	Spec Gv	BTU	Spec Gv	BTU	Spec Gv
05/01/2020	1032	0.5865	1032	0.5873	1034	0.5892	1033	0.5873	1032	0.5865	1031	0.5866	1013	0.5690
05/02/2020	1033	0.5878	1033	0.5884	1034	0.5892	1033	0.5872	1032	0.5859	1032	0.5874	1013	0.5690
05/03/2020	1033	0.5883	1033	0.5875	1034	0.5892	1033	0.5871	1031	0.5870	1032	0.5882	1013	0.5690
05/04/2020	1034	0.5886	1034	0.5889	1034	0.5892	1032	0.5870	1033	0.5877	1033	0.5883	1013	0.5690
05/05/2020	1034	0.5904	1034	0.5905	1034	0.5892	1032	0.5869	1034	0.5890	1034	0.5902	1013	0.5690
05/06/2020	1035	0.5902	1035	0.5900	1034	0.5892	1032	0.5869	1032	0.5903	1033	0.5902	1013	0.5690
05/07/2020	1034	0.5897	1034	0.5891	1034	0.5892	1032	0.5869	1035	0.5901	1034	0.5898	1013	0.5690
05/08/2020	1036	0.5905	1038	0.5910	1034	0.5892	1032	0.5870	1034	0.5890	1034	0.5897	1013	0.5690
05/09/2020	1043	0.5938	1045	0.5946	1034	0.5892	1033	0.5872	1036	0.5900	1041	0.5931	1013	0.5690
05/10/2020	1042	0.5943	1045	0.5947	1034	0.5892	1033	0.5874	1044	0.5940	1043	0.5944	1013	0.5690
05/11/2020	1042	0.5934	1040	0.5928	1034	0.5892	1033	0.5877	1042	0.5941	1043	0.5939	1013	0.5690
05/12/2020	1038	0.5922	1038	0.5921	1034	0.5892	1033	0.5879	1040	0.5931	1039	0.5924	1013	0.5690
05/13/2020	1035	0.5909	1033	0.5903	1034	0.5892	1034	0.5883	1039	0.5921	1035	0.5911	1012	0.5660
05/14/2020	1036	0.5910	1039	0.5919	1034	0.5891	1034	0.5895	1037	0.5914	1035	0.5908	1012	0.5660
05/15/2020	1039	0.5914	1038	0.5907	1035	0.5903	1038	0.5914	1032	0.5899	1038	0.5912	1012	0.5660
05/16/2020	1037	0.5905	1036	0.5904	1036	0.5910	1038	0.5908	1037	0.5905	1037	0.5905	1012	0.5660
05/17/2020	1036	0.5900	1037	0.5905	1036	0.5909	1037	0.5902	1035	0.5903	1035	0.5900	1012	0.5660
05/18/2020	1037	0.5906	1036	0.5902	1036	0.5910	1036	0.5901	1036	0.5897	1036	0.5903	1012	0.5660
05/19/2020	1035	0.5902	1036	0.5902	1036	0.5910	1036	0.5899	1037	0.5905	1035	0.5899	1012	0.5660
05/20/2020	1035	0.5902	1033	0.5898	1036	0.5910	1036	0.5899	1036	0.5900	1035	0.5902	1012	0.5660
05/21/2020	1032	0.5891	1031	0.5891	1034	0.5899	1033	0.5894	1035	0.5899	1034	0.5899	1012	0.5660
05/22/2020	1031	0.5892	1031	0.5894	1031	0.5888	1032	0.5889	1032	0.5887	1031	0.5888	1012	0.5660
05/23/2020	1032	0.5889	1029	0.5876	1030	0.5892	1031	0.5890	1030	0.5887	1030	0.5892	1012	0.5660
05/24/2020	1027	0.5865	1025	0.5858	1029	0.5878	1029	0.5874	1030	0.5881	1029	0.5878	1012	0.5660
05/25/2020	1024	0.5849	1024	0.5849	1026	0.5860	1025	0.5853	1026	0.5861	1026	0.5860	1012	0.5660
05/26/2020	1025	0.5850	1024	0.5848	1024	0.5847	1024	0.5845	1023	0.5845	1024	0.5847	1012	0.5660
05/27/2020	1025	0.5851	1028	0.5864	1025	0.5849	1024	0.5844	1024	0.5846	1025	0.5849	1012	0.5660
05/28/2020	1031	0.5874	1030	0.5867	1028	0.5859	1028	0.5864	1027	0.5852	1028	0.5859	1012	0.5660
05/29/2020	1031	0.5865	1031	0.5869	1031	0.5871	1030	0.5865	1028	0.5857	1031	0.5871	1012	0.5660
05/30/2020	1027	0.5850	1027	0.5856	1032	0.5875	1031	0.5864	1028	0.5857	1032	0.5875	1012	0.5660
05/31/2020	1028	0.5859	1028	0.5862	1026	0.5851	1027	0.5851	1027	0.5856	1026	0.5850	1012	0.5660

	Thermal Zone 1 Oceanside		Thermal Zone 2 Rainbow		Thermal Zone 3 Sweetwater		Thermal Zone 4 Witherby		Thermal Zone 5 Harvest Station		Thermal Zone 6 Camino Del Norte		Thermal Zone 7 Point Loma	
Avg BTU	1034		1033		1032		1032		1033		1033		1012	
Min BTU	1024		1024		1024		1024		1023		1024		1012	
Max BTU	1043		1045		1036		1038		1044		1043		1013	
Avg Spec Gv	0.5892		0.5892		0.5887		0.5877		0.5888		0.5892		0.5672	
Min Spec Gv	0.5849		0.5848		0.5847		0.5844		0.5845		0.5847		0.5660	
Max SpeGvty	0.5943		0.5947		0.5910		0.5914		0.5941		0.5944		0.5690	

*** Unofficial Data, Subject to Change ***

SAN DIEGO GAS & ELECTRIC MONTHLY GAS QUALITY REPORT

April 2020

	Thermal Zone 1 Oceanside		Thermal Zone 2 Rainbow		Thermal Zone 3 Sweetwater		Thermal Zone 4 Witherby		Thermal Zone 5 Harvest Station		Thermal Zone 6 Camino Del Norte		Thermal Zone 7 Point Loma	
	BTU	Spec Gv	BTU	Spec Gv	BTU	Spec Gv	BTU	Spec Gv	BTU	Spec Gv	BTU	Spec Gv	BTU	Spec Gv
04/01/2020	1036	0.5897	1037	0.5898	1037	0.5900	1025	0.5806	1031	0.5866	1035	0.5894	1017	0.5750
04/02/2020	1036	0.5905	1037	0.5906	1036	0.5903	1025	0.5803	1036	0.5900	1036	0.5901	1017	0.5750
04/03/2020	1035	0.5899	1036	0.5902	1035	0.5898	1024	0.5800	1037	0.5909	1035	0.5901	1017	0.5750
04/04/2020	1037	0.5906	1037	0.5905	1037	0.5904	1024	0.5799	1036	0.5899	1036	0.5908	1017	0.5750
04/05/2020	1037	0.5907	1038	0.5914	1037	0.5903	1024	0.5801	1036	0.5898	1035	0.5902	1017	0.5750
04/06/2020	1039	0.5920	1039	0.5917	1038	0.5914	1025	0.5806	1038	0.5913	1038	0.5914	1017	0.5750
04/07/2020	1039	0.5915	1039	0.5914	1038	0.5912	1025	0.5812	1033	0.5847	1039	0.5917	1017	0.5750
04/08/2020	1039	0.5914	1038	0.5915	1035	0.5847	1026	0.5817	1031	0.5806	1034	0.5836	1017	0.5750
04/09/2020	1037	0.5909	1036	0.5901	1034	0.5820	1026	0.5821	1031	0.5806	1031	0.5821	1017	0.5750
04/10/2020	1036	0.5902	1036	0.5899	1035	0.5832	1027	0.5824	1034	0.5835	1035	0.5870	1017	0.5750
04/11/2020	1036	0.5892	1036	0.5903	1035	0.5850	1027	0.5828	1031	0.5849	1035	0.5893	1017	0.5750
04/12/2020	1037	0.5914	1040	0.5927	1032	0.5867	1028	0.5832	1031	0.5835	1036	0.5910	1017	0.5750
04/13/2020	1040	0.5923	1039	0.5915	1040	0.5925	1029	0.5837	1038	0.5911	1040	0.5925	1017	0.5750
04/14/2020	1040	0.5914	1040	0.5917	1040	0.5913	1029	0.5841	1039	0.5916	1039	0.5911	1017	0.5750
04/15/2020	1037	0.5907	1035	0.5893	1039	0.5919	1030	0.5844	1040	0.5916	1038	0.5909	1013	0.5690
04/16/2020	1033	0.5887	1034	0.5892	1035	0.5892	1030	0.5846	1040	0.5924	1033	0.5887	1013	0.5690
04/17/2020	1035	0.5907	1037	0.5920	1034	0.5883	1031	0.5850	1039	0.5924	1034	0.5901	1013	0.5690
04/18/2020	1038	0.5917	1035	0.5908	1034	0.5904	1032	0.5854	1038	0.5903	1036	0.5912	1013	0.5690
04/19/2020	1033	0.5899	1034	0.5894	1038	0.5916	1033	0.5858	1035	0.5895	1033	0.5900	1013	0.5690
04/20/2020	1035	0.5901	1036	0.5899	1034	0.5901	1034	0.5862	1034	0.5886	1034	0.5898	1013	0.5690
04/21/2020	1034	0.5889	1033	0.5888	1034	0.5895	1034	0.5865	1031	0.5885	1033	0.5887	1013	0.5690
04/22/2020	1033	0.5890	1033	0.5890	1034	0.5893	1034	0.5868	1031	0.5889	1033	0.5889	1013	0.5690
04/23/2020	1033	0.5887	1033	0.5889	1034	0.5893	1035	0.5883	1031	0.5890	1032	0.5887	1013	0.5690
04/24/2020	1033	0.5891	1033	0.5891	1034	0.5893	1034	0.5873	1032	0.5890	1033	0.5893	1013	0.5690
04/25/2020	1033	0.5881	1033	0.5875	1034	0.5893	1034	0.5876	1032	0.5885	1033	0.5880	1013	0.5690
04/26/2020	1032	0.5864	1032	0.5866	1034	0.5893	1034	0.5878	1034	0.5882	1032	0.5864	1013	0.5690
04/27/2020	1031	0.5888	1031	0.5857	1034	0.5893	1034	0.5879	1031	0.5867	1030	0.5859	1013	0.5690
04/28/2020	1032	0.5865	1034	0.5874	1034	0.5893	1034	0.5879	1031	0.5860	1033	0.5872	1013	0.5690
04/29/2020	1034	0.5882	1033	0.5875	1034	0.5892	1033	0.5877	1033	0.5873	1035	0.5884	1013	0.5690
04/30/2020	1031	0.5859	1031	0.5859	1034	0.5892	1033	0.5874	1036	0.5882	1031	0.5862	1013	0.5690

	Thermal Zone 1 Oceanside		Thermal Zone 2 Rainbow		Thermal Zone 3 Sweetwater		Thermal Zone 4 Witherby		Thermal Zone 5 Harvest Station		Thermal Zone 6 Camino Del Norte		Thermal Zone 7 Point Loma	
Avg BTU	1035		1036		1035		1030		1034		1035		1015	
Min BTU	1031		1031		1032		1024		1031		1030		1013	
Max BTU	1040		1040		1040		1035		1040		1040		1017	
Avg Spec Gv	0.5898		0.5897		0.5891		0.5843		0.5881		0.5890		0.5718	
Min Spec Gv	0.5859		0.5857		0.5820		0.5799		0.5806		0.5821		0.5690	
Max SpeGvty	0.5923		0.5927		0.5925		0.5883		0.5924		0.5925		0.5750	

*** Unofficial Data, Subject to Change ***

SAN DIEGO GAS & ELECTRIC MONTHLY GAS QUALITY REPORT

March 2020

	Thermal Zone 1 Oceanside		Thermal Zone 2 Rainbow		Thermal Zone 3 Sweetwater		Thermal Zone 4 Witherby		Thermal Zone 5 Harvest Station		Thermal Zone 6 Camino Del Norte		Thermal Zone 7 Point Loma	
	BTU	Spec Gv	BTU	Spec Gv	BTU	Spec Gv	BTU	Spec Gv	BTU	Spec Gv	BTU	Spec Gv	BTU	Spec Gv
03/01/2020	1032	0.5873	1032	0.5870	1032	0.5869	1033	0.5865	1034	0.5890	1032	0.5876	1010	0.5730
03/02/2020	1032	0.5856	1033	0.5859	1032	0.5866	1033	0.5863	1034	0.5875	1031	0.5861	1010	0.5730
03/03/2020	1034	0.5866	1034	0.5868	1034	0.5860	1032	0.5862	1034	0.5864	1034	0.5862	1010	0.5730
03/04/2020	1033	0.5865	1032	0.5859	1033	0.5869	1032	0.5861	1034	0.5863	1033	0.5873	1010	0.5730
03/05/2020	1034	0.5864	1035	0.5869	1032	0.5863	1032	0.5860	1032	0.5852	1034	0.5868	1010	0.5730
03/06/2020	1028	0.5836	1026	0.5820	1030	0.5841	1032	0.5860	1034	0.5869	1030	0.5844	1010	0.5730
03/07/2020	1023	0.5807	1023	0.5804	1023	0.5807	1032	0.5860	1024	0.5814	1023	0.5808	1010	0.5730
03/08/2020	1023	0.5799	1024	0.5807	1023	0.5800	1032	0.5860	1022	0.5803	1022	0.5802	1010	0.5730
03/09/2020	1026	0.5808	1026	0.5805	1025	0.5803	1032	0.5859	1023	0.5793	1026	0.5812	1010	0.5730
03/10/2020	1025	0.5817	1025	0.5805	1026	0.5817	1031	0.5857	1027	0.5817	1025	0.5818	1010	0.5730
03/11/2020	1026	0.5822	1027	0.5825	1026	0.5823	1031	0.5853	1025	0.5818	1026	0.5825	1010	0.5730
03/12/2020	1024	0.5802	1023	0.5796	1025	0.5811	1030	0.5847	1026	0.5825	1025	0.5810	1010	0.5730
03/13/2020	1023	0.5788	1024	0.5797	1022	0.5785	1029	0.5837	1022	0.5785	1022	0.5787	1010	0.5730
03/14/2020	1030	0.5850	1025	0.5813	1026	0.5807	1027	0.5827	1024	0.5793	1025	0.5803	1010	0.5730
03/15/2020	1028	0.5871	1025	0.5808	1023	0.5798	1026	0.5819	1024	0.5810	1024	0.5806	1010	0.5730
03/16/2020	1029	0.5826	1030	0.5824	1028	0.5819	1025	0.5813	1026	0.5810	1028	0.5820	1010	0.5730
03/17/2020	1032	0.5836	1031	0.5838	1032	0.5835	1025	0.5809	1030	0.5827	1032	0.5836	1010	0.5730
03/18/2020	1030	0.5848	1030	0.5854	1030	0.5842	1025	0.5805	1030	0.5839	1030	0.5847	1017	0.5750
03/19/2020	1029	0.5853	1028	0.5851	1028	0.5850	1024	0.5803	1030	0.5844	1028	0.5852	1017	0.5750
03/20/2020	1028	0.5850	1027	0.5845	1027	0.5848	1024	0.5801	1028	0.5845	1027	0.5848	1017	0.0791
03/21/2020	1027	0.5836	1027	0.5841	1026	0.5831	1024	0.5799	1027	0.5853	1026	0.5833	1017	0.5750
03/22/2020	1028	0.5839	1029	0.5845	1027	0.5833	1024	0.5798	1028	0.5848	1027	0.5840	1017	0.5750
03/23/2020	1030	0.5863	1030	0.5851	1030	0.5858	1024	0.5797	1028	0.5844	1029	0.5853	1017	0.5750
03/24/2020	1030	0.5852	1025	0.5803	1030	0.5850	1024	0.5798	1031	0.5867	1031	0.5870	1017	0.5750
03/25/2020	1024	0.5802	1023	0.5872	1023	0.5796	1025	0.5801	1025	0.5813	1025	0.5812	1017	0.5750
03/26/2020	1028	0.5831	1029	0.5835	1027	0.5823	1025	0.5805	1024	0.5801	1025	0.5809	1017	0.5750
03/27/2020	1030	0.5856	1027	0.5826	1030	0.5857	1026	0.5808	1029	0.5855	1029	0.5850	1017	0.5750
03/28/2020	1028	0.5848	1028	0.5848	1028	0.5842	1026	0.5810	1029	0.5862	1027	0.5844	1017	0.5750
03/29/2020	1030	0.5860	1033	0.5876	1029	0.5857	1026	0.5811	1028	0.5861	1030	0.5866	1017	0.5750
03/30/2020	1034	0.5884	1037	0.5895	1033	0.5877	1026	0.5810	1030	0.5860	1033	0.5879	1017	0.5750
03/31/2020	1037	0.5904	1038	0.5894	1036	0.5898	1025	0.5809	1028	0.5848	1036	0.5898	1017	0.5750

	Thermal Zone 1 Oceanside		Thermal Zone 2 Rainbow		Thermal Zone 3 Sweetwater		Thermal Zone 4 Witherby		Thermal Zone 5 Harvest Station		Thermal Zone 6 Camino Del Norte		Thermal Zone 7 Point Loma	
Avg BTU	1029		1029		1028		1028		1028		1028		1013	
Min BTU	1023		1023		1022		1024		1022		1022		1010	
Max BTU	1037		1038		1036		1033		1034		1036		1017	
Avg Spec Gv	0.5842		0.5839		0.5837		0.5828		0.5837		0.5839		0.5579	
Min Spec Gv	0.5788		0.5796		0.5785		0.5797		0.5785		0.5787		0.0791	
Max SpeGvty	0.5904		0.5895		0.5898		0.5865		0.5890		0.5898		0.5750	

*** Unofficial Data, Subject to Change ***

SAN DIEGO GAS & ELECTRIC MONTHLY GAS QUALITY REPORT

February 2020

	Thermal Zone 1 Oceanside		Thermal Zone 2 Rainbow		Thermal Zone 3 Sweetwater		Thermal Zone 4 Witherby		Thermal Zone 5 Harvest Station		Thermal Zone 6 Camino Del Norte		Thermal Zone 7 Point Loma	
	BTU	Spec Gv	BTU	Spec Gv	BTU	Spec Gv	BTU	Spec Gv	BTU	Spec Gv	BTU	Spec Gv	BTU	Spec Gv
02/01/2020	1033	0.5856	1033	0.5858	1032	0.5852	1031	0.5868	1026	0.5857	1032	0.5852	1019	0.5800
02/02/2020	1032	0.5861	1032	0.5861	1032	0.5860	1030	0.5867	1030	0.5848	1031	0.5860	1019	0.5800
02/03/2020	1032	0.5855	1032	0.5855	1031	0.5857	1030	0.5864	1031	0.5859	1031	0.5857	1019	0.5800
02/04/2020	1030	0.5848	1030	0.5849	1030	0.5851	1030	0.5848	1029	0.5864	1030	0.5851	1019	0.5800
02/05/2020	1029	0.5846	1029	0.5852	1028	0.5845	1029	0.5841	1047	0.5888	1028	0.5845	1019	0.5800
02/06/2020	1028	0.5858	1027	0.5855	1027	0.5858	1028	0.5858	1058	0.5906	1027	0.5858	1019	0.5800
02/07/2020	1028	0.5854	1029	0.5853	1027	0.5852	1027	0.5851	1057	0.5917	1027	0.5852	1019	0.5800
02/08/2020	1032	0.5866	1033	0.5876	1031	0.5866	1030	0.5856	1060	0.5904	1031	0.5866	1019	0.5800
02/09/2020	1033	0.5879	1033	0.5881	1032	0.5880	1033	0.5875	1056	0.5909	1032	0.5880	1019	0.5800
02/10/2020	1032	0.5870	1031	0.5867	1032	0.5874	1032	0.5873	1031	0.5853	1032	0.5874	1019	0.5800
02/11/2020	1029	0.5841	1030	0.5843	1028	0.5845	1028	0.5843	1031	0.5874	1028	0.5845	1019	0.5800
02/12/2020	1032	0.5851	1032	0.5855	1031	0.5848	1031	0.5843	1029	0.5842	1031	0.5848	1010	0.5730
02/13/2020	1030	0.5867	1029	0.5868	1031	0.5858	1031	0.5851	1028	0.5834	1031	0.5858	1010	0.5730
02/14/2020	1029	0.5881	1030	0.5882	1029	0.5883	1029	0.5872	1026	0.5853	1029	0.5883	1010	0.5730
02/15/2020	1029	0.5870	1030	0.5875	1030	0.5878	1030	0.5881	1027	0.5865	1030	0.5878	1010	0.5730
02/16/2020	1030	0.5876	1031	0.5879	1029	0.5874	1029	0.5868	1027	0.5857	1029	0.5874	1010	0.5730
02/17/2020	1032	0.5870	1033	0.5870	1031	0.5872	1029	0.5867	1029	0.5862	1031	0.5872	1010	0.5730
02/18/2020	1034	0.5871	1035	0.5878	1033	0.5875	1030	0.5872	1029	0.5862	1033	0.5875	1010	0.5730
02/19/2020	1036	0.5884	1036	0.5881	1035	0.5881	1030	0.5865	1031	0.5858	1035	0.5884	1010	0.5730
02/20/2020	1034	0.5870	1034	0.5868	1035	0.5873	1031	0.5864	1031	0.5853	1035	0.5873	1010	0.5730
02/21/2020	1033	0.5870	1033	0.5872	1033	0.5864	1032	0.5864	1031	0.5849	1033	0.5867	1010	0.5730
02/22/2020	1033	0.5871	1031	0.5872	1033	0.5870	1032	0.5864	1032	0.5864	1032	0.5871	1010	0.5730
02/23/2020	1030	0.5871	1030	0.5873	1031	0.5871	1033	0.5866	1033	0.5865	1029	0.5873	1010	0.5730
02/24/2020	1030	0.5863	1030	0.5856	1030	0.5871	1033	0.5867	1033	0.5867	1030	0.5871	1010	0.5730
02/25/2020	1030	0.5856	1031	0.5864	1030	0.5854	1034	0.5868	1030	0.5862	1030	0.5854	1010	0.5730
02/26/2020	1035	0.5879	1036	0.5884	1034	0.5875	1034	0.5869	1032	0.5866	1034	0.5876	1010	0.5730
02/27/2020	1034	0.5890	1034	0.5888	1036	0.5889	1034	0.5869	1035	0.5879	1034	0.5888	1010	0.5730
02/28/2020	1034	0.5893	1033	0.5889	1034	0.5890	1034	0.5869	1033	0.5883	1034	0.5890	1010	0.5730
02/29/2020	1032	0.5872	1033	0.5873	1032	0.5885	1034	0.5867	1034	0.5890	1032	0.5873	1010	0.5730

	Thermal Zone 1 Oceanside		Thermal Zone 2 Rainbow		Thermal Zone 3 Sweetwater		Thermal Zone 4 Witherby		Thermal Zone 5 Harvest Station		Thermal Zone 6 Camino Del Norte		Thermal Zone 7 Point Loma	
Avg BTU	1032		1032		1031		1031		1035		1031		1013	
Min BTU	1028		1027		1027		1027		1026		1027		1010	
Max BTU	1036		1036		1036		1034		1060		1035		1019	
Avg Spec Gv	0.5867		0.5868		0.5867		0.5863		0.5869		0.5867		0.5757	
Min Spec Gv	0.5841		0.5843		0.5845		0.5841		0.5834		0.5845		0.5730	
Max SpeGvty	0.5893		0.5889		0.5890		0.5881		0.5917		0.5890		0.5800	

*** Unofficial Data, Subject to Change ***

SAN DIEGO GAS & ELECTRIC MONTHLY GAS QUALITY REPORT

January 2020

	Thermal Zone 1 Oceanside		Thermal Zone 2 Rainbow		Thermal Zone 3 Sweetwater		Thermal Zone 4 Witherby		Thermal Zone 5 Harvest Station		Thermal Zone 6 Camino Del Norte		Thermal Zone 7 Point Loma	
	BTU	Spec Gv	BTU	Spec Gv	BTU	Spec Gv	BTU	Spec Gv	BTU	Spec Gv	BTU	Spec Gv	BTU	Spec Gv
01/01/2020	1034	0.5873	1035	0.5876	1034	0.5873	1034	0.5873	1034	0.5879	1034	0.5873	1021	0.5790
01/02/2020	1033	0.5873	1032	0.5866	1033	0.5875	1033	0.5875	1033	0.5872	1033	0.5875	1021	0.5790
01/03/2020	1034	0.5866	1033	0.5867	1033	0.5864	1033	0.5864	1033	0.5888	1033	0.5864	1021	0.5790
01/04/2020	1032	0.5861	1033	0.5862	1032	0.5861	1034	0.5871	1030	0.5893	1032	0.5861	1021	0.5790
01/05/2020	1034	0.5872	1034	0.5873	1033	0.5869	1034	0.5870	1030	0.5886	1033	0.5869	1021	0.5790
01/06/2020	1033	0.5879	1032	0.5876	1033	0.5875	1033	0.5869	1032	0.5877	1032	0.5875	1021	0.5790
01/07/2020	1032	0.5875	1033	0.5881	1032	0.5879	1033	0.5869	1033	0.5866	1032	0.5874	1021	0.5790
01/08/2020	1034	0.5887	1034	0.5887	1033	0.5880	1033	0.5869	1032	0.5877	1033	0.5883	1021	0.5790
01/09/2020	1035	0.5890	1034	0.5887	1035	0.5888	1033	0.5870	1031	0.5872	1034	0.5889	1021	0.5790
01/10/2020	1033	0.5884	1033	0.5884	1032	0.5882	1033	0.5870	1034	0.5886	1032	0.5883	1021	0.5790
01/11/2020	1036	0.5895	1037	0.5902	1035	0.5887	1033	0.5869	1033	0.5884	1035	0.5891	1021	0.5790
01/12/2020	1037	0.5901	1037	0.5900	1037	0.5903	1033	0.5866	1031	0.5882	1037	0.5903	1021	0.5790
01/13/2020	1035	0.5892	1034	0.5890	1035	0.5890	1033	0.5864	1035	0.5892	1035	0.5891	1021	0.5790
01/14/2020	1033	0.5893	1033	0.5892	1034	0.5890	1033	0.5864	1035	0.5892	1033	0.5893	1021	0.5790
01/15/2020	1034	0.5898	1034	0.5895	1033	0.5890	1033	0.5867	1032	0.5882	1033	0.5894	1019	0.5800
01/16/2020	1034	0.5887	1034	0.5883	1033	0.5886	1033	0.5873	1030	0.5883	1033	0.5887	1019	0.5800
01/17/2020	1035	0.5890	1035	0.5891	1034	0.5887	1033	0.5877	1031	0.5882	1034	0.5889	1019	0.5800
01/18/2020	1032	0.5878	1031	0.5871	1033	0.5885	1033	0.5881	1032	0.5884	1033	0.5882	1019	0.5800
01/19/2020	1029	0.5863	1030	0.5866	1030	0.5867	1034	0.5884	1035	0.5889	1029	0.5862	1019	0.5800
01/20/2020	1031	0.5872	1031	0.5870	1031	0.5871	1034	0.5886	1031	0.5872	1031	0.5873	1019	0.5800
01/21/2020	1031	0.5868	1033	0.5877	1030	0.5863	1034	0.5887	1030	0.5862	1030	0.5866	1019	0.5800
01/22/2020	1033	0.5881	1032	0.5876	1033	0.5881	1034	0.5888	1030	0.5865	1033	0.5881	1019	0.5800
01/23/2020	1031	0.5862	1032	0.5863	1031	0.5866	1034	0.5888	1029	0.5857	1031	0.5866	1019	0.5800
01/24/2020	1034	0.5877	1035	0.5881	1033	0.5873	1034	0.5888	1029	0.5848	1033	0.5873	1019	0.5800
01/25/2020	1032	0.5863	1031	0.5858	1032	0.5867	1033	0.5887	1025	0.5875	1032	0.5867	1019	0.5800
01/26/2020	1031	0.5862	1031	0.5869	1030	0.5857	1033	0.5886	1031	0.5858	1030	0.5857	1019	0.5800
01/27/2020	1032	0.5879	1031	0.5879	1031	0.5878	1033	0.5880	1028	0.5861	1031	0.5878	1019	0.5800
01/28/2020	1030	0.5869	1030	0.5864	1030	0.5871	1032	0.5872	1026	0.5865	1030	0.5871	1019	0.5800
01/29/2020	1030	0.5868	1031	0.5869	1029	0.5864	1031	0.5866	1024	0.5838	1029	0.5864	1019	0.5800
01/30/2020	1032	0.5858	1033	0.5862	1032	0.5865	1031	0.5863	1024	0.5835	1032	0.5865	1019	0.5800
01/31/2020	1033	0.5852	1032	0.5846	1031	0.5850	1031	0.5865	1024	0.5836	1032	0.5850	1019	0.5800

	Thermal Zone 1 Oceanside		Thermal Zone 2 Rainbow		Thermal Zone 3 Sweetwater		Thermal Zone 4 Witherby		Thermal Zone 5 Harvest Station		Thermal Zone 6 Camino Del Norte		Thermal Zone 7 Point Loma	
Avg BTU	1033		1033		1032		1033		1031		1032		1020	
Min BTU	1029		1030		1029		1031		1024		1029		1019	
Max BTU	1037		1037		1037		1034		1035		1037		1021	
Avg Spec Gv	0.5876		0.5876		0.5875		0.5874		0.5872		0.5876		0.5795	
Min Spec Gv	0.5852		0.5846		0.5850		0.5863		0.5835		0.5850		0.5790	
Max SpeGvty	0.5901		0.5902		0.5903		0.5888		0.5893		0.5903		0.5800	

*** Unofficial Data, Subject to Change ***

SAN DIEGO GAS & ELECTRIC MONTHLY GAS QUALITY REPORT

December 2019

	Thermal Zone 1 Oceanside		Thermal Zone 2 Rainbow		Thermal Zone 3 Sweetwater		Thermal Zone 4 Witherby		Thermal Zone 5 Harvest Station		Thermal Zone 6 Camino Del Norte		Thermal Zone 7 Point Loma	
	BTU	Spec Gv	BTU	Spec Gv	BTU	Spec Gv	BTU	Spec Gv	BTU	Spec Gv	BTU	Spec Gv	BTU	Spec Gv
12/01/2019	1034	0.5891	1034	0.5892	1033	0.5893	1029	0.5870	1031	0.5870	1033	0.5893	1023	0.5767
12/02/2019	1033	0.5881	1033	0.5882	1033	0.5883	1029	0.5868	1029	0.5860	1033	0.5883	1023	0.5767
12/03/2019	1033	0.5876	1034	0.5878	1033	0.5877	1031	0.5877	1033	0.5888	1033	0.5877	1023	0.5767
12/04/2019	1033	0.5876	1033	0.5877	1034	0.5878	1031	0.5875	1032	0.5874	1034	0.5878	1023	0.5767
12/05/2019	1029	0.5870	1029	0.5870	1030	0.5869	1034	0.5877	1034	0.5869	1030	0.5869	1023	0.5767
12/06/2019	1030	0.5872	1029	0.5868	1029	0.5873	1030	0.5867	1029	0.5847	1029	0.5873	1023	0.5767
12/07/2019	1029	0.5869	1028	0.5868	1028	0.5868	1029	0.5866	1030	0.5856	1028	0.5868	1023	0.5767
12/08/2019	1031	0.5865	1030	0.5865	1030	0.5865	1030	0.5869	1028	0.5844	1030	0.5865	1023	0.5767
12/09/2019	1030	0.5867	1030	0.5869	1030	0.5869	1030	0.5864	1033	0.5846	1030	0.5869	1023	0.5767
12/10/2019	1030	0.5866	1031	0.5883	1029	0.5864	1029	0.5858	1030	0.5830	1029	0.5864	1023	0.5767
12/11/2019	1031	0.5870	1032	0.5893	1031	0.5874	1031	0.5870	1029	0.5827	1031	0.5874	1023	0.5767
12/12/2019	1031	0.5868	1032	0.5871	1031	0.5869	1032	0.5871	1033	0.5860	1031	0.5869	1023	0.5767
12/13/2019	1032	0.5870	1032	0.5874	1031	0.5865	1031	0.5864	1033	0.5861	1031	0.5865	1023	0.5767
12/14/2019	1032	0.5871	1031	0.5875	1032	0.5872	1030	0.5858	1033	0.5863	1032	0.5872	1023	0.5767
12/15/2019	1033	0.5879	1033	0.5882	1032	0.5878	1032	0.5879	1032	0.5840	1032	0.5878	1023	0.5767
12/16/2019	1032	0.5868	1031	0.5867	1032	0.5870	1032	0.5870	1035	0.5867	1032	0.5870	1023	0.5767
12/17/2019	1032	0.5869	1032	0.5870	1031	0.5867	1031	0.5867	1034	0.5849	1031	0.5867	1023	0.5767
12/18/2019	1032	0.5875	1032	0.5877	1031	0.5871	1031	0.5871	1033	0.5858	1031	0.5871	1021	0.5790
12/19/2019	1032	0.5886	1032	0.5886	1031	0.5879	1031	0.5879	1036	0.5878	1031	0.5879	1021	0.5790
12/20/2019	1032	0.5884	1032	0.5885	1031	0.5887	1031	0.5887	1035	0.5885	1031	0.5887	1021	0.5790
12/21/2019	1032	0.5880	1031	0.5878	1032	0.5878	1032	0.5878	1034	0.5911	1032	0.5878	1021	0.5790
12/22/2019	1032	0.5880	1033	0.5882	1032	0.5881	1032	0.5881	1033	0.5943	1032	0.5881	1021	0.5790
12/23/2019	1035	0.5882	1035	0.5885	1034	0.5884	1034	0.5884	1032	0.5909	1034	0.5884	1021	0.5790
12/24/2019	1034	0.5885	1033	0.5884	1033	0.5882	1033	0.5882	1031	0.5888	1033	0.5882	1021	0.5790
12/25/2019	1033	0.5876	1033	0.5875	1032	0.5877	1032	0.5877	1031	0.5895	1032	0.5877	1021	0.5790
12/26/2019	1035	0.5881	1036	0.5885	1034	0.5878	1034	0.5878	1031	0.5916	1034	0.5878	1021	0.5790
12/27/2019	1035	0.5877	1033	0.5868	1035	0.5881	1035	0.5881	1033	0.5877	1035	0.5881	1021	0.5790
12/28/2019	1033	0.5869	1032	0.5871	1032	0.5868	1032	0.5868	1034	0.5874	1032	0.5868	1021	0.5790
12/29/2019	1033	0.5877	1034	0.5882	1033	0.5875	1033	0.5875	1037	0.5891	1033	0.5875	1021	0.5790
12/30/2019	1033	0.5874	1033	0.5870	1033	0.5877	1033	0.5877	1033	0.5867	1033	0.5877	1021	0.5790
12/31/2019	1034	0.5873	1035	0.5878	1034	0.5872	1034	0.5872	1032	0.5867	1034	0.5872	1021	0.5790

	Thermal Zone 1 Oceanside		Thermal Zone 2 Rainbow		Thermal Zone 3 Sweetwater		Thermal Zone 4 Witherby		Thermal Zone 5 Harvest Station		Thermal Zone 6 Camino Del Norte		Thermal Zone 7 Point Loma	
Avg BTU	1032		1032		1032		1032		1032		1032		1022	
Min BTU	1029		1028		1028		1029		1028		1028		1021	
Max BTU	1035		1036		1035		1035		1037		1035		1023	
Avg Spec Gv	0.5875		0.5877		0.5875		0.5873		0.5871		0.5875		0.5777	
Min Spec Gv	0.5865		0.5865		0.5864		0.5858		0.5827		0.5864		0.5767	
Max SpeGvty	0.5891		0.5893		0.5893		0.5887		0.5943		0.5893		0.5790	

*** Unofficial Data, Subject to Change ***