

Site: Inflexxion
Address: Waltham, MA

Narrative Report - ASI-MV

Addiction Severity Index - Multimedia Version

Summary of Results for:

Client Name:	AI QA	Client ID:	123456
Client Address:	123 Main St. Newton, MA 02464	Administration Date:	4/4/2018
Client DOB:	2/1/1990	Admission Date:	N/A
Gender:	Male	Program #:	12
Social Security #:	111-11-1111	Class:	Intake/initial
Interview:	ASI English	Interviewer Code:	AV
		Payer/Insurer:	Commercial Payer
		Service:	Outpatient/non-Methadone

Scoring / Rating Summary

Problem Areas	Severity Ratings ¹	Composite Scores ²	Perception ³	Motivation ⁴
Medical	1	0.011	Not at all	Not at all
Employment	5	0.107	Considerably	Moderately
Alcohol	5	0.596	Considerably	Moderately
Drug	7	0.371	Considerably	Extremely
Legal	5	0.547	Considerably	Considerably
Family/Social	4	0.420	Moderately/ Slightly	Moderately/ Slightly
Psychiatric	4	0.477	Considerably	Moderately
Range	0-9	.00-1.00	0-4	0-4
^{1,2,3,4} see ASI-MV Graphic Profiles pages at end of report for further information				

Clinician Note: Any Domain without a score (or where there is an "X") is a result of the client not answering key questions in those areas. If this occurs, the clinician can go over the questions in that Domain with the client in a face-to-face meeting (Domain questions are provided in the "Question/Answer Report").

Low scores do not necessarily indicate the absence of a problem, because the client's self-perception of problem severity and motivation to receive help are factored into these scoring formulas. See the content of the narrative report for more detail on the client's self-reported data.

Identifying Data

Mr. QA is a 23 year old married, Male, who reported his religious preference is None. He considers his race to be White. He has lived at the above address for 10 year(s), 6 month(s) and in the last 30 days he has not been in a controlled environment.

Medical Status

Medical Severity Rating: 1 – (No real problem)

The following were answers to specific questions that, if answered “Yes”, may require follow-up:

Has chronic medical problems: Yes
Regularly taking, or should be taking prescribed medication: Yes

He reported being hospitalized for medical problems about 1 time(s) in his life. The last hospitalization for medical problems was about 9 year(s), 0 month(s) ago. He has visited a hospital emergency room 1 time(s) in the last 30 days. He reported having 1 day(s) of medical problems in the last 30 days and that he has an ongoing physical or medical problem that interferes with daily activities and does not receive money for a physical disability. He did report having the following other medical problems: High blood pressure. He is receiving help for his problem(s) from a medical professional. In addition he reported having no problems with pain.

Mr. QA reported to be not at all troubled or bothered by medical problems in the last 30 days and that receiving medical treatment is not at all important at this time.

Clinician Impressions/Information (e.g. more specifics on any medical problems, medications, hospitalizations and current medical care; is there chronic pain – if yes, explain; does the client get enough to eat on a regular basis – if no, explain):

Medications for medical problems, if yes:

Medication	Doctor	Reason Prescribed	Dates Taken	Did Medication Help

Employment Status

Employment Severity Rating: 5 – (Moderate problem)

Mr. QA reports his highest level of education was 4 years of graduate school or Ph.D./M.D./J.D. degree, and that he had 2 year(s) and 0 month(s) of additional formal or technical training. He does have a profession, trade or skill. His longest full-time job was 2 years, 0 months, and his usual employment pattern over the last 3 years has been full time. The best description of his occupation over the past three years is other professional. In the past 30 days he has spent 10 day(s) seriously looking for work and reports having problems that affected work 15 day(s) during that period. He reports having a valid driver's license and having access to a car. He reports that 2 people depend on him for the majority of their food, shelter or financial support. He does not regularly receive financial support from family, friends or significant others.

He reported working 20 of the past 30 days and receiving about \$3,500.00 in take home pay. Also, in the past 30 days he reported receiving nothing from Unemployment Compensation, nothing from Public Assistance, Welfare or Food Stamps, nothing from any Pension, Disability, Worker's Compensation, Social Security or Veteran's Benefit, nothing from family, friends or significant others and nothing from other sources. He also reported receiving nothing from illegal sources.

Mr. QA reported being considerably troubled or bothered by employment problems during the past 30 days and that receiving help or counseling for employment problems is moderately important at this time.

Clinician Impressions/Information (e.g. more specifics on employment situation, barriers to employment, problems that interfere with work and current attitude about work):

Alcohol / Drug Status

Alcohol Severity Rating: 5 – (Moderate problem)

Drug Severity Rating: 7 – (Considerable problem)

Within the indicated time period, Mr. QA reported using:

Substance	Age 1st Use	Past 30 Days		Lifetime (3 x/week)		Route
Alcohol – any use	-	30	days	5	years	
Alcohol – to intoxication		1	days	0	years	
Heroin	-	0	days	0	years	-
Methadone/Buprenorphine	-	0	days	0	years	-
Other opioids or pain medications	-	15	days	1	years	Smoked
Barbiturates	-	0	days	0	years	-
Tranquilizers	-	10	days	1	years	Swallowed
Cocaine	-	0	days	0	years	-
Amphetamines/ Methamphetamines	-	7	days	2	years	Snorted/Sniffed
Cannabis	-	0	days	0	years	-
Hallucinogens	-	0	days	0	years	-
Inhalants	-	0	days	0	years	
Ecstasy / MDMA	-	0	days	0	years	-
GHB	-	0	days	0	years	-
Ketamine	-	0	days	0	years	-
K2 / synthetic cannabis	-	0	days	0	years	-
Rohypnol / Roofies	-	0	days	0	years	-
Bath Salts	-	0	days	0	years	-
Over the counter medication	-	0	days	0	years	-
Other / unknown	-	0	days	0	years	-
More than one substance		30	days	3	years	

Mr. QA reported that in the last 30 days he has used the following prescription opioid pain medication:

Opioids Used	Days Used Total	Days Used Not as Prescribed	Route of Administration	Source
Percocet®	5	5	Swallowed it whole, Chewed it, and then swallowed it, and Drank it after it dissolved in liquid	My own prescription from one doctor, Given to me by family or friend, and My own prescriptions from several doctors
Demerol®	1	1	Chewed it, and then swallowed it	Traded for it

Mr. QA reported that in the last 30 days he has used the following prescription stimulant medication:

Stimulants Used	Days Used Total	Days Used Not as Prescribed	Route of Administration	Source
Ritalin® SR	30	20	Swallowed it whole, and Chewed it, and then swallowed it	My own prescription from one doctor, My own prescriptions from several doctors, and Other
Adderall® XR	1	1	Chewed it, and then swallowed it	Given to me by family or friend

Mr. QA selected Amphetamines, Methamphetamines, uppers or other stimulants as his primary problem substance and selected Amphetamines, Methamphetamines, uppers or other stimulants as his secondary problem substance. Considering all substances used, Mr. QA reports that opioid medication is his primary problem.

Mr. QA reports to be currently not clean and sober. He began using again less than a month ago. In the past he has experienced DT's 0 time(s). He also states that he has overdosed 1 time(s). He has had at least one experience of being able to maintain a voluntary abstinence from all primary substances for at least one month. The most recent period lasted 1 year(s) and 0 month(s). He also reports spending \$100.00 on alcohol and spending \$200.00 on drugs in the last thirty days.

Mr. QA reported that in the last 30 days spending 5 day(s) attending any outpatient treatment or counseling, and 1 day(s) attending AA/NA meetings. He also reports entering treatment for alcohol 1 time(s) in his life and 1 time(s) for drugs. He reported it is moderately important for him to change his living situation to stay clean and sober and that he is moderately interested in talking with someone about his housing situation.

Mr. QA reported that in the last 30 days he had 20 day(s) of problems related to drinking and to being considerably troubled or bothered by alcohol problems. He indicated that receiving treatment or counseling for alcohol problems is moderately important at this time.

Mr. QA also reported that in the last 30 days he had 30 day(s) of problems related to using drugs and to being considerably troubled or bothered by drug problems. He indicated that receiving treatment or counseling for drug problems is extremely important at this time.

Clinician Impressions/Information (e.g. more specifics on current alcohol/drug use amounts and patterns, problems with past sobriety attempts, problems with past treatment episodes and attitude about wanting help at this time.):

Legal Status

Legal Severity Rating: 5 – (Moderate problem)

The following are answers to specific questions that may require follow-up:

Were you pressured to enter this current treatment by the legal system?	Yes
Are you currently on probation or parole?	Yes
In the past 30 days, how many days were you in prison or jail?	1
In the past 30 days, how many days did you do anything illegal for profit?	7

Legal Arrests and Charges: Mr. QA denies having ever been arrested and charged for any crime.

Mr. QA also reports that, in his lifetime, he has been arrested/charged with disorderly conduct, vagrancy, or public drunkenness 0 time(s), driving while intoxicated (DWI) 1 time(s), other driving violations 1 time(s), and other offenses 1 time(s).

Since the age of 18, he has spent about 0 year(s) and 6 month(s) in jail or prison. Mr. QA is currently awaiting charges, trial or sentencing for the following: Parole or probation violations, Drug charges or possession, and Assault

Mr. QA reports feeling any legal problems are considerably serious and that receiving counseling or referral for legal problems is considerably important at this time. Additionally, he feels any family-related legal problems are slightly serious and that receiving counseling or referral for family legal problems is not at all important at this time.

Clinician Impressions/Information (e.g. more specifics on any legal problems, terms of any probation or parole and substance abuse role in legal problems.):

Family/Social Status

Family / Social Severity Rating: 4 – (Moderate problem)

Mr. QA reports that his current marital status is married, that he has been in that status for 3 year(s), (Not Asked) month(s) and that he is neither satisfied nor dissatisfied with this status. He has 1 child under the age of 18 and, in the past 30 days, at least one of them lived with him.

He currently lives in a private home or apartment. For 3 year(s), 0 month(s) of the past three years his usual living arrangement has been with significant other or spouse and children. He reports being neither satisfied nor dissatisfied with this arrangement.

He reported the following answers to specific questions that may require clinician follow-up:

Lives with anyone who abuses alcohol:	Yes
Lives with anyone who abuses drugs:	Yes
Has ever been emotionally abused:	Yes
Has been emotionally abused in past 30 days:	No
Has ever been physically abused:	Yes
Has been physically abused in past 30 days:	No
Has ever been sexually abused:	Yes
Has been sexually abused in past 30 days:	No

Mr. QA reports spending most of his time with live-in significant other and being neither satisfied nor dissatisfied about this. He reports having 1 close friend(s), but is not sure if he has a close, long-lasting, personal relationship with any of them.

Mother – Mr. QA reports not having had a close, long-lasting, personal relationship with his mother. In his lifetime, there were periods when he had serious problems getting along with his mother. In the past 30 days, he has had serious problems getting along with his mother.

Father – He also reports never knowing his father.

Sibling(s) – Mr. QA reports never knowing his sibling(s).

Spouse or Significant Other – He reports not having a spouse or significant other.

Children – He reports not being sure if there was a close, long-lasting, personal relationship with his child(ren). In his lifetime, there were no periods when he had serious problems getting along with his child(ren). In the past 30 days, he has not had serious problems getting along with his child(ren).he reports that his child(ren) have never been taken away from him due to a child protective order or other legal proceeding.

Other Significant Family Members – Mr. QA, in his lifetime, reports there were periods when he had serious problems getting along with other significant family members. In the past 30 days, he has had serious problems getting along with other significant family members.

Close Friends – He reports having 1 close friend(s), and he is not sure he has had a close, long-lasting, personal relationship with a least one of them. He reports in his lifetime, there were periods when he had serious problems getting along with any close friend(s). In the past 30 days, he had no recent contact with his close friend(s).

Neighbors – Mr. QA, in his lifetime, reports there were no periods when he had serious problems getting along with neighbors. In the past 30 days, he has not had serious problems getting along with any neighbors.

Co-Workers – Mr. QA reports in his lifetime, there were periods when he had serious problems getting along with any co-workers. In the past 30 days, he has had serious problems getting along with any co-workers.

Mr. QA reports that in the past 30 days he has had no day(s) of very serious conflicts or arguments with any family member or relative, and that he is moderately troubled or bothered about family problems. He reported that receiving treatment or counseling for family problems is moderately important at this time.

Mr. QA reports that in the past 30 days he has had 1 day(s) of very serious conflicts or arguments with any people outside the family, and that he is slightly troubled or bothered by problems with people other than family. He reported that receiving treatment or counseling for social problems is slightly important at this time. Note that social problems include loneliness, inability to socialize, and dissatisfaction or conflict with people other than family.

Clinician Impressions/Information (e.g. more specifics on any family/friend problems, number and ages of children, specifics about any abuse and current supportive network):

Family history of substance abuse and/or mental illness, if any (check all that apply):

	Substance Abuse	Mental Illness
Father		
Mother		
Siblings		
Grandparents		
Aunts		
Uncles		
Children		
Other:		

Psychiatric Status

Psychiatric Severity Rating: 4 – (Moderate problem)

Mr. QA has been prescribed medication for psychological or emotional problems within the past 30 days, and in his lifetime has been prescribed medication. He reported having received a diagnosis for an emotional or psychological problem and is currently not receiving any professional help for psychological or emotional problems.

He reported having received a diagnosis of: depression or mood disorder, and anxiety or nervous disorder.

He reported feeling seriously depressed in the past 30 days. He reported feeling serious anxiety in the past 30 days. He reported having trouble understanding, concentrating or remembering within the past 30 days (only when high or in withdrawal from alcohol or drugs).

Additionally, he reported: having serious depression, having serious anxiety, and having trouble understanding, concentrating or remembering at other periods in his life (only when high or in withdrawal from alcohol or drugs).

He reported having been hospitalized or in an inpatient setting for psychological or emotional problems 1 time(s) and having entered into outpatient or counseling for emotional or psychological problems 2 time(s) in his lifetime. He does not currently receive a pension for a psychiatric disability.

Mr. QA reported that **today** he has been feeling:

Considerably	Down, blue and depressed
Extremely	Helpless and hopeless
Slightly	Angry
Moderately	Irritable
Slightly	Hostile
Considerably	Tense
Extremely	Very worried

Mr. QA reports that in the last 30 days, he has experienced the psychological or emotional problems referenced earlier, for 30 day(s). He reported being considerably troubled or bothered by psychiatric problems and that receiving treatment or counseling for psychiatric problems is moderately important at this time.

Psychiatric Risk Questions

Listed below are twelve questions of the Psychiatric Status section along with Mr. QA's answers to them. This gives the clinician important information, which may require immediate face-to-face intervention or follow-up if answered Yes.

• In the past 30 days, have you had times when you heard voices or saw things that other people couldn't see and hear?	No
• Other times in your life?	No
• In the past 30 days, have you had times when you had trouble controlling your temper or violent behavior?	No
• Other times in your life?	No

• In the past 30 days, have you seriously considered a plan for killing yourself?	No
• Other times in your life?	No
• In the past 30 days, have you attempted suicide or tried to kill yourself?	No
• Other times in your life?	Only when high or in withdrawal from alcohol or drugs
• Have you had trouble thinking clearly today?	Moderately
• Have you had trouble concentrating today?	Moderately
• Have you been hearing voices today?	Not at all
• Have you been thinking of hurting yourself today?	Slightly

Clinician Impressions/Information (e.g. more specifics on psychological problems that effect functioning, medications, hospitalizations and current psychiatric care; also Mental Status specifics regarding: Mood and Affect / Thought Content / Thought Process / Speech / Memory / Orientation / Intellect / Insight / Judgment / Appearance / Posture / Psychomotor Activity / Current Risk Factors):

Medications for psychological problems, if yes:

Medication	Doctor	Reason Prescribed	Dates Taken	Did Medication Help

Summary

Mr. QA is a 23 year old married, White, Male, who reported his religious preference is None. He has lived at the above address for 10 year(s), N/A month(s) and in the last 30 days he has not been in a controlled environment.

In the questions related to mental status, Mr. QA reported that on the day of the ASI-MV administration he felt down and depressed, felt helpless and hopeless, felt angry, felt irritable, felt hostile, felt tense, and felt very worried.

In addition, Mr. QA reported that on the day of the ASI-MV administration he reported: no trouble with hearing voices, trouble concentrating, trouble thinking of hurting himself, and trouble thinking clearly. Also, in the past 30 days, he reported seriously considering a suicide plan (only when high or in withdrawal from alcohol or drugs), and not having made a suicide attempt. See the itemized **Psychiatric Risk Questions** for more information on risk.

The following is a summary of the three domains in which Mr. QA reported the most severe deficits in functioning:

Mr. QA had a Drug Severity Rating of 7. In the past 30 days he reported using opiates or painkillers (other than heroin or methadone)- 15.00 days. He also reported that in the last 30 days he has spent 5 days attending any outpatient treatment or counseling, including AA/NA meetings. He also indicates that he has entered treatment for alcohol 1 times in his/her life and for drugs 1 times. Of these, 0 times were alcohol detox and 0 times were drug detox. Mr. QA also reported that in the last 30 days he had 30 days of problems related to using drugs and to being Considerably troubled or bothered by drug problems. He indicated that receiving treatment or counseling for drug problems is Extremely important at this time.

Mr. QA had a Employment Severity Rating of 5. In the past 30 days he reported having problems that affected work 15 days during that period. His longest full-time job was 2 years, 0 months and his usual employment pattern over the last 3 years has been Full-time (35+ hours per week). The best description of his occupation over the past three years is Other professional or management (like a nurse, teacher, social worker, or pharmacist). Mr. QA reported being Considerably troubled or bothered by employment problems during the past 30 days and that receiving treatment or counseling for employment problems is Moderately important at this time.

Mr. QA had a Alcohol Severity Rating of 5. In the past 30 days he reported using Alcohol 30 days and 1 days to intoxication. He also reported that in the last 30 days he has spent 5 days attending any outpatient treatment or counseling, including AA/NA meetings. He also indicates that he has entered treatment for alcohol 1 times in his life and for drugs 1 times. Of these, 0 times were alcohol detox and 0 times were drug detox. Mr. QA reported that in the last 30 days he had 20 days of problems related to drinking and to being Considerably troubled or bothered by alcohol problems. He indicated that receiving treatment or counseling for alcohol problems is Moderately important at this time.

This Summary of the three domains with the most severe ratings is intended to assist the clinician with treatment planning. The full report contains a more complete presentation of Mr. QA's responses.

Clinician Impressions/Information (e.g. more specifics on any problem area requiring intervention, preliminary treatment recommendations and client's current motivation to seek and use help):

If you, the clinician, think the ASI-MV calculated scores are not an accurate representation of the client's problems you can add your scores and reasons here. If there is no difference, select and delete this chart.

Note: Any added scores will not change the ASI-MV calculated scores in the database, so the validity and reliability of this tool is not compromised.

Problem Areas	ASI-MV Calculated		Clinician Scores (if different)		
	Severity Ratings*	Composite Scores **	Severity Ratings	Composite Scores	Justification for Difference ***
Medical	1	0.011			
Employment	5	0.107			
Alcohol	5	0.596			
Drug	7	0.371			
Legal	5	0.547			
Family/Social	4	0.420			
Psychiatric	4	0.477			
* / ** See the Graph Profiles page for explanation			*** Use space below for further explanation		

DSM-5 Diagnoses *

Code:	
Code:	
Code:	
Code:	
Code:	
<i>Diagnoses Description / Comments:</i>	
<p>DSM-5 uses a single axis system that combines the former Axes I-III: Mental Disorders / Medical Disorders / Other Conditions that May be the Focus of Clinical Attention</p> <p>* Note: Information added here does not go into the database (this table can be selected & deleted if desired)</p>	

This ASI-MV assessment and report is intended to be a significant part of, but not the entire clinical evaluation.

Clinician Note: Any Domain without a Severity Rating or Composite Score (or where there is an "X") is a result of the client not answering key questions in those areas. If this occurs, the clinician can go over the questions in that Domain with the client in a face-to-face meeting (Domain questions are provided in the Question and Answer report).

Clinician Signature (indicates review of this report):

Clinician's signature

Date: _____








Clinician's printed name

The following page contains the **ASI-MV Profile**, summarizing the **Severity Ratings, Composite Scores, Perception** and **Motivation** in each of the seven problem areas defined above.

ASI-MV Graphic Profiles

Graph 1 of 3

Severity Ratings** ASI-MV

Problem Areas	Severity Ratings	0	1	2	3	4	5	6	7	8	9
Medical	1										
Employment	5										
Alcohol	5										
Drug	7										
Legal	5										
Family/Social	4										
Psychiatric	4										
Range	0 - 9	0	1	2	3	4	5	6	7	8	9


**** Severity Ratings** are calculated from questions, which include “lifetime” data and are used for identifying problem areas and treatment planning. They should not be used to evaluate outcome or progress.

<p>Severity Ratings** Interpretation Guidelines</p> <p>0 – 1 No real problem 2 – 3 Slight problem 4 – 5 Moderate problem 6 – 7 Considerable problem 8 – 9 Extreme problem</p>	<p>Low Severity Ratings or Composite Scores do not necessarily indicate the absence of a problem, because the client’s self-perception of problem severity and motivation to receive help are factored into these scoring formulas. See the content of the narrative report for more detail on the client’s self-reported data.</p>
--	---

ASI-MV Graphic Profiles

Graph 2 of 3

Composite Scores* ASI-MV



* **Composite Scores** are calculated from questions regarding the past 30 days & are used primarily for research & outcome evaluations.

Clinician Note: Any Domain without a Severity Rating or Composite Score (or where there is an "X") is a result of the client not answering key questions in those areas. If this occurs, the clinician can go over the questions in that Domain with the client in a face-to-face meeting (Domain questions are provided in the "Question & Answer Report").

Composite Score Interpretive Guidelines*			
Domains	Low	Medium	High
Medical	.000 – .106	.107 – .428	.429 – 1.0
Employment	.000 – .473	.474 – .789	.790 – 1.0
Alcohol	.000 – .339	.340 – .679	.680 – 1.0
Drug	.000 – .109	.110 – .209	.210 – 1.0
Legal	.000 – .067	.068 – .255	.256 – 1.0
Family / Social	.000 – .078	.079 – .268	.269 – 1.0
Psychiatric	.000 – .068	.069 – .333	.334 – 1.0
*For each Domain, Low is < .5 standard deviation (SD) from the Composite Score mean, Medium is between -.5 and + .5 SD, and High is > .5 SD. Classification calculations reflect each Domain's distribution of more than 250,000 initial ASI-MV administrations.			

ASI-MV Graphic Profiles

Graph 3 of 3

Perception³ & Motivation⁴ ASI-MV

Problem Areas		A = Perception B = Motivation	0	1	2	3	4
Medical	A = Not at all						
	B = Not at all						
Employment	A = Considerably						
	B = Moderately						
Alcohol	A = Considerably						
	B = Moderately						
Drug	A = Considerably						
	B = Extremely						
Legal	A = Considerably						
	B = Considerably						
Family	A = Moderately						
	B = Moderately						
Social	A = Slightly						
	B = Slightly						
Psychiatric	A = Considerably						
	B = Moderately						
Range	0-4		0	1	2	3	4

Clinician Note: Any Domain without a score (or where there is an "X") is a result of the client not answering key questions in those areas. If this occurs, the clinician can go over the questions in that Domain with the client in a face-to-face meeting (Domain questions are provided in the "Question/Answer Report").

³ **Perception** is a how troubled or bothered a client is by problems.

⁴ **Motivation** is how important it is for the client to receive help for problems now.

ASI-MV Report: Consistency of Response Summary

This section identifies pairs of questions in the ASI-MV in which the client did not answer consistently. Some of the inconsistencies listed may be due to normal human error; however, multiple inconsistencies may suggest a pattern of client misunderstanding or deception and should be followed up by the clinician.

Mr. QA did not answer 0 question(s) when taking the ASI-MV. Multiple skipped questions can result in the inability to calculate Severity Ratings or Composite Scores, and can compromise ASI-MV results.

Mr. QA had the following inconsistent responses in this assessment (out of 29 possible checks):

He reported the same substance for both his primary and secondary substance problem.
--