

## USAWFL Ideal Venue Checklist

### Venue

- \_\_\_\_\_ Space for 2 Fields (76 yards x 22 yards per field plus sidelines)
- \_\_\_\_\_ Space for Practice Area
- \_\_\_\_\_ If Indoor Venue, Ability to Tape/Paint Field the Day Prior
- \_\_\_\_\_ If Indoor Venue, Ceiling Height is Minimum of 30 Feet
- \_\_\_\_\_ If Outdoor Venue, Ability to Paint Field the Day Prior (Tape is not preferred)
- \_\_\_\_\_ If Outdoor Venue, Must Have a Rain Plan (ability to mark fields a day or two early, dry area for athletes to change, eat, store gear, etc.)
- \_\_\_\_\_ Designated Area for Event Check-In
- \_\_\_\_\_ Designated Area for Official's Equipment Storage
- \_\_\_\_\_ Designated Area for Spectators
- \_\_\_\_\_ Accessible Restrooms (minimum of 1 per 10 athletes)
- \_\_\_\_\_ Parking On Site (Free or In/Out Privileges)
- \_\_\_\_\_ Food Vendors On Site or Ability to Bring in Food Trucks/Vendors
- \_\_\_\_\_ Near Lodging (within 10 miles of multiple hotel options)
- \_\_\_\_\_ Storage Space for Equipment (approx. 10-20 chairs per team)
- \_\_\_\_\_ Appropriate Overnight Security (locked venue or paid security personnel)
- \_\_\_\_\_ Appropriate Trash & Cleaning Services
- \_\_\_\_\_ Ability to Post Wide Variety of Signage (Field, Directional, Branding, etc.)

### Field Area Specifics

- \_\_\_\_\_ Flat or Very Low Grade Surface
- \_\_\_\_\_ Smooth Surface with Very Few Cracks, Bumps, Gravel Areas
- \_\_\_\_\_ Unmarked Surface or Markings that Don't Distract from Field Markings
- \_\_\_\_\_ Ability to Run Power to Score Boards